

Cotton Varieties Planted 2008 Crop



***U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee
September, 2008***

** Corrected Table 4, 5, and 6*

mp_cn833

Cotton Varieties Planted, United States 2008 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2008-2009 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Bayer CropScience Stoneville, PhytoGen, Americot, All-Tex, and Dyna-Grow.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 94.6 percent of the Upland cotton planted in the United States in 2008. Usage of transgenic varieties in 2008 varied from a high of 100 percent in Arkansas, Mississippi, Missouri, and Tennessee to a low of 71.3 percent in California. Other states planted from 95-99 percent transgenic except for Texas (89.9 percent).

Deltapine brand varieties were the most popular planted in 2008, accounting for about 41.5 percent of the United States acreage. This brand accounted for 75.8 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 53.3 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 17.0 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 47.5 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 164 B2RF, and DP 445 BG/RR, accounting respectively for 17.2, 5.9, 4.7, and 3.9 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2008, accounting for about 32.1 percent of the United States acreage. These varieties accounted for 1.9 percent of the acreage planted in the southeastern states, about 1 percent in the south central states, 65.9 percent in the southwestern states, and 14.11 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 9068 F, FM 9603 B2F, FM 9180 B2F, and FM 958, accounting respectively for about 7.1, 7.0, 2.9, and 2.6 percent of the United States acreage planted to Upland cotton.

Bayer CropScience Stoneville brand varieties were the third most popular planted in 2008. These varieties accounted for about 14.2 percent of the acreage planted. They accounted for 12.0 percent of the acreage planted in the southeastern states, 38.7 percent of the acreage in the south central states, 2.6 percent in the southwestern states, and 8.0 percent in the western states. The most popular Stoneville varieties were ST 4554 B2RF, ST 4427 B2RF, and ST 5242 BR accounting respectively for about 7.9, 1.4, and 1.4 percent of the United States acreage planted to Upland cotton.

PhytoGen brand varieties were the fourth most popular planted in 2008, accounting for about 4.1 percent of the United States acreage. They accounted for 7.4 percent of the acreage planted in the southeastern states, 4.2 percent of the acreage in the south central states, less than 1 percent in the southwestern states and 27.8 percent in the western states. The most popular PhytoGen brand varieties were PHY 485 WRF and PHY 370 WR WRF, accounting respectively for about 1.4 and 0.7 percent of the United States acreage planted to Upland cotton.

Americot brand varieties were the next most popular and accounted for about 2.7 percent of the U.S. acreage planted in 2008. All-Tex brand varieties were the next most popular and accounted for about 1.8 percent of the U.S. acreage planted in 2008. Dyna-Gro varieties were the seventh most popular and accounted for about 1.5 percent of the 2008 cotton acreage.

PhytoGen was the most popular brand of American Pima varieties planted in 2008. PhytoGen variety PHY 800 Pima accounted for 66.9 percent of the United States Pima acreage and was the most popular variety planted in California (73.9 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 22.9 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 7.4 percent of the U.S. Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2008 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginner, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of Upland cotton planted to leading specified varieties, by growth area,
2008 crop**

Southeast	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Phytogen PHY 485 WRF	Bayer Crop Science - Stoneville ST 4427 B2RF	Bayer Crop Science - Stoneville ST 5327 B2RF	Bayer Crop Science - Stoneville PHY 370 WR
	57.28	5.05	4.82	3.37	2.36	1.84	1.54
South Central	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 555 BG/RR	Bayer Crop Science - Stoneville ST 5242 BR	Deltapine DP 164 B2RF	Bayer Crop Science - Stoneville ST 4427 B2RF
	23.31	16.15	12.78	10.45	4.38	4.33	3.36
Southwest	Bayer Crop Science - Fibermax FM 9058 F	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 9180 B2F	Bayer Crop Science - Fibermax FM 958	Deltapine DP 164 B2RF	Bayer Crop Science - Fibermax FM 960 B2R	Deltapine DP 143 B2RF
	15.11	14.60	6.08	5.58	5.23	3.80	3.26
West	Deltapine DP 164 B2RF	Phytogen PHY 725 RF Acala	Deltapine DP 455 BG/RR	Phytogen PHY 72 Acala	Deltapine DP 161 B2RF	Bayer Crop Science - Stoneville ST 4554 B2RF	Bayer Crop Science - Fibermax FM 989 B2R
	21.45	12.75	11.80	9.92	5.38	5.07	4.08
US	Deltapine DP 555 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Bayer Crop Science - Fibermax FM 9058 F	Bayer Crop Science - Fibermax FM 9063 B2F	Deltapine DP 444 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 445 BG/RR
	17.15	7.91	7.10	6.95	5.90	4.69	3.90

**Estimated percentage of Upland cotton planted to leading specified brands by growth area,
2008 crop**

Southeast	Deltapine	Bayer Crop Science - Stoneville	Phytogen	Bayer Crop Science - Fibermax	Dyna-Gro	Misc	Americot
	75.76	11.95	7.36	1.93	1.69	0.96	0.17
South Central	Deltapine	Bayer Crop Science - Stoneville	Phytogen	Dyna-Gro	Cropland Genetics	Bayer Crop Science - Fibermax	Americot
	53.34	38.74	4.12	1.54	1.33	0.81	0.14
Southwest	Bayer Crop Science - Fibermax	Deltapine	Americot	All-Tex	Bayer Crop Science - Stoneville	Dyna-Gro	Bayer Crop Science - AFD Seed
	65.90	17.02	5.64	3.87	2.58	1.31	1.14
West	Deltapine	Phytogen	Bayer Crop Science - Fibermax	Bayer Crop Science - Stoneville	Misc	Dyna-Gro	Cropland Genetics
	47.45	27.59	14.11	7.99	1.43	1.05	0.37
US	Deltapine	Bayer Crop Science - Fibermax	Bayer Crop Science - Stoneville	Phytogen	Americot	All-Tex	Dyna-Gro
	41.46	32.14	14.19	4.11	2.72	1.82	1.45

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2008

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
All-Tex	Apex B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.42	-	-	2.08	-	0.93
All-Tex	Arid B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.51	-	0.22
All-Tex	Atlas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.07
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.93	-	0.41
All-Tex	ATX 65016 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	ATX 65018 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
All-Tex	ATX 65333 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Patriot RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	*
All-Tex	Quickie	-	-	-	-	-	-	-	-	-	-	-	-	0.50	-	-	-	-	*
All-Tex	Summit B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.19	-	-	-	-	*
All-Tex	Titan B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.19	-	-	-	-	*
All-Tex	Top-Pick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
All-Tex	Xpress	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Total	-	-	-	-	-	-	-	-	-	-	-	-	1.30	-	-	4.04	-	1.82
Americot	AM 821 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.48	-	0.21
Americot	AM 1504 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	AM 1532 B2RF	-	*	*	-	-	-	-	-	-	0.36	-	-	-	-	-	1.06	-	0.49
Americot	AM 1550 B2RF	-	-	0.12	-	-	-	-	-	-	0.05	-	-	-	2.57	0.08	-	0.20	0.06
Americot	AM 1664 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	AM 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 821 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.70	-	0.31
Americot	NG 1551 RF	-	-	-	-	-	-	7.00	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 1553 R	-	-	-	-	-	-	8.00	-	-	-	-	-	0.47	-	-	*	-	0.05
Americot	NG 1556 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 1572 RF	-	-	-	-	-	-	6.00	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 2448 R	-	-	-	-	-	-	-	-	-	-	-	-	2.77	-	-	0.44	-	0.26
Americot	NG 2549 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 3273 B2RF	-	-	-	-	-	-	6.00	-	-	-	-	-	1.16	-	-	-	-	0.05
Americot	NG 3348 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	-	0.14
Americot	NG 3410 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.05
Americot	NG 3538 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	NG 3550 RF	-	-	-	-	-	-	9.00	-	-	-	-	-	-	-	-	2.06	-	0.95
Americot	NG 3969 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	Total	-	*	0.17	-	-	-	36.00	-	-	0.41	-	-	4.40	2.57	0.08	5.38	0.20	2.72
Bayer Crop Science - AFD	AFD 3070 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer Crop Science - AFD	AFD 3074 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer Crop Science - AFD	AFD 3511 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Bayer Crop Science - AFD	AFD 3602 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer Crop Science - AFD	AFD 5064 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.56	-	0.25
Bayer Crop Science - AFD	AFD 5065 B2F	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-	-	0.48	-	0.22
Bayer Crop Science - AFD	Total	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-	-	1.20	-	0.54
Bayer Crop Science - Fibermax	Acala Daytona RF	-	-	-	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05
Bayer Crop Science - Fibermax	Acala Fiesta RR	-	-	-	0.17	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Fibermax	Acala Ultima RF	-	-	-	2.35	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Fibermax	FM 820 F	-	-	-	-	-	-	-	-	0.55	-	-	-	-	-	-	0.34	-	0.18
Bayer Crop Science - Fibermax	FM 832 LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.28	-	0.57
Bayer Crop Science - Fibermax	FM 832	-	-	-	-	-	-	-	0.22	-	-	-	-	-	-	-	2.46	-	1.10
Bayer Crop Science - Fibermax	FM 835 LLB2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.66	-	0.74

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Bayer Crop Science - Fibermex	FM 840 B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.75	-	1.22
Bayer Crop Science - Fibermex	FM 955 LLB2	-	1.22	-	-	-	-	-	-	-	-	-	0.15	-	-	-	1.15	-	0.54
Bayer Crop Science - Fibermex	FM 958	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	5.92	-	2.62
Bayer Crop Science - Fibermex	FM 958 LL	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	1.68	0.57	0.75
Bayer Crop Science - Fibermex	FM 960 B2	-	-	0.63	-	-	-	-	*	*	-	1.33	*	-	-	-	1.37	-	0.67
Bayer Crop Science - Fibermex	FM 960 B2R	0.27	-	-	-	-	-	-	-	-	-	14.54	*	1.24	-	-	3.97	-	1.86
Bayer Crop Science - Fibermex	FM 960 BR	3.72	-	-	-	-	0.45	-	-	-	-	-	0.15	-	-	1.22	0.74	-	0.58
Bayer Crop Science - Fibermex	FM 960 RR	1.17	-	-	-	-	0.24	-	-	-	-	-	-	-	-	-	0.15	-	0.14
Bayer Crop Science - Fibermex	FM 966	0.67	-	-	-	-	0.06	-	0.14	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Fibermex	FM 988 LLB2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
Bayer Crop Science - Fibermex	FM 989 B2R	-	0.51	-	-	-	0.33	-	-	-	-	33.28	-	-	-	-	1.88	-	1.02
Bayer Crop Science - Fibermex	FM 989 RR	-	0.06	-	-	-	-	-	-	-	-	-	-	-	-	-	0.27	*	0.12
Bayer Crop Science - Fibermex	FM 989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.35	-	0.15
Bayer Crop Science - Fibermex	FM 991 RR	0.53	-	-	-	-	0.24	-	-	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Fibermex	FM 1600 LL	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Fibermex	FM 1735 LLB2	-	-	-	-	-	0.12	-	-	-	-	-	0.06	4.62	-	-	-	-	0.12
Bayer Crop Science - Fibermex	FM 1740 B2F	-	-	-	0.12	-	-	-	-	-	-	0.37	-	19.79	0.34	-	0.39	-	0.62
Bayer Crop Science - Fibermex	FM 1880 B2F	-	2.35	-	-	-	-	-	-	-	-	7.95	0.12	0.60	0.30	-	1.96	-	0.97
Bayer Crop Science - Fibermex	FM 9058 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.02	-	7.10
Bayer Crop Science - Fibermex	FM 9060 F	-	-	0.12	-	-	-	-	-	-	0.09	-	-	-	-	1.11	1.06	-	0.53
Bayer Crop Science - Fibermex	FM 9063 B2F	-	2.07	-	-	-	-	-	-	-	-	12.87	-	13.26	-	-	14.82	-	6.95
Bayer Crop Science - Fibermex	FM 9068 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.73	-	0.32
Bayer Crop Science - Fibermex	FM 9150 F	-	-	-	-	-	-	-	-	-	-	-	-	0.20	-	-	0.44	-	0.20
Bayer Crop Science - Fibermex	FM 9180 B2F	-	-	-	1.18	-	-	-	-	-	-	-	-	5.37	-	-	6.18	-	2.87
Bayer Crop Science - Fibermex	Total	6.36	6.22	0.75	7.58	-	1.44	-	0.44	0.57	0.09	70.35	0.61	45.07	0.64	2.33	67.63	0.60	32.14
Bayer Crop Science - Stoneville	ST 4357 B2RF	-	0.81	3.35	-	-	-	-	-	-	0.81	-	*	1.21	0.46	-	0.38	-	0.55
Bayer Crop Science - Stoneville	ST 4427 B2RF	0.25	0.78	3.28	-	-	-	-	1.33	0.74	7.61	-	7.39	0.10	0.15	4.43	-	20.38	1.43
Bayer Crop Science - Stoneville	ST 4498 B2RF	0.27	2.32	1.47	0.85	-	-	-	*	0.06	2.21	-	1.52	-	0.31	0.31	*	4.00	0.42
Bayer Crop Science - Stoneville	ST 4554 B2RF	2.54	10.17	18.22	-	1.94	0.20	-	15.43	16.75	45.94	-	15.98	3.72	5.21	28.03	1.30	13.02	7.91
Bayer Crop Science - Stoneville	ST 4575 BR	-	-	-	-	-	-	-	-	-	0.45	-	-	-	-	0.48	0.09	-	0.08
Bayer Crop Science - Stoneville	ST 4664 RF	2.08	-	1.57	-	-	-	-	0.16	-	4.22	-	0.73	-	*	0.40	*	-	0.46
Bayer Crop Science - Stoneville	ST 4678 B2RF	-	0.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	*
Bayer Crop Science - Stoneville	ST 5242 BR	4.73	-	4.17	-	-	0.28	-	-	14.52	0.93	-	0.72	-	0.05	0.07	-	0.29	1.37
Bayer Crop Science - Stoneville	ST 5283 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
Bayer Crop Science - Stoneville	ST 5327 B2RF	1.12	0.48	0.48	-	-	-	-	0.13	-	1.04	-	6.11	-	3.39	0.90	0.23	3.45	0.68
Bayer Crop Science - Stoneville	ST 5458 B2RF	-	-	0.47	0.35	-	-	-	1.09	0.48	0.59	-	0.67	-	0.45	-	-	1.67	0.19
Bayer Crop Science - Stoneville	ST 5599 BR	1.50	-	5.10	-	-	*	-	0.46	5.35	0.51	-	0.42	4.06	0.75	0.15	0.15	-	1.01
Bayer Crop Science - Stoneville	ST 6351 B2RF	-	0.34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Stoneville	ST 6611 B2RF	-	-	-	-	-	0.06	-	-	-	-	-	0.07	-	0.57	-	-	-	*
Bayer Crop Science - Stoneville	ST 6622 RF	-	-	-	-	-	0.16	-	-	-	-	-	-	-	-	-	-	-	*
Bayer Crop Science - Stoneville	Total	12.49	15.11	38.10	1.20	1.94	0.74	-	18.63	37.91	64.31	-	33.62	9.09	11.36	34.77	2.28	42.89	14.19
Bronco	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.05
Bronco	7139	0.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bronco	1492	0.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bronco	Total	0.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	-	0.09
Concho	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	-	0.06

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Cropland Genetics	CG 3020 B2RF	-	-	0.92	-	-	-	-	-	-	2.51	0.11	-	-	-	-	0.07	-	0.21
Cropland Genetics	CG 3035 RF	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
Cropland Genetics	CG 3220 B2RF	-	-	0.21	-	-	-	-	0.90	-	-	-	-	-	-	-	*	-	0.06
Cropland Genetics	CG 3520 B2RF	-	-	-	-	-	-	-	-	-	0.36	-	-	-	-	-	0.09	-	0.05
Cropland Genetics	CG 4020 B2RF	0.09	0.72	0.76	-	-	-	-	-	-	0.38	-	-	-	-	-	0.16	-	0.17
Cropland Genetics	Total	0.09	0.72	1.94	-	-	-	-	0.90	-	3.25	0.11	-	-	-	-	0.44	-	0.55
Deltapine	DP 104 B2RF	-	-	-	0.29	-	-	10.00	-	-	-	-	-	3.51	-	-	0.90	-	0.53
Deltapine	DP 110 RF	-	-	0.46	-	-	-	-	-	-	0.12	-	-	-	-	0.30	-	-	0.06
Deltapine	DP 117 B2RF	-	-	1.31	-	-	0.08	3.00	3.33	-	9.90	-	1.13	-	-	0.24	-	-	0.72
Deltapine	DP 121 RF	1.01	0.06	*	-	4.32	-	8.00	0.59	1.17	0.78	-	-	-	-	*	0.34	0.06	0.38
Deltapine	DP 141 B2RF	-	*	-	-	-	0.44	30.00	0.48	-	-	-	1.29	1.39	1.73	-	0.43	0.18	0.52
Deltapine	DP 143 B2RF	*	-	0.86	-	-	0.07	-	0.41	-	-	0.81	3.88	18.96	2.34	2.20	2.50	0.92	1.97
Deltapine	DP 147 RF	1.45	-	-	-	-	0.46	-	0.79	-	0.13	-	-	-	0.18	*	0.66	-	0.44
Deltapine	DP 161 B2RF	0.15	9.03	0.06	2.29	-	0.05	-	4.56	4.13	1.62	-	0.98	0.46	1.47	-	0.52	-	0.96
Deltapine	DP 164 B2RF	0.09	28.53	3.01	18.28	-	*	-	13.93	4.64	2.13	1.44	5.84	1.39	3.32	-	5.48	-	4.69
Deltapine	DP 167 RF	-	0.37	-	-	4.32	0.06	-	0.48	-	-	*	0.20	-	0.50	-	*	-	0.11
Deltapine	DP 174 RF	-	-	-	-	-	-	-	-	-	-	-	0.40	-	-	-	0.34	-	0.17
Deltapine	DP 424 BGII/RR	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	0.07	-	*
Deltapine	DP 432 RR	0.96	-	2.16	-	-	0.55	-	0.57	2.52	0.38	-	0.96	-	0.07	1.62	-	0.49	0.57
Deltapine	DP 434 RR	0.43	-	0.69	-	-	1.02	8.00	0.59	-	-	-	1.04	-	0.94	*	0.18	0.62	0.41
Deltapine	DP 444 BG/RR	6.62	0.25	16.22	0.15	-	1.25	-	0.08	11.82	2.52	-	12.38	-	1.98	50.66	1.34	16.12	5.90
Deltapine	DP 445 BG/RR	1.48	3.16	22.19	-	-	-	-	4.01	10.38	10.78	-	4.49	-	2.33	4.26	0.55	3.99	3.90
Deltapine	DP 447 BG	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deltapine	DP 448 B	-	2.25	-	-	-	-	-	-	-	-	0.37	-	-	-	-	0.25	-	0.15
Deltapine	DP 449 BG/RR	0.41	6.20	-	2.29	-	0.25	-	-	-	-	-	3.25	-	0.77	2.31	0.22	0.37	0.56
Deltapine	DP 454 BG/RR	2.64	-	*	-	-	0.77	-	0.19	0.98	-	-	1.69	-	4.08	-	0.27	0.49	0.52
Deltapine	DP 455 BG/RR	0.76	22.16	0.82	-	-	-	-	0.18	0.57	-	6.65	4.18	-	1.74	-	0.33	0.20	0.96
Deltapine	DP 488 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.07
Deltapine	DP 491	0.16	-	-	-	-	-	-	0.11	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 493	-	-	-	-	-	0.42	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 494 RR	-	-	-	-	-	0.11	-	*	-	-	-	-	-	0.07	-	*	-	*
Deltapine	DP 515 BG/RR	3.67	-	-	-	-	1.48	-	4.34	0.41	-	-	0.20	-	1.11	-	-	-	0.53
Deltapine	DP 555 BG/RR	50.27	2.85	5.57	0.17	85.68	85.85	-	39.41	14.09	-	-	6.31	-	45.36	-	1.50	-	17.15
Deltapine	DP 565	-	-	-	-	-	0.14	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 655 B/RR	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 5690 RR	-	-	-	-	-	0.18	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine	NuCOTN 35 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine	Total	70.13	74.88	53.42	23.47	94.32	93.27	59.00	74.09	50.71	28.37	9.30	48.22	25.70	67.99	61.64	16.15	23.44	41.46
Dyna-Gro	DG 2100 B2RF	-	-	0.34	-	-	-	-	-	-	-	-	-	5.62	-	-	0.23	-	0.26
Dyna-Gro	DG 2215 B2RF	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
Dyna-Gro	DG 2242 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Dyna-Gro	DG 2400 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	-	0.08	-	*
Dyna-Gro	DG 2490 B2RF	-	-	-	-	-	-	-	0.07	-	-	-	0.15	-	-	-	0.08	-	*
Dyna-Gro	DG 2520 B2RF	-	-	0.47	-	-	-	-	-	5.02	0.99	6.13	0.60	2.34	0.05	0.18	0.53	-	0.67
Dyna-Gro	DG 2570 B2RF	-	-	*	-	-	-	-	-	-	0.68	-	6.32	-	2.14	-	0.06	-	0.42
Dyna-Gro	DG OA 265 BR	-	-	-	-	-	-	-	-	-	-	2.99	-	-	-	-	-	-	*
Dyna-Gro	Total	-	-	0.82	-	-	-	-	0.07	5.02	1.67	9.12	7.09	7.96	2.50	0.18	0.99	-	1.45

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Paymaster	PM 2140 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	1.85	-	-	-	-	*
Paymaster	PM 2141 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	-	*	-	*
Paymaster	PM 2266 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Paymaster	PM 2280 BG/RR	-	-	-	-	-	-	-	-	-	-	-	0.20	-	-	-	-	-	*
Paymaster	PM 2326 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	-	0.10
Paymaster	Total	-	-	-	-	-	-	-	-	-	-	-	0.20	1.93	-	-	0.31	-	0.19
Phytogen	NM 1517-99 W Acala	-	-	-	-	-	-	-	-	-	-	1.33	-	-	-	-	-	-	*
Phytogen	PHY 72 Acala	-	-	-	25.62	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36
Phytogen	PHY 78 Acala	-	-	-	3.08	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 310 R	-	-	-	-	-	-	-	-	-	-	-	0.22	-	0.90	-	-	0.22	*
Phytogen	PHY 315 RF	-	-	-	-	-	-	-	-	-	-	-	0.28	-	-	*	-	0.11	*
Phytogen	PHY 370 WR	0.37	-	2.73	-	-	1.18	-	1.29	0.50	0.24	-	1.98	-	1.89	0.54	-	10.32	0.72
Phytogen	PHY 375 WRF	-	0.06	1.33	-	-	*	-	0.25	2.86	0.09	3.99	2.62	-	1.56	0.18	-	15.90	0.59
Phytogen	PHY 425 RF	-	-	0.08	-	-	*	-	-	-	0.07	-	0.11	-	0.70	-	*	-	*
Phytogen	PHY 440 W	-	-	-	-	-	*	-	-	-	-	-	0.33	-	-	-	0.19	-	0.10
Phytogen	PHY 480 WR	0.78	-	-	-	-	1.37	-	-	0.12	-	-	0.26	-	0.11	-	-	-	0.21
Phytogen	PHY 485 WRF	7.72	-	0.67	-	3.20	0.40	-	4.33	2.33	1.50	4.37	4.44	4.29	9.64	0.27	0.22	6.28	1.43
Phytogen	PHY 700 Acala	0.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 710 R Acala	-	0.16	-	2.70	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 725 RF Acala	-	-	-	32.95	-	-	-	-	-	-	-	-	-	-	-	-	-	0.46
Phytogen	PHY 745 WRF Acala	-	0.11	-	-	-	-	-	-	-	-	0.80	-	-	-	-	*	-	*
Phytogen	PHY 755 WRF Acala	-	-	-	3.39	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	Total	9.06	0.33	4.81	67.74	3.20	3.00	-	5.87	5.80	1.90	10.48	10.24	4.29	14.80	1.00	0.45	32.84	4.11
MISC	MISC	1.09	2.72	-	-	0.54	1.55	5.00	-	-	-	0.64	*	0.09	0.13	-	0.85	*	0.68
Total		100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
Transgenic		97.11	97.28	100.00	71.30	99.46	97.83	95.00	99.53	100.00	100.00	99.36	99.95	99.41	99.87	100.00	89.90	99.97	94.64

* Less than .05 percent Note: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 960 B2R	Deltapine DP 143 B2RF	Bayer Crop Science - Fibermax FM 960 B2	Deltapine DP 164 B2RF	Bayer Crop Science - Fibermax FM 1740 B2F	Bayer Crop Science - Fibermax FM 1880 B2F	All-Tex Atlas RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Americot AM 1532 B2RF	Dyna-Gro DG 2100 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00	100.00
Oklahoma	13.26	1.24	18.96	0.00	1.39	19.79	0.60	0.00	3.72	0.00	0.00	5.62	35.42	100.00
Texas	16.91	13.49	6.80	6.25	5.87	0.29	4.78	4.14	2.75	3.59	2.62	1.01	31.50	100.00
OFFICE TOTAL	15.58	10.70	8.80	4.85	4.81	3.90	3.82	3.21	2.83	2.79	2.03	1.83	34.85	100.00

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 555 BG/RR	Phytogen PHY 485 WRF	Deltapine DP 444 BG/RR	Bayer Crop Science - Stoneville ST 5242 BR	Bayer Crop Science - Fibermax FM 960 BR	Deltapine DP 515 BG/RR	Deltapine DP 454 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Bayer Crop Science - Stoneville ST 4664 RF	Deltapine DP 121 RF	Bayer Crop Science - Stoneville ST 5599 BR	Deltapine DP 445 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	50.27	7.72	6.62	4.73	3.72	3.67	2.64	2.54	2.08	1.01	1.50	1.48	#VALUE!	100.00
Florida	82.94	2.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.06	0.00	0.00	7.94	100.00
OFFICE TOTAL	54.35	7.01	5.79	4.14	3.26	3.21	2.31	2.22	1.82	1.77	1.31	1.30	11.51	100.00

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Bayer Crop Science - Fibermax FM 840 B2F	Bayer Crop Science - Fibermax FM 832	Bayer Crop Science - Fibermax FM 835 LLB2	Deltapine DP 555 BG/RR	Bayer Crop Science - Fibermax FM 832 LL	Bayer Crop Science - Fibermax FM 955 LLB2	Bayer Crop Science - Fibermax FM 958 LL	Deltapine DP 143 B2RF	Deltapine DP 444 BG/RR	Deltapine DP 164 B2RF	Bayer Crop Science - Fibermax FM 960 B2R	Bayer Crop Science - Fibermax FM 820 F	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	14.65	14.30	9.55	7.58	7.39	6.58	4.11	4.05	3.07	2.54	2.09	1.97	22.12	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 445 BG/RR	Deltapine DP 393	Bayer Crop Science - Stoneville ST 4357 B2RF	Deltapine DP 164 B2RF	Seed-Tec Genetics CT 310	Bayer Crop Science - Stoneville ST 4664 RF	Bayer Crop Science - Fibermax Acala Ultima EF	Paymaster PM 3225 B2RF	Deltapine DP 6222 RR Acala	Bayer Crop Science - Fibermax Acala Summit	Deltapine DP 444 BG/RR	Paymaster PM 2379 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	20.98	14.82	11.07	16.27	2.31	10.54	7.43	3.56	0.00	0.00	1.78	5.18	6.06	100.00
Mississippi	12.16	13.73	15.26	10.16	17.19	6.06	5.14	3.19	5.68	4.68	2.43	0.00	4.32	100.00
OFFICE TOTAL	15.79	14.18	13.53	12.68	11.06	7.91	6.08	3.34	3.34	2.75	2.16	2.13	5.04	100.00

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 555 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Bayer Crop Science - Stoneville ST 4427 B2RF	Phytogen PHY 485 WRF	Bayer Crop Science - Stoneville ST 5327 B2RF	Dyna-Gro DG 2570 B2RF	Deltapine DP 164 B2RF	Deltapine DP 445 BG/RR	Phytogen PHY 375 WRF	Deltapine DP 455 BG/RR	Deltapine DP 143 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	6.31	15.98	12.38	7.39	4.44	6.11	6.32	5.84	4.49	2.62	4.18	3.88	20.06	100.00
South Carolina	45.35	5.21	1.98	0.15	9.64	3.39	2.14	3.32	2.33	1.56	1.74	2.34	20.85	100.00
Virginia	0.00	13.02	16.12	20.38	6.28	3.45	0.00	0.00	3.99	15.90	0.20	0.92	19.74	100.00
OFFICE TOTAL	13.57	13.46	10.68	7.35	5.70	5.26	4.77	4.68	4.00	3.87	3.24	3.24	20.18	100.00

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Bayer Crop Science - Fibermax FM 958	Bayer Crop Science - Fibermax FM 9058 F	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 989 B2R	Bayer Crop Science - Fibermax FM 960 B2R	Bayer Crop Science - Fibermax FM 1880 B2F	Bayer Crop Science - Fibermax FM 9060 F	Deltapine DP 104 B2RF	Americot AM 1532 B2RF	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 143 B2RF	Bayer Crop Science - Fibermax FM 960 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	20.89	18.56	13.75	8.70	4.93	2.81	2.69	2.66	2.65	2.46	2.06	1.98	15.86	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Bayer Crop Science - Fibermax FM 9058 F	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 9180 B2F	Deltapine DP 164 B2RF	Bayer Crop Science - Fibermax FM 958	Americot NG 3550 RF	All-Tex Apex B2RF	Bayer Crop Science - Fibermax FM 958 LL	Bayer Crop Science - Fibermax FM 9060 F	Bayer Crop Science - Fibermax FM 9068 F	Deltapine DP 104 B2RF	Bayer Crop Science - Fibermax FM 989 B2R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	27.42	19.08	12.00	7.06	6.13	3.85	3.26	1.86	1.47	1.46	1.15	0.98	14.28	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 555 BG/RR	MISC MISC	Deltapine DP 515 BG/RR	Phytogen PHY 480 WR	Deltapine DP 444 BG/RR	Phytogen PHY 370 WR	Deltapine DP 434 RR	Deltapine DP 454 BG/RR	Phytogen PHY 485 WRF	Deltapine DP 432 RR	Deltapine DP 147 RF	Bayer Crop Science - Fibermax FM 960 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida \1														
Georgia	85.83	1.55	1.48	1.37	1.25	1.18	1.02	0.77	0.40	0.55	0.46	0.45	3.69	100.00
OFFICE TOTAL	85.97	1.50	1.44	1.33	1.21	1.15	0.99	0.75	0.54	0.53	0.45	0.44	3.71	100.00

NOTE: Totals may not add due to rounding.

\1 Individual state data withheld

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Deltapine DP 445 BG/RR	Bayer Crop Science - Stoneville ST 4427 B2RF	Deltapine DP 117 B2RF	Bayer Crop Science - Stoneville ST 4357 B2RF	Bayer Crop Science - Stoneville ST 4664 RF	Deltapine DP 432 RR	Bayer Crop Science - Stoneville ST 4498 B2RF	Bayer Crop Science - Stoneville ST 5599 BR	Deltapine DP 143 B2RF	Phytogen PHY 370 WR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	26.03	13.97	25.12	4.82	1.96	5.00	2.33	2.36	2.19	2.46	1.29	1.54	10.93	100.00
Mississippi	15.24	13.16	5.46	9.01	0.00	0.00	0.00	4.51	0.71	0.00	0.00	6.04	45.87	100.00
Missouri	45.93	2.52	10.78	7.61	9.90	0.81	4.22	0.38	2.21	0.51	0.00	0.24	14.89	100.00
Tennessee	28.04	50.67	4.26	4.43	0.24	0.00	0.40	1.62	0.31	0.15	2.20	0.54	7.14	100.00
OFFICE TOTAL	31.76	20.77	14.96	5.60	3.63	2.35	2.26	1.67	1.64	1.23	1.15	1.04	11.95	100.00

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 164 B2RF	Deltapine DP 455 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 161 B2RF	Bayer Crop Science - Fibermax FM 989 B2R	Deltapine DP 449 BG/RR	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 1880 B2F	Bayer Crop Science - Fibermax FM 960 B2R	Deltapine DP 445 BG/RR	MISC MISC	Deltapine DP 555 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	28.47	22.12	10.15	9.01	0.51	6.19	2.07	2.35	0.00	3.15	2.71	2.84	10.43	100.00
California	80.00	0.00	0.00	10.00	0.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
New Mexico	1.43	6.60	0.00	0.00	33.01	0.00	12.77	7.89	14.42	0.00	0.63	0.00	23.25	100.00
OFFICE TOTAL	27.87	17.75	7.62	7.55	6.13	5.43	3.78	3.14	2.51	2.36	2.14	2.13	11.59	100.00

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Deltapine DP 555 BG/RR	Bayer Crop Science - Stoneville ST 4554 B2RF	Deltapine DP 164 B2RF	Deltapine DP 445 BG/RR	Phytogen PHY 485 WRF	Deltapine DP 161 B2RF	Deltapine DP 515 BG/RR	Deltapine DP 117 B2RF	Bayer Crop Science - Stoneville ST 4427 B2RF	Phytogen PHY 370 WR	Bayer Crop Science - Stoneville ST 5458 B2RF	Cropland Genetics CG 3220 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas \1														
Louisiana	39.41	15.43	13.93	4.01	4.33	4.56	4.34	3.33	1.33	1.29	1.09	0.90	6.05	100.00
Mississippi	36.92	9.23	2.92	27.69	12.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.16	100.00
OFFICE TOTAL	39.23	15.12	13.45	5.10	4.70	4.33	4.12	3.16	1.38	1.23	1.07	0.85	6.25	100.00

NOTE: Totals may not add due to rounding.

\1 Individual state data withheld

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2008

STATE	Phytogen PHY 725 RF Acala	Phytogen PHY 72 Acala	Deltapine DP 164 B2RF	Bayer Crop Science - Fibermax Acala Daytona RF	Phytogen PHY 755 WRF Acala	Bayer Crop Science - Fibermax FM 989 B2R	Phytogen PHY 78 Acala	Phytogen PHY 710 R Acala	Bayer Crop Science - Fibermax Acala Ultima RF	Bayer Crop Science - Fibermax FM 9180 B2F	Deltapine DP 455 BG/RR	Deltapine DP 161 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
California	38.06	29.59	8.72	4.35	3.92	0.00	3.56	3.12	2.71	1.36	0.00	1.09	3.52	100.00
Texas \1														
OFFICE TOTAL	35.45	27.56	10.52	4.05	3.65	3.42	3.32	2.91	2.52	1.27	1.03	1.02	3.29	100.00

\1 Individual state data withheld

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2008

State	Deltapine DP 340	Deltapine DP 353	Deltapine DP 744	Hazera HA195	Phytogen PHY 800	Phytogen PHY 830	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona \1							
California	19.13%	1.17%	3.82%	0.76%	73.85%	1.27%	100.00%
New Mexico \1							
Texas \1							
United States	22.94%	1.03%	7.37%	0.67%	66.87%	1.13%	100.00%

\1 Individual state data withheld

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2008

Classing Office	Deltapine DP 340	Deltapine DP 353	Deltapine DP 744	Hazera HA195	Phytogen PHY 800	Phytogen PHY 830	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent
PHOENIX \1							0.00%
VISALIA							
CA	19.13%	1.17%	3.82%	0.76%	73.85%	1.27%	100.00%
MN \1							
TX \1							
Office total	22.55%	1.04%	7.40%	0.67%	67.21%	1.13%	100.00%
United States	22.94%	1.03%	7.37%	0.67%	66.87%	1.13%	100.00%

\1 Individual state data withheld