



Visalia Classing Office Quality Report for the Week Ending 1/2/2020

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

January 03, 2020

Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	7.1	14.5	31 & Shorter	-	-	22 & Below	-	-
21	31.4	48.3	32	*	*	23	*	*
31	25.5	24.4	33	0.6	0.3	24	0.1	*
41	18.5	5.6	34	2.1	1.8	25	0.4	0.1
51	7.0	1.2	35	6.0	6.2	26	0.7	0.2
61	*	*	36	15.4	16.0	27	1.6	1.2
71	-	-	37	27.6	31.9	28	4.8	4.0
12	0.1	1.1	38	23.8	24.4	29	8.1	10.0
22	2.1	1.4	39	17.6	15.3	30	17.8	19.3
32	4.0	1.8	40	5.6	3.5	31	18.8	19.7
42	2.1	0.9	41 & Longer	1.2	0.5	32	12.8	15.3
52	0.4	0.1	Avg Staple	37.44	37.32	33	13.3	9.6
62	*	*	Avg Length	1.17	1.17	34	9.1	5.1
13	*	*	MICRONAIRE			35	5.2	5.0
23	0.3	0.1	2.4 & Below	-	-	36	3.9	5.4
33	1.2	0.2	2.5-2.6	-	*	37	2.8	3.8
43	0.1	*	2.7-2.9	0.2	0.1	38	0.6	1.0
53	*	*	3.0-3.2	0.9	0.5	39	0.1	0.2
63	*	*	3.3-3.4	0.7	0.6	40 & Above	0.1	0.1
24-54	0.2	*	3.5-3.6	2.2	1.8	Avg Strength	32.13	32.16
25-35	-	-	3.7-4.2	20.2	22.0	UNIFORMITY		
81-85	-	-	4.3-4.9	59.9	63.4	74 & Below	-	-
LEAF GRADE			5.0-5.2	10.2	8.7	75	-	*
	Week	Season	5.3 & Above	5.6	2.9	76	*	*
1	13.7	25.7	Avg Micronaire	4.52	4.49	77	0.1	0.1
2	40.0	46.1	EXTRANEIOUS MATTER			78	1.0	1.2
3	29.1	21.6	Bark (11)	2.2	0.9	79	5.9	5.9
4	10.4	5.0	Grass (21)	*	*	80	17.6	17.6
5	3.5	1.1	Seed Coat (31)	1.3	0.7	81	33.9	33.1
6	2.3	0.3	Prep (01)	-	*	82	26.8	27.4
7	1.0	0.1	Other (61)	0.1	0.1	83	10.9	9.8
8	0.2	*	Plastic (71)	*	*	84	3.4	4.5
Avg Leaf	2.61	2.11	Gins	21	30	85 & Above	0.3	0.3
Avg Trash	0.29	0.21				Avg Uniformity	81.72	81.73
Bales Classed	34,454	358,807						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	6.8	15.1	31 & Shorter	-	-	22 & Below	-	-
21	29.1	49.4	32	0.1	*	23	*	*
31	23.2	19.9	33	1.0	0.5	24	0.2	*
41	21.5	6.4	34	2.9	2.4	25	0.6	0.1
51	11.1	2.0	35	6.5	8.3	26	1.0	0.4
61	0.1	*	36	17.5	19.2	27	2.1	1.7
71	-	-	37	26.7	30.9	28	3.7	5.7
12	*	2.0	38	22.2	21.5	29	6.9	13.7
22	1.0	1.7	39	16.6	13.1	30	18.3	24.0
32	3.5	2.0	40	4.9	3.3	31	15.4	21.6
42	2.1	0.9	41 & Longer	1.6	0.6	32	13.9	14.7
52	0.5	0.1	Avg Staple	37.33	37.15	33	17.0	9.3
62	*	*	Avg Length	1.17	1.16	34	12.9	4.9
13	*	0.1	MICRONAIRE			35	5.2	2.3
23	0.2	*	2.4 & Below	-	-	36	2.4	1.0
33	0.7	0.2	2.5-2.6	-	*	37	0.3	0.3
43	0.2	0.1	2.7-2.9	*	*	38	0.1	0.1
53	*	*	3.0-3.2	0.9	0.2	39	*	*
63	*	*	3.3-3.4	0.8	0.4	40 & Above	*	*
24-54	0.1	*	3.5-3.6	1.1	1.0	Avg Strength	32.07	31.32
25-35	-	-	3.7-4.2	17.7	15.9	UNIFORMITY		
81-85	-	-	4.3-4.9	59.6	67.7	74 & Below	-	-
LEAF GRADE			5.0-5.2	13.8	11.5	75	-	*
	Week	Season	5.3 & Above	6.2	3.2	76	*	*
1	13.7	26.3	Avg Micronaire	4.59	4.57	77	0.1	0.2
2	37.4	45.5	EXTRANEIOUS MATTER			78	1.5	1.8
3	27.6	20.8	Bark (11)	1.9	0.6	79	7.9	8.7
4	11.5	5.2	Grass (21)	*	*	80	19.7	21.7
5	4.6	1.4	Seed Coat (31)	2.1	1.3	81	34.0	35.7
6	3.5	0.6	Prep (01)	-	*	82	26.4	25.6
7	1.5	0.2	Other (61)	0.2	0.1	83	9.0	5.5
8	0.3	0.1	Plastic (71)	*	*	84	1.0	0.7
Avg Leaf	2.74	2.13	Gins	12	12	85 & Above	0.4	0.2
Avg Trash	0.32	0.21	Bales Classed	21,714	199,060	Avg Uniformity	81.54	81.39

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/2/2020

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

January 03, 2020

Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	7.8	0.8	31 & Shorter	-	-	22 & Below	-	-
21	64.0	37.9	32	-	-	23	-	-
31	26.1	60.3	33	-	-	24	-	-
41	0.3	0.4	34	-	*	25	-	*
51	-	-	35	-	*	26	-	*
61	-	-	36	0.3	1.2	27	*	0.2
71	-	-	37	2.5	13.6	28	-	0.7
12	0.1	*	38	40.4	37.1	29	-	1.4
22	0.6	0.1	39	50.4	39.6	30	-	1.9
32	0.7	0.3	40	5.9	8.0	31	0.2	2.8
42	*	*	41 & Longer	0.5	0.4	32	0.3	4.5
52	-	-	Avg Staple	38.61	38.41	33	0.7	3.3
62	-	-	Avg Length	1.21	1.20	34	4.8	7.9
13	-	-	MICRONAIRE			35	19.6	23.0
23	*	*	2.4 & Below	-	-	36	30.0	29.9
33	0.2	0.1	2.5-2.6	-	-	37	35.0	17.8
43	*	*	2.7-2.9	-	*	38	7.4	4.7
53	-	-	3.0-3.2	-	0.5	39	1.1	1.0
63	-	-	3.3-3.4	0.2	1.2	40 & Above	0.9	1.0
24-54	*	*	3.5-3.6	9.4	3.1	Avg Strength	36.66	35.71
25-35	-	-	3.7-4.2	31.0	31.1	UNIFORMITY		
81-85	-	-	4.3-4.9	59.4	63.6	74 & Below	-	-
LEAF GRADE			5.0-5.2	-	0.5	75	-	-
	Week	Season	5.3 & Above	-	-	76	-	-
1	16.3	13.5	Avg Micronaire	4.24	4.34	77	-	*
2	70.6	56.6	EXTRANEIOUS MATTER			78	-	*
3	9.9	28.1	Bark (11)	0.1	*	79	-	*
4	2.7	1.6	Grass (21)	-	*	80	0.3	0.2
5	0.4	0.1	Seed Coat (31)	-	*	81	0.6	1.4
6	-	-	Prep (01)	-	-	82	3.2	7.6
7	-	-	Other (61)	*	*	83	57.6	44.6
8	-	-	Plastic (71)	-	*	84	37.4	44.4
Avg Leaf	2.00	2.18	Gins	3	7	85 & Above	1.0	1.7
Avg Trash	0.19	0.21				Avg Uniformity	83.79	83.81
Bales Classed	2,522	32,997						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/2/2020

Visalia - CA - Saw Ginned

Agricultural Marketing Service

Cotton Market News

January 03, 2020

Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	13.3	20.7	31 & Shorter	-	-	22 & Below	-	-
21	30.1	49.6	32	-	-	23	-	-
31	21.6	20.3	33	-	0.1	24	-	-
41	29.0	5.9	34	1.3	1.6	25	-	*
51	0.3	0.1	35	8.4	4.5	26	-	*
61	-	*	36	12.0	15.3	27	-	0.5
71	-	-	37	24.0	39.1	28	0.9	0.7
12	-	*	38	25.4	25.6	29	5.7	3.8
22	0.1	0.2	39	16.5	11.1	30	15.1	13.8
32	0.9	1.5	40	11.8	2.5	31	38.8	19.4
42	4.6	1.4	41 & Longer	0.6	0.1	32	16.8	20.4
52	0.1	0.2	Avg Staple	37.64	37.26	33	14.2	13.2
62	-	*	Avg Length	1.18	1.16	34	3.6	5.7
13	-	-	MICRONAIRE			35	2.9	5.7
23	-	*	2.4 & Below	-	-	36	1.6	7.4
33	*	*	2.5-2.6	-	*	37	0.5	7.1
43	*	*	2.7-2.9	0.5	0.2	38	-	2.0
53	-	*	3.0-3.2	1.0	1.2	39	-	0.2
63	-	-	3.3-3.4	0.4	0.7	40 & Above	-	0.1
24-54	-	-	3.5-3.6	1.5	2.3	Avg Strength	31.93	33.02
25-35	-	-	3.7-4.2	18.4	27.5	UNIFORMITY		
81-85	-	-	4.3-4.9	68.2	58.5	74 & Below	-	-
LEAF GRADE			5.0-5.2	3.8	6.2	75	-	-
	Week	Season	5.3 & Above	6.3	3.3	76	-	*
1	15.8	30.0	Avg Micronaire	4.47	4.42	77	0.1	0.1
2	35.2	43.4	EXTRANEIOUS MATTER			78	0.6	0.6
3	35.6	20.2		Week	Season	79	4.5	3.5
4	10.9	5.7	Bark (11)	5.3	1.3	80	26.4	16.9
5	2.3	0.7	Grass (21)	-	0.1	81	46.7	39.9
6	0.2	*	Seed Coat (31)	-	*	82	20.5	32.8
7	*	*	Prep (01)	-	*	83	1.2	6.0
8	-	-	Other (61)	-	*	84	-	0.2
Avg Leaf	2.49	2.04	Plastic (71)	-	*	85 & Above	-	*
Avg Trash	0.26	0.20	Gins	3	8	Avg Uniformity	81.32	81.65
Bales Classed	5,031	100,733						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	2.0	3.9	31 & Shorter	-	-	22 & Below	-	-
21	26.4	48.1	32	-	-	23	-	-
31	38.6	29.8	33	*	*	24	-	*
41	4.5	5.3	34	0.4	0.5	25	*	*
51	*	*	35	4.4	3.8	26	0.3	0.1
61	-	-	36	17.3	13.8	27	1.7	1.1
71	-	-	37	47.0	35.2	28	15.6	8.0
12	0.5	0.2	38	20.9	24.9	29	19.5	17.1
22	9.4	4.9	39	7.1	17.2	30	26.7	26.2
32	10.4	3.7	40	2.6	3.7	31	23.0	27.4
42	0.8	0.6	41 & Longer	0.2	0.8	32	9.9	14.5
52	0.3	0.1	Avg Staple	37.16	37.51	33	2.6	5.1
62	-	-	Avg Length	1.16	1.17	34	0.5	0.4
13	*	0.1	MICRONAIRE			35	*	*
23	1.3	1.0	2.4 & Below	-	-	36	-	*
33	5.0	1.8	2.5-2.6	-	-	37	*	*
43	0.2	0.1	2.7-2.9	0.6	0.2	38	*	*
53	-	-	3.0-3.2	1.0	0.5	39	-	-
63	-	-	3.3-3.4	1.1	1.0	40 & Above	-	*
24-54	0.5	0.2	3.5-3.6	4.3	4.0	Avg Strength	30.40	30.83
25-35	-	-	3.7-4.2	27.4	36.1	UNIFORMITY		
81-85	-	-	4.3-4.9	53.7	48.7	74 & Below	-	-
LEAF GRADE			5.0-5.2	6.4	6.6	75	-	-
	Week	Season	5.3 & Above	5.4	3.0	76	-	-
1	10.3	19.6	Avg Micronaire	4.39	4.33	77	-	*
2	40.6	47.8	EXTRANEIOUS MATTER			78	0.1	0.1
3	38.4	25.8	Bark (11)	1.3	2.1	79	1.8	1.6
4	9.0	5.5	Grass (21)	*	*	80	9.0	11.9
5	1.5	1.0	Seed Coat (31)	*	*	81	37.2	27.3
6	0.1	0.2	Prep (01)	-	-	82	46.0	45.5
7	0.1	*	Other (61)	-	*	83	5.8	13.2
8	-	*	Plastic (71)	*	*	84	0.1	0.3
Avg Leaf	2.51	2.21	Gins	3	3	85 & Above	-	*
Avg Trash	0.28	0.23				Avg Uniformity	81.90	82.01
Bales Classed	5,187	26,017						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 12

Email us with accessibility issues regarding this report

COLOR GRADE			LEAF GRADE		
	Week	Season		Week	Season
01	38.4	35.4	1	58.5	57.0
02	57.2	62.2	2	39.7	41.2
03	4.0	2.3	3	1.7	1.7
04	0.4	0.1	4	*	0.1
05	*	*	5	*	*
06	-	*	6	-	*
07	*	*	7	-	*
			Avg Leaf	1.43	1.45
EXTRANEIOUS MATTER			Avg Trash	0.24	0.24
	Week	Season	STRENGTH		
Prep (01)	*	*	36 & Below	*	*
Bark (11)	*	0.1	37	0.1	0.2
Grass (21)	0.1	0.1	38	0.1	1.2
Spindle Twist (51)	1.0	0.1	39	0.3	3.3
Plastic (71)	*	*	40	0.5	3.5
			41	1.8	3.1
MICRONAIRE			42	3.8	5.2
	Week	Season	43	8.7	10.3
2.4 & Below	-	*	44	17.1	18.4
2.5-2.6	-	*	45	24.3	24.8
2.7-2.9	0.2	0.1	46	23.0	18.3
3.0-3.2	0.7	0.3	47	14.3	8.4
3.3-3.4	2.0	1.0	48 & Above	6.1	3.2
3.5-3.6	3.7	2.9	Avg Strength	45.57	44.76
3.7-4.2	56.5	61.5	UNIFORMITY		
4.3-4.9	36.9	34.2		Week	Season
5.0-5.2	0.1	*	83 & Below	0.2	0.3
5.3 & Above	*	*	84	2.1	5.0
Avg Micronaire	4.13	4.12	85	17.5	16.4
STAPLE			86	58.2	54.2
	Week	Season	87	21.1	22.6
44 & Shorter	*	0.5	88 & Above	0.9	1.4
46	1.0	7.4	Avg Uniformity	86.46	86.43
48	22.2	27.7	Bales Classed	27,809	437,384
50	71.1	59.6	Gins	16	23
52 & Longer	5.6	4.7			
Avg Staple	49.63	49.21			
Avg Length	1.44	1.43			

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: