



Visalia Classing Office Quality Report for the Week Ending 1/23/2020

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

January 24, 2020

Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	3.3	11.7	31 & Shorter	*	*	22 & Below	*	*
21	20.8	42.4	32	0.1	*	23	*	*
31	20.6	23.9	33	0.4	0.4	24	*	*
41	37.2	12.2	34	2.5	1.9	25	0.1	0.1
51	12.2	3.2	35	7.6	6.4	26	0.2	0.3
61	0.2	*	36	17.0	16.5	27	0.9	1.3
71	-	-	37	30.7	31.1	28	4.5	4.0
12	*	0.9	38	21.1	23.7	29	8.9	9.5
22	0.4	1.3	39	16.7	16.0	30	16.7	18.1
32	2.2	2.3	40	3.3	3.5	31	18.8	19.4
42	2.0	1.4	41 & Longer	0.6	0.5	32	17.3	15.7
52	0.4	0.2	Avg Staple	37.25	37.32	33	15.4	10.6
62	-	*	Avg Length	1.16	1.17	34	9.2	5.9
13	*	*	MICRONAIRE			35	3.5	5.1
23	*	0.1	2.4 & Below	-	*	36	2.8	5.2
33	0.3	0.3	2.5-2.6	*	*	37	1.5	3.5
43	0.2	0.1	2.7-2.9	0.1	0.1	38	0.2	1.0
53	*	*	3.0-3.2	0.3	0.5	39	*	0.2
63	-	*	3.3-3.4	0.4	0.6	40 & Above	*	0.1
24-54	0.1	0.1	3.5-3.6	1.5	1.8	Avg Strength	32.05	32.20
25-35	-	-	3.7-4.2	21.7	21.9	UNIFORMITY		
81-85	-	*	4.3-4.9	61.7	62.9	74 & Below	-	-
LEAF GRADE			5.0-5.2	10.1	9.1	75	-	*
	Week	Season	5.3 & Above	4.3	3.1	76	*	*
1	6.9	21.7	Avg Micronaire	4.54	4.50	77	0.2	0.1
2	28.0	43.0	EXTRANEIOUS MATTER			78	1.8	1.2
3	38.5	25.0	Bark (11)	2.6	1.2	79	7.5	5.9
4	19.1	7.6	Grass (21)	*	*	80	27.4	19.7
5	5.3	1.9	Seed Coat (31)	0.3	0.6	81	36.0	33.0
6	1.7	0.5	Prep (01)	-	*	82	19.7	25.7
7	0.4	0.2	Other (61)	*	*	83	6.4	9.7
8	0.1	*	Plastic (71)	0.2	*	84	0.9	4.4
Avg Leaf	2.95	2.28	Gins	19	32	85 & Above	0.1	0.2
Avg Trash	0.34	0.23				Avg Uniformity	81.31	81.69
Bales Classed	34,867	470,006						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	4.4	12.2	31 & Shorter	*	*	22 & Below	*	*
21	24.1	42.6	32	0.1	0.1	23	*	*
31	16.6	19.8	33	0.5	0.6	24	*	*
41	32.8	12.5	34	2.8	2.6	25	0.1	0.2
51	16.4	5.3	35	7.8	8.2	26	0.3	0.5
61	0.2	0.1	36	15.4	19.1	27	0.8	1.7
71	-	-	37	31.6	30.9	28	4.3	5.2
12	*	1.5	38	20.6	21.1	29	9.2	12.5
22	0.5	1.5	39	16.7	13.3	30	15.5	21.8
32	1.4	2.2	40	3.8	3.4	31	19.7	21.0
42	2.3	1.6	41 & Longer	0.8	0.6	32	17.9	15.4
52	0.5	0.2	Avg Staple	37.27	37.15	33	15.7	10.7
62	-	*	Avg Length	1.16	1.16	34	10.0	6.2
13	*	*	MICRONAIRE			35	3.2	2.8
23	*	*	2.4 & Below	-	*	36	2.1	1.2
33	0.3	0.3	2.5-2.6	*	0.1	37	1.0	0.5
43	0.1	0.2	2.7-2.9	0.1	*	38	0.2	0.1
53	*	*	3.0-3.2	0.3	0.3	39	*	*
63	-	*	3.3-3.4	0.4	0.4	40 & Above	*	*
24-54	0.1	0.1	3.5-3.6	1.6	1.2	Avg Strength	32.03	31.49
25-35	-	-	3.7-4.2	20.0	16.0	UNIFORMITY		
81-85	-	-	4.3-4.9	59.2	65.4	74 & Below	-	-
LEAF GRADE			5.0-5.2	12.6	12.8	75	-	*
	Week	Season	5.3 & Above	5.8	3.8	76	*	*
1	8.1	22.0	Avg Micronaire	4.58	4.58	77	0.3	0.2
2	28.0	41.7	EXTRANEIOUS MATTER			78	2.1	1.8
3	34.4	23.6	Bark (11)	1.5	0.9	79	7.5	8.3
4	20.1	8.7	Grass (21)	*	*	80	24.5	22.5
5	6.6	2.7	Seed Coat (31)	0.5	1.0	81	36.4	35.4
6	2.2	0.9	Prep (01)	-	*	82	21.3	24.9
7	0.5	0.3	Other (61)	*	0.1	83	7.2	6.1
8	0.1	0.1	Plastic (71)	0.2	0.1	84	0.5	0.6
Avg Leaf	2.98	2.33	Gins	12	12	85 & Above	0.1	0.1
Avg Trash	0.35	0.24				Avg Uniformity	81.35	81.39
Bales Classed	25,575	264,229						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/23/2020

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

January 24, 2020

Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	1.0	31 & Shorter	-	-	22 & Below	-	-
21	-	45.3	32	-	-	23	-	-
31	-	52.6	33	-	-	24	-	-
41	-	0.4	34	-	*	25	-	*
51	-	*	35	-	*	26	-	*
61	-	-	36	-	1.2	27	-	0.1
71	-	-	37	-	11.5	28	-	0.5
12	-	*	38	-	34.7	29	-	1.1
22	-	0.2	39	-	43.8	30	-	1.6
32	-	0.4	40	-	8.3	31	-	2.3
42	-	0.1	41 & Longer	-	0.4	32	-	3.7
52	-	-	Avg Staple	-	38.48	33	-	3.6
62	-	-	Avg Length	-	1.20	34	-	8.0
13	-	-	MICRONAIRE			35	-	23.3
23	-	*		Week	Season	36	-	31.4
33	-	0.1	2.4 & Below	-	-	37	-	18.2
43	-	*	2.5-2.6	-	-	38	-	4.3
53	-	-	2.7-2.9	-	*	39	-	0.9
63	-	-	3.0-3.2	-	0.6	40 & Above	-	0.9
24-54	-	*	3.3-3.4	-	1.8	Avg Strength	-	35.80
25-35	-	-	3.5-3.6	-	3.8	UNIFORMITY		
81-85	-	-	3.7-4.2	-	32.8		Week	Season
LEAF GRADE			4.3-4.9	-	60.6	74 & Below	-	-
	Week	Season	5.0-5.2	-	0.4	75	-	-
1	-	15.0	5.3 & Above	-	*	76	-	-
2	-	58.5	Avg Micronaire	-	4.31	77	-	*
3	-	24.9	EXTRANEIOUS MATTER			78	-	*
4	-	1.5		Week	Season	79	-	*
5	-	0.1	Bark (11)	-	*	80	-	0.1
6	-	-	Grass (21)	-	*	81	-	1.4
7	-	-	Seed Coat (31)	-	*	82	-	6.8
8	-	-	Prep (01)	-	-	83	-	45.4
Avg Leaf	-	2.13	Other (61)	-	*	84	-	44.7
Avg Trash	-	0.20	Plastic (71)	-	*	85 & Above	-	1.6
Bales Classed	-	41,922	Gins	2	8	Avg Uniformity	-	83.82

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/23/2020

Visalia - CA - Saw Ginned

Agricultural Marketing Service

Cotton Market News

January 24, 2020

Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	0.5	16.6	31 & Shorter	-	-	22 & Below	-	-
21	10.5	41.4	32	-	-	23	-	-
31	22.0	20.3	33	0.2	0.1	24	-	-
41	63.8	17.3	34	2.3	1.5	25	-	*
51	1.1	0.8	35	9.0	5.4	26	-	*
61	-	*	36	22.8	16.6	27	-	0.4
71	-	-	37	22.3	36.5	28	-	0.6
12	-	*	38	24.8	25.4	29	1.0	3.2
22	0.1	0.2	39	16.7	12.3	30	20.4	14.2
32	0.9	1.6	40	1.8	2.2	31	18.9	20.3
42	0.9	1.7	41 & Longer	*	0.1	32	21.1	21.1
52	0.1	0.2	Avg Staple	37.15	37.25	33	19.5	14.5
62	-	*	Avg Length	1.16	1.16	34	8.8	6.0
13	-	-	MICRONAIRE			35	3.7	5.1
23	-	*	2.4 & Below	-	-	36	3.4	6.2
33	-	*	2.5-2.6	-	*	37	2.8	5.9
43	0.1	*	2.7-2.9	-	0.2	38	0.3	2.0
53	-	*	3.0-3.2	-	1.0	39	*	0.4
63	-	*	3.3-3.4	-	0.6	40 & Above	*	0.1
24-54	-	-	3.5-3.6	-	1.8	Avg Strength	32.60	32.94
25-35	-	-	3.7-4.2	18.6	26.2	UNIFORMITY		
81-85	-	*	4.3-4.9	79.3	62.5	74 & Below	-	-
LEAF GRADE			5.0-5.2	2.1	5.2	75	-	-
	Week	Season	5.3 & Above	-	2.6	76	-	*
1	3.9	24.2	Avg Micronaire	4.47	4.43	77	0.2	0.1
2	27.2	40.5	EXTRANEIOUS MATTER			78	1.0	0.6
3	50.2	26.8	Bark (11)	7.7	2.2	79	9.3	4.1
4	17.2	7.5	Grass (21)	-	*	80	42.8	22.4
5	1.4	0.9	Seed Coat (31)	-	*	81	32.7	39.0
6	*	0.1	Prep (01)	-	*	82	12.6	28.5
7	-	*	Other (61)	-	*	83	1.3	5.2
8	-	-	Plastic (71)	-	*	84	-	0.2
Avg Leaf	2.85	2.21	Gins	2	8	85 & Above	-	*
Avg Trash	0.32	0.22				Avg Uniformity	80.94	81.52
Bales Classed	6,813	129,266						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>



Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	3.1	31 & Shorter	-	-	22 & Below	-	-
21	4.5	40.9	32	-	-	23	-	-
31	65.2	33.4	33	*	*	24	-	*
41	10.5	5.1	34	*	0.6	25	-	0.1
51	*	*	35	3.0	4.3	26	0.5	0.6
61	-	-	36	19.9	14.7	27	6.2	2.5
71	-	-	37	51.4	36.3	28	22.8	11.4
12	-	0.2	38	12.4	24.0	29	33.4	19.7
22	0.4	5.2	39	10.2	15.8	30	23.4	25.1
32	15.1	7.3	40	3.0	3.4	31	10.6	23.9
42	1.5	0.8	41 & Longer	*	0.8	32	0.4	11.8
52	-	0.1	Avg Staple	37.16	37.44	33	1.5	4.1
62	-	-	Avg Length	1.16	1.17	34	1.2	0.4
13	-	0.1	MICRONAIRE			35	-	0.1
23	-	0.8	2.4 & Below	-	-	36	*	0.1
33	1.2	2.4	2.5-2.6	-	-	37	*	*
43	1.3	0.1	2.7-2.9	-	0.2	38	-	*
53	-	-	3.0-3.2	0.1	0.4	39	-	*
63	-	-	3.3-3.4	2.1	1.0	40 & Above	-	*
24-54	0.1	0.4	3.5-3.6	5.6	4.4	Avg Strength	29.63	30.55
25-35	-	-	3.7-4.2	47.6	37.6	UNIFORMITY		
81-85	-	-	4.3-4.9	37.2	47.2	74 & Below	-	-
LEAF GRADE			5.0-5.2	6.7	6.4	75	-	-
	Week	Season	5.3 & Above	0.8	2.7	76	-	-
1	2.3	17.2	Avg Micronaire	4.24	4.32	77	-	*
2	23.3	44.2	EXTRANEIOUS MATTER			78	0.1	0.1
3	54.4	29.9	Bark (11)	0.5	1.7	79	3.2	1.5
4	17.5	7.1	Grass (21)	-	*	80	17.4	12.2
5	2.2	1.4	Seed Coat (31)	-	*	81	48.2	30.1
6	0.3	0.2	Prep (01)	-	-	82	25.8	44.1
7	-	*	Other (61)	-	*	83	3.7	11.5
8	-	*	Plastic (71)	*	*	84	1.5	0.4
Avg Leaf	2.95	2.32	Gins	3	4	85 & Above	*	0.1
Avg Trash	0.35	0.25				Avg Uniformity	81.59	81.97
Bales Classed	2,050	34,589						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 14

Email us with accessibility issues regarding this report

COLOR GRADE			LEAF GRADE		
	Week	Season		Week	Season
01	40.3	36.1	1	57.6	57.4
02	56.6	61.4	2	41.1	40.9
03	2.6	2.4	3	1.2	1.7
04	0.3	0.1	4	0.1	0.1
05	0.1	*	5	*	*
06	-	*	6	-	*
07	-	*	7	-	*
			Avg Leaf	1.44	1.44
EXTRANEIOUS MATTER			Avg Trash	0.24	0.24
	Week	Season	STRENGTH		
Prep (01)	-	*	36 & Below	Week	Season
Bark (11)	0.1	0.1	37	0.9	0.2
Grass (21)	*	0.1	38	0.9	1.1
Spindle Twist (51)	0.1	0.2	39	3.0	2.9
Plastic (71)	*	*	40	4.6	3.3
			41	4.1	3.0
MICRONAIRE			42	5.3	5.1
	Week	Season	43	10.3	10.1
2.4 & Below	*	*	44	19.3	18.4
2.5-2.6	0.1	*	45	24.2	25.0
2.7-2.9	0.5	0.1	46	16.6	18.7
3.0-3.2	1.4	0.5	47	7.5	8.7
3.3-3.4	2.5	1.2	48 & Above	2.7	3.4
3.5-3.6	3.1	3.0	Avg Strength	44.53	44.81
3.7-4.2	60.1	60.4	UNIFORMITY		
4.3-4.9	32.4	34.7		Week	Season
5.0-5.2	*	*	83 & Below	0.8	0.4
5.3 & Above	*	*	84	6.0	4.8
Avg Micronaire	4.10	4.12	85	18.1	16.3
STAPLE			86	48.9	54.7
	Week	Season	87	24.4	22.4
44 & Shorter	1.1	0.5	88 & Above	1.8	1.5
46	8.3	6.7	Avg Uniformity	86.41	86.44
48	24.1	27.1	Bales Classed	33,480	539,920
50	63.6	61.3	Gins	15	23
52 & Longer	2.9	4.4			
Avg Staple	49.18	49.25			
Avg Length	1.43	1.43			

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: