



Visalia Classing Office Quality Report for the Week Ending 1/30/2020

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

January 31, 2020

Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	0.7	11.0	31 & Shorter	0.1	*	22 & Below	-	*
21	7.7	40.2	32	0.1	*	23	*	*
31	20.3	23.6	33	0.5	0.4	24	0.1	*
41	42.0	14.1	34	3.4	2.0	25	0.2	0.1
51	19.9	4.2	35	9.3	6.6	26	0.5	0.3
61	0.2	*	36	22.0	16.8	27	1.8	1.3
71	*	*	37	28.4	31.0	28	4.8	4.0
12	*	0.8	38	17.6	23.3	29	11.7	9.6
22	0.3	1.2	39	12.8	15.8	30	19.6	18.2
32	2.2	2.3	40	4.9	3.6	31	19.5	19.4
42	4.8	1.6	41 & Longer	0.8	0.5	32	14.2	15.6
52	0.8	0.2	Avg Staple	37.07	37.30	33	13.6	10.8
62	*	*	Avg Length	1.16	1.16	34	8.4	6.0
13	*	*	MICRONAIRE			35	4.6	5.0
23	0.1	0.1	2.4 & Below	-	*	36	0.7	4.9
33	0.3	0.3	2.5-2.6	*	*	37	0.1	3.3
43	0.4	0.1	2.7-2.9	0.2	0.1	38	*	0.9
53	0.1	*	3.0-3.2	0.9	0.5	39	*	0.2
63	-	*	3.3-3.4	1.5	0.7	40 & Above	*	0.1
24-54	0.1	0.1	3.5-3.6	2.0	1.8	Avg Strength	31.66	32.17
25-35	-	-	3.7-4.2	21.2	21.9	UNIFORMITY		
81-85	*	*	4.3-4.9	61.3	62.8	74 & Below	-	-
LEAF GRADE			5.0-5.2	9.4	9.1	75	-	*
	Week	Season	5.3 & Above	3.4	3.1	76	*	*
1	2.3	20.5	Avg Micronaire	4.48	4.50	77	0.5	0.2
2	20.8	41.7	EXTRANEIOUS MATTER			78	1.8	1.2
3	39.3	25.9	Bark (11)	6.0	1.5	79	7.7	6.0
4	21.2	8.5	Grass (21)	*	*	80	28.6	20.3
5	9.2	2.4	Seed Coat (31)	0.4	0.6	81	35.3	33.1
6	4.4	0.8	Prep (01)	-	*	82	20.1	25.3
7	1.8	0.3	Other (61)	-	*	83	5.2	9.5
8	1.0	0.1	Plastic (71)	*	*	84	0.6	4.2
Avg Leaf	3.40	2.35	Gins	14	33	85 & Above	0.1	0.2
Avg Trash	0.43	0.25				Avg Uniformity	81.25	81.66
Bales Classed	31,310	501,316						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	1.0	11.2	31 & Shorter	0.1	*	22 & Below	-	*
21	8.9	39.8	32	0.2	0.1	23	0.1	*
31	17.5	19.6	33	0.6	0.6	24	0.1	*
41	38.6	14.7	34	3.0	2.6	25	0.3	0.2
51	25.8	7.0	35	10.7	8.4	26	0.7	0.5
61	0.2	0.1	36	21.1	19.3	27	1.9	1.7
71	*	*	37	30.0	30.9	28	4.5	5.2
12	*	1.4	38	16.2	20.7	29	13.1	12.6
22	0.1	1.4	39	11.7	13.2	30	20.4	21.6
32	1.3	2.2	40	5.3	3.6	31	17.2	20.7
42	5.2	1.9	41 & Longer	1.0	0.7	32	14.0	15.3
52	0.5	0.2	Avg Staple	37.04	37.14	33	12.6	10.9
62	*	*	Avg Length	1.16	1.16	34	8.7	6.4
13	*	*	MICRONAIRE			35	5.4	3.0
23	0.1	*	2.4 & Below	-	*	36	0.8	1.2
33	0.3	0.3	2.5-2.6	*	*	37	0.1	0.5
43	0.3	0.2	2.7-2.9	0.2	*	38	*	0.1
53	0.1	*	3.0-3.2	0.9	0.3	39	*	*
63	-	*	3.3-3.4	1.7	0.5	40 & Above	-	*
24-54	0.1	0.1	3.5-3.6	2.1	1.2	Avg Strength	31.64	31.50
25-35	-	-	3.7-4.2	14.5	15.9	UNIFORMITY		
81-85	*	*	4.3-4.9	63.8	65.3	74 & Below	-	-
LEAF GRADE			5.0-5.2	12.3	12.7	75	-	*
	Week	Season	5.3 & Above	4.5	3.9	76	*	*
1	2.7	20.4	Avg Micronaire	4.56	4.58	77	0.3	0.2
2	22.5	40.1	EXTRANEIOUS MATTER			78	1.1	1.7
3	35.0	24.5	Bark (11)	5.1	1.2	79	7.6	8.2
4	19.9	9.6	Grass (21)	*	*	80	25.3	22.7
5	10.8	3.4	Seed Coat (31)	0.6	1.0	81	35.0	35.4
6	5.5	1.3	Prep (01)	-	*	82	23.9	24.8
7	2.3	0.5	Other (61)	-	0.1	83	6.3	6.1
8	1.3	0.2	Plastic (71)	*	0.1	84	0.4	0.6
Avg Leaf	3.46	2.42	Gins	11	12	85 & Above	0.1	0.1
Avg Trash	0.44	0.26				Avg Uniformity	81.38	81.39
Bales Classed	23,789	288,018						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/30/2020

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

January 31, 2020

Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	1.0	31 & Shorter	-	-	22 & Below	-	-
21	-	45.2	32	-	-	23	-	-
31	-	52.5	33	-	-	24	-	-
41	-	0.4	34	-	*	25	-	*
51	-	*	35	-	*	26	-	*
61	-	-	36	-	1.2	27	-	0.1
71	-	-	37	-	11.5	28	-	0.5
12	-	*	38	-	34.5	29	-	1.1
22	-	0.2	39	-	43.7	30	-	1.6
32	-	0.6	40	-	8.5	31	-	2.3
42	-	0.1	41 & Longer	-	0.4	32	-	3.7
52	-	-	Avg Staple	-	38.48	33	-	3.6
62	-	-	Avg Length	-	1.20	34	-	8.0
13	-	-	MICRONAIRE			35	-	23.4
23	-	*	2.4 & Below	-	-	36	-	31.4
33	-	0.1	2.5-2.6	-	-	37	-	18.1
43	-	*	2.7-2.9	-	*	38	-	4.3
53	-	-	3.0-3.2	-	0.6	39	-	0.9
63	-	-	3.3-3.4	-	1.8	40 & Above	-	0.9
24-54	-	*	3.5-3.6	-	3.8	Avg Strength	-	35.80
25-35	-	-	3.7-4.2	-	33.0	UNIFORMITY		
81-85	-	-	4.3-4.9	-	60.4	74 & Below	-	-
LEAF GRADE			5.0-5.2	-	0.4	75	-	-
	Week	Season	5.3 & Above	-	*	76	-	-
1	-	14.9	Avg Micronaire	-	4.30	77	-	*
2	-	58.4	EXTRANEIOUS MATTER			78	-	*
3	-	25.0	Bark (11)	-	*	79	-	*
4	-	1.6	Grass (21)	-	*	80	-	0.1
5	-	0.1	Seed Coat (31)	-	*	81	-	1.4
6	-	-	Prep (01)	-	-	82	-	6.8
7	-	-	Other (61)	-	*	83	-	45.3
8	-	-	Plastic (71)	-	*	84	-	44.8
Avg Leaf	-	2.14	Gins	-	9	85 & Above	-	1.6
Avg Trash	-	0.20				Avg Uniformity	-	83.82
Bales Classed	-	42,067						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/30/2020

Visalia - CA - Saw Ginned

Agricultural Marketing Service

Cotton Market News

January 31, 2020

Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	15.8	31 & Shorter	-	-	22 & Below	-	-
21	-	39.6	32	-	*	23	-	-
31	-	20.6	33	-	0.1	24	-	-
41	-	19.3	34	-	1.7	25	-	*
51	-	0.8	35	-	5.4	26	-	*
61	-	*	36	-	17.1	27	-	0.4
71	-	-	37	-	35.8	28	-	0.6
12	-	*	38	-	25.2	29	-	3.3
22	-	0.2	39	-	12.5	30	-	14.4
32	-	1.6	40	-	2.2	31	-	20.8
42	-	1.8	41 & Longer	-	0.1	32	-	20.9
52	-	0.3	Avg Staple	-	37.24	33	-	14.7
62	-	*	Avg Length	-	1.16	34	-	6.1
13	-	-	MICRONAIRE			35	-	4.9
23	-	*	2.4 & Below	-	-	36	-	5.9
33	-	*	2.5-2.6	-	*	37	-	5.7
43	-	*	2.7-2.9	-	0.2	38	-	1.9
53	-	*	3.0-3.2	-	1.0	39	-	0.4
63	-	*	3.3-3.4	-	0.6	40 & Above	-	0.1
24-54	-	-	3.5-3.6	-	1.8	Avg Strength	-	32.89
25-35	-	-	3.7-4.2	-	26.8	UNIFORMITY		
81-85	-	*	4.3-4.9	-	62.3	74 & Below	-	-
LEAF GRADE			5.0-5.2	-	5.0	75	-	-
	Week	Season	5.3 & Above	-	2.5	76	-	*
1	-	23.1	Avg Micronaire	-	4.42	77	-	0.1
2	-	39.3	EXTRANEIOUS MATTER			78	-	0.8
3	-	28.0	Bark (11)	-	2.5	79	-	4.3
4	-	8.4	Grass (21)	-	*	80	-	23.4
5	-	1.1	Seed Coat (31)	-	*	81	-	38.9
6	-	0.1	Prep (01)	-	*	82	-	27.3
7	-	*	Other (61)	-	*	83	-	5.0
8	-	-	Plastic (71)	-	*	84	-	0.2
Avg Leaf	-	2.25	Gins	-	8	85 & Above	-	*
Avg Trash	-	0.23				Avg Uniformity	-	81.48
Bales Classed	-	135,812						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	3.0	31 & Shorter	-	-	22 & Below	-	-
21	-	40.0	32	-	-	23	-	-
31	-	33.9	33	-	*	24	-	*
41	-	5.1	34	-	0.6	25	-	0.1
51	-	*	35	-	4.2	26	-	0.6
61	-	-	36	-	14.5	27	-	2.8
71	-	-	37	-	36.7	28	-	12.3
12	-	0.2	38	-	24.0	29	-	19.8
22	-	5.1	39	-	15.8	30	-	24.7
32	-	7.7	40	-	3.4	31	-	23.4
42	-	1.0	41 & Longer	-	0.8	32	-	11.6
52	-	0.1	Avg Staple	-	37.45	33	-	4.0
62	-	-	Avg Length	-	1.17	34	-	0.4
13	-	0.1	MICRONAIRE			35	-	0.1
23	-	0.8		Week	Season	36	-	0.1
33	-	2.4	2.4 & Below	-	-	37	-	*
43	-	0.2	2.5-2.6	-	-	38	-	*
53	-	*	2.7-2.9	-	0.2	39	-	*
63	-	-	3.0-3.2	-	0.4	40 & Above	-	*
24-54	-	0.4	3.3-3.4	-	1.1	Avg Strength	-	30.51
25-35	-	-	3.5-3.6	-	4.4	UNIFORMITY		
81-85	-	-	3.7-4.2	-	38.3		Week	Season
LEAF GRADE			4.3-4.9	-	46.7	74 & Below	-	-
	Week	Season	5.0-5.2	-	6.3	75	-	-
1	-	16.8	5.3 & Above	-	2.7	76	-	-
2	-	43.5	Avg Micronaire	-	4.32	77	-	*
3	-	30.4	EXTRANEIOUS MATTER			78	-	0.1
4	-	7.4		Week	Season	79	-	1.5
5	-	1.5	Bark (11)	-	1.7	80	-	12.2
6	-	0.3	Grass (21)	-	*	81	-	30.3
7	-	0.1	Seed Coat (31)	-	*	82	-	44.1
8	-	*	Prep (01)	-	-	83	-	11.4
Avg Leaf	-	2.34	Other (61)	-	*	84	-	0.4
Avg Trash	-	0.26	Plastic (71)	-	*	85 & Above	-	0.1
Bales Classed	-	35,419	Gins	-	4	Avg Uniformity	-	81.97

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 3, No. 15

Email us with accessibility issues regarding this report

COLOR GRADE			LEAF GRADE		
	Week	Season		Week	Season
01	48.8	36.7	1	56.8	57.3
02	50.2	60.8	2	42.3	41.0
03	1.0	2.4	3	0.9	1.6
04	*	0.1	4	-	0.1
05	*	*	5	-	*
06	-	*	6	-	*
07	-	*	7	-	*
			Avg Leaf	1.44	1.44
EXTRANEIOUS MATTER			Avg Trash	0.24	0.24
	Week	Season	STRENGTH		
Prep (01)	-	*	36 & Below	Week	Season
Bark (11)	*	0.1	37	0.3	0.1
Grass (21)	0.3	0.1	38	0.7	0.3
Spindle Twist (51)	*	0.2	39	3.1	1.2
Plastic (71)	*	*	40	6.7	3.1
			41	2.7	3.2
MICRONAIRE			42	2.5	3.0
	Week	Season	43	5.6	5.1
2.4 & Below	-	*	44	14.2	10.3
2.5-2.6	-	*	45	19.3	18.4
2.7-2.9	-	0.1	46	24.6	25.0
3.0-3.2	0.3	0.5	47	15.6	18.5
3.3-3.4	0.5	1.2	48 & Above	3.7	8.4
3.5-3.6	2.1	2.9	Avg Strength	44.14	44.78
3.7-4.2	51.2	60.0	UNIFORMITY		
4.3-4.9	45.9	35.2	83 & Below	Week	Season
5.0-5.2	*	*	84	0.5	0.4
5.3 & Above	*	*	85	5.3	4.8
Avg Micronaire	4.19	4.12	86	16.2	16.3
STAPLE			87	44.7	54.2
	Week	Season	88 & Above	31.4	22.9
44 & Shorter	3.1	0.6	Avg Uniformity	86.50	86.44
46	8.4	6.8	Bales Classed	27,232	567,152
48	27.2	27.1	Gins	10	23
50	58.0	61.2			
52 & Longer	3.4	4.4			
Avg Staple	49.00	49.24			
Avg Length	1.42	1.43			

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: