



Visalia Classing Office Quality Report for the Week Ending 1/7/2021

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

January 08, 2021

Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 10.8 | 22.8 | 31 & Shorter | * | * | 22 & Below | - | - |
| 21 | 51.0 | 52.7 | 32 | 0.1 | * | 23 | * | * |
| 31 | 36.1 | 20.2 | 33 | 0.6 | 0.3 | 24 | * | * |
| 41 | 1.6 | 1.1 | 34 | 2.3 | 1.6 | 25 | 0.2 | 0.1 |
| 51 | - | * | 35 | 7.7 | 8.0 | 26 | 1.1 | 0.5 |
| 61 | - | - | 36 | 14.1 | 18.9 | 27 | 1.2 | 2.2 |
| 71 | - | - | 37 | 27.5 | 31.2 | 28 | 3.6 | 7.1 |
| 12 | 0.1 | 2.0 | 38 | 23.9 | 23.9 | 29 | 10.7 | 12.3 |
| 22 | 0.1 | 0.6 | 39 | 14.8 | 13.2 | 30 | 14.7 | 18.6 |
| 32 | 0.1 | 0.4 | 40 | 7.5 | 2.6 | 31 | 13.5 | 19.2 |
| 42 | * | 0.1 | 41 & Longer | 1.4 | 0.3 | 32 | 10.9 | 13.0 |
| 52 | - | * | Avg Staple | 37.45 | 37.18 | 33 | 9.4 | 7.9 |
| 62 | - | - | Avg Length | 1.17 | 1.16 | 34 | 6.4 | 5.8 |
| 13 | - | * | MICRONAIRE | | | 35 | 7.9 | 4.8 |
| 23 | * | * | 2.4 & Below | - | * | 36 | 10.2 | 4.7 |
| 33 | * | * | 2.5-2.6 | * | * | 37 | 7.6 | 2.8 |
| 43 | * | * | 2.7-2.9 | 0.2 | 0.1 | 38 | 2.0 | 0.7 |
| 53 | - | - | 3.0-3.2 | 1.8 | 0.4 | 39 | 0.2 | 0.1 |
| 63 | - | * | 3.3-3.4 | 1.8 | 0.6 | 40 & Above | 0.2 | 0.1 |
| 24-54 | - | * | 3.5-3.6 | 4.0 | 1.6 | Avg Strength | 32.81 | 31.81 |
| 25-35 | - | - | 3.7-4.2 | 27.1 | 22.5 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | 60.3 | 64.3 | 74 & Below | - | - |
| LEAF GRADE | | | 5.0-5.2 | 4.8 | 9.2 | 75 | - | - |
| | Week | Season | 5.3 & Above | 0.1 | 1.3 | 76 | * | * |
| 1 | 22.1 | 34.5 | Avg Micronaire | 4.33 | 4.49 | 77 | 0.9 | 0.2 |
| 2 | 50.6 | 49.2 | EXTRANEEOUS MATTER | | | 78 | 3.4 | 1.9 |
| 3 | 22.8 | 14.1 | | Week | Season | 79 | 9.3 | 10.3 |
| 4 | 3.3 | 1.8 | Bark (11) | 0.2 | 0.1 | 80 | 21.4 | 28.3 |
| 5 | 1.0 | 0.3 | Grass (21) | 0.1 | 0.2 | 81 | 28.0 | 35.3 |
| 6 | 0.2 | * | Seed Coat (31) | 0.3 | 1.9 | 82 | 16.2 | 14.6 |
| 7 | * | * | Prep (01) | - | * | 83 | 11.7 | 6.6 |
| 8 | - | * | Other (61) | * | * | 84 | 8.8 | 2.7 |
| Avg Leaf | 2.11 | 1.84 | Plastic (71) | 0.1 | 0.1 | 85 & Above | 0.3 | 0.1 |
| Avg Trash | 0.20 | 0.17 | Gins | 15 | 28 | Avg Uniformity | 81.59 | 81.26 |
| Bales Classed | 20,956 | 371,614 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|---------------|----------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 16.0 | 28.6 | 31 & Shorter | * | * | 22 & Below | - | - |
| 21 | 54.9 | 52.1 | 32 | 0.2 | * | 23 | - | * |
| 31 | 27.2 | 13.8 | 33 | 1.1 | 0.4 | 24 | - | * |
| 41 | 1.9 | 0.8 | 34 | 2.3 | 1.9 | 25 | * | 0.1 |
| 51 | - | * | 35 | 8.8 | 9.3 | 26 | 0.2 | 0.6 |
| 61 | - | - | 36 | 15.6 | 20.4 | 27 | 0.8 | 2.5 |
| 71 | - | - | 37 | 38.5 | 33.9 | 28 | 2.5 | 8.5 |
| 12 | - | 3.3 | 38 | 22.7 | 22.5 | 29 | 8.3 | 14.1 |
| 22 | - | 0.9 | 39 | 7.7 | 9.3 | 30 | 13.1 | 19.3 |
| 32 | * | 0.3 | 40 | 2.1 | 1.9 | 31 | 17.5 | 20.0 |
| 42 | - | * | 41 & Longer | 1.1 | 0.3 | 32 | 17.9 | 14.3 |
| 52 | - | * | Avg Staple | 37.07 | 37.02 | 33 | 14.4 | 8.6 |
| 62 | - | - | Avg Length | 1.16 | 1.16 | 34 | 7.9 | 5.9 |
| 13 | - | * | MICRONAIRE | | | 35 | 7.6 | 3.4 |
| 23 | - | * | 2.4 & Below | - | * | 36 | 6.7 | 1.8 |
| 33 | - | * | 2.5-2.6 | - | * | 37 | 2.3 | 0.5 |
| 43 | - | * | 2.7-2.9 | 0.2 | * | 38 | 0.8 | 0.1 |
| 53 | - | - | 3.0-3.2 | 0.8 | 0.1 | 39 | * | * |
| 63 | - | * | 3.3-3.4 | 0.9 | 0.3 | 40 & Above | * | * |
| 24-54 | - | * | 3.5-3.6 | 1.7 | 0.6 | Avg Strength | 32.58 | 31.34 |
| 25-35 | - | - | 3.7-4.2 | 16.5 | 11.0 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | 72.0 | 73.1 | 74 & Below | - | - |
| | | | 5.0-5.2 | 7.8 | 12.7 | 75 | - | - |
| | | | 5.3 & Above | 0.1 | 2.1 | 76 | 0.1 | * |
| | | | Avg Micronaire | 4.49 | 4.62 | 77 | 0.3 | 0.3 |
| | | | EXTRANEIOUS MATTER | | | 78 | 3.7 | 2.4 |
| | | | Bark (11) | * | * | 79 | 12.2 | 11.5 |
| | | | Grass (21) | 0.2 | 0.1 | 80 | 25.4 | 28.5 |
| | | | Seed Coat (31) | * | 3.1 | 81 | 34.4 | 36.9 |
| | | | Prep (01) | - | * | 82 | 19.5 | 16.9 |
| | | | Other (61) | - | * | 83 | 4.4 | 3.2 |
| | | | Plastic (71) | 0.1 | 0.1 | 84 | * | 0.3 |
| | | | Gins | 9 | 10 | 85 & Above | * | * |
| | | | | | | Avg Uniformity | 81.14 | 81.10 |
| LEAF GRADE | | | | | | | | |
| | Week | Season | | | | | | |
| 1 | 23.4 | 38.5 | | | | | | |
| 2 | 54.4 | 49.2 | | | | | | |
| 3 | 16.9 | 10.2 | | | | | | |
| 4 | 3.3 | 1.6 | | | | | | |
| 5 | 1.6 | 0.4 | | | | | | |
| 6 | 0.4 | 0.1 | | | | | | |
| 7 | * | * | | | | | | |
| 8 | - | * | | | | | | |
| Avg Leaf | 2.07 | 1.77 | | | | | | |
| Avg Trash | 0.19 | 0.16 | | | | | | |
| Bales Classed | 11,597 | 222,039 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/7/2021

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

January 08, 2021

Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|---------------|-----------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | * | 31 & Shorter | - | - | 22 & Below | - | - |
| 21 | - | 23.6 | 32 | - | - | 23 | - | - |
| 31 | - | 68.3 | 33 | - | * | 24 | - | - |
| 41 | - | 5.1 | 34 | - | * | 25 | - | - |
| 51 | - | * | 35 | - | 0.1 | 26 | - | * |
| 61 | - | - | 36 | - | 1.7 | 27 | - | * |
| 71 | - | - | 37 | - | 12.9 | 28 | - | 0.2 |
| 12 | - | - | 38 | - | 35.1 | 29 | - | 1.4 |
| 22 | - | 0.6 | 39 | - | 39.7 | 30 | - | 0.9 |
| 32 | - | 1.9 | 40 | - | 9.4 | 31 | - | 0.9 |
| 42 | - | 0.5 | 41 & Longer | - | 1.1 | 32 | - | 0.8 |
| 52 | - | * | Avg Staple | - | 38.45 | 33 | - | 1.6 |
| 62 | - | - | Avg Length | - | 1.20 | 34 | - | 7.0 |
| 13 | - | - | | | | 35 | - | 22.1 |
| 23 | - | - | MICRONAIRE | | | 36 | - | 31.4 |
| 33 | - | * | | Week | Season | 37 | - | 23.8 |
| 43 | - | * | 2.4 & Below | - | - | 38 | - | 7.7 |
| 53 | - | - | 2.5-2.6 | - | - | 39 | - | 1.2 |
| 63 | - | - | 2.7-2.9 | - | - | 40 & Above | - | 1.1 |
| 24-54 | - | - | 3.0-3.2 | - | 0.1 | Avg Strength | - | 36.28 |
| 25-35 | - | - | 3.3-3.4 | - | 0.4 | UNIFORMITY | | |
| 81-85 | - | - | 3.5-3.6 | - | 2.3 | | Week | Season |
| LEAF GRADE | | | 3.7-4.2 | - | 27.8 | 74 & Below | - | - |
| | Week | Season | 4.3-4.9 | - | 68.0 | 75 | - | - |
| 1 | - | 3.1 | 5.0-5.2 | - | 1.6 | 76 | - | - |
| 2 | - | 51.0 | 5.3 & Above | - | * | 77 | - | * |
| 3 | - | 41.8 | Avg Micronaire | - | 4.36 | 78 | - | * |
| 4 | - | 3.9 | EXTRANEIOUS MATTER | | | 79 | - | 0.1 |
| 5 | - | 0.3 | | Week | Season | 80 | - | 0.4 |
| 6 | - | * | Bark (11) | - | * | 81 | - | 2.7 |
| 7 | - | - | Grass (21) | - | 0.4 | 82 | - | 12.5 |
| 8 | - | - | Seed Coat (31) | - | 0.1 | 83 | - | 53.5 |
| Avg Leaf | - | 2.47 | Prep (01) | - | * | 84 | - | 29.5 |
| Avg Trash | - | 0.26 | Other (61) | - | * | 85 & Above | - | 1.2 |
| Bales Classed | - | 30,879 | Plastic (71) | - | * | Avg Uniformity | - | 83.57 |
| | | | Gins | - | 7 | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 1/7/2021

Visalia - CA - Saw Ginned

Agricultural Marketing Service

Cotton Market News

January 08, 2021

Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|---------------|---------------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 18.9 | 31 & Shorter | - | - | 22 & Below | - | - |
| 21 | - | 54.9 | 32 | - | * | 23 | - | - |
| 31 | - | 25.3 | 33 | - | 0.1 | 24 | - | * |
| 41 | - | 0.5 | 34 | - | 1.2 | 25 | - | * |
| 51 | - | * | 35 | - | 6.0 | 26 | - | 0.1 |
| 61 | - | - | 36 | - | 18.4 | 27 | - | 0.6 |
| 71 | - | - | 37 | - | 31.0 | 28 | - | 1.9 |
| 12 | - | * | 38 | - | 27.6 | 29 | - | 8.8 |
| 22 | - | 0.1 | 39 | - | 14.4 | 30 | - | 20.6 |
| 32 | - | 0.2 | 40 | - | 1.4 | 31 | - | 23.5 |
| 42 | - | * | 41 & Longer | - | * | 32 | - | 15.4 |
| 52 | - | - | Avg Staple | - | 37.26 | 33 | - | 11.1 |
| 62 | - | - | Avg Length | - | 1.16 | 34 | - | 7.4 |
| 13 | - | - | | | | 35 | - | 4.1 |
| 23 | - | * | MICRONAIRE | | | 36 | - | 4.1 |
| 33 | - | * | | Week | Season | 37 | - | 2.1 |
| 43 | - | - | 2.4 & Below | - | - | 38 | - | 0.2 |
| 53 | - | - | 2.5-2.6 | - | - | 39 | - | * |
| 63 | - | - | 2.7-2.9 | - | 0.1 | 40 & Above | - | * |
| 24-54 | - | - | 3.0-3.2 | - | 0.3 | Avg Strength | - | 32.09 |
| 25-35 | - | - | 3.3-3.4 | - | 0.7 | UNIFORMITY | | |
| 81-85 | - | - | 3.5-3.6 | - | 2.9 | | Week | Season |
| LEAF GRADE | | | 3.7-4.2 | - | 47.2 | 74 & Below | - | - |
| | Week | Season | 4.3-4.9 | - | 44.8 | 75 | - | - |
| 1 | - | 26.6 | 5.0-5.2 | - | 4.0 | 76 | - | * |
| 2 | - | 52.4 | 5.3 & Above | - | 0.1 | 77 | - | 0.1 |
| 3 | - | 18.5 | Avg Micronaire | - | 4.26 | 78 | - | 1.1 |
| 4 | - | 2.3 | EXTRANEIOUS MATTER | | | 79 | - | 10.9 |
| 5 | - | 0.1 | | Week | Season | 80 | - | 38.6 |
| 6 | - | * | Bark (11) | - | 0.3 | 81 | - | 40.9 |
| 7 | - | - | Grass (21) | - | 0.4 | 82 | - | 7.9 |
| 8 | - | - | Seed Coat (31) | - | * | 83 | - | 0.5 |
| Avg Leaf | - | 1.97 | Prep (01) | - | - | 84 | - | 0.1 |
| Avg Trash | - | 0.18 | Other (61) | - | - | 85 & Above | - | * |
| Bales Classed | - | 85,281 | Plastic (71) | - | * | Avg Uniformity | - | 80.91 |
| | | | Gins | - | 6 | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|--------------|---------------|---------------------------|--------------|--------------|-----------------------|--------------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | 10.9 | 15.0 | 31 & Shorter | - | - | 22 & Below | - | - |
| 21 | 76.3 | 78.3 | 32 | - | - | 23 | 0.1 | * |
| 31 | 9.4 | 5.7 | 33 | 0.1 | 0.1 | 24 | 0.1 | * |
| 41 | 2.0 | 0.3 | 34 | 3.3 | 1.9 | 25 | 0.9 | 0.1 |
| 51 | - | - | 35 | 13.2 | 12.1 | 26 | 5.2 | 0.9 |
| 61 | - | - | 36 | 27.8 | 26.0 | 27 | 4.4 | 6.1 |
| 71 | - | - | 37 | 24.1 | 31.2 | 28 | 12.1 | 17.0 |
| 12 | 0.7 | 0.2 | 38 | 20.4 | 13.6 | 29 | 27.7 | 19.4 |
| 22 | 0.3 | 0.3 | 39 | 7.8 | 10.9 | 30 | 26.7 | 24.7 |
| 32 | 0.2 | 0.1 | 40 | 1.8 | 3.8 | 31 | 17.4 | 20.2 |
| 42 | 0.1 | * | 41 & Longer | 1.5 | 0.3 | 32 | 2.2 | 9.5 |
| 52 | - | - | Avg Staple | 36.87 | 36.92 | 33 | 0.4 | 1.5 |
| 62 | - | - | Avg Length | 1.15 | 1.15 | 34 | 0.6 | 0.1 |
| 13 | - | * | MICRONAIRE | | | 35 | 1.4 | 0.2 |
| 23 | * | 0.1 | 2.4 & Below | - | - | 36 | 0.5 | 0.1 |
| 33 | * | 0.1 | 2.5-2.6 | 0.1 | * | 37 | 0.4 | 0.1 |
| 43 | 0.1 | * | 2.7-2.9 | 0.7 | 0.2 | 38 | - | - |
| 53 | - | - | 3.0-3.2 | 7.5 | 2.3 | 39 | * | * |
| 63 | - | - | 3.3-3.4 | 5.8 | 2.9 | 40 & Above | - | * |
| 24-54 | - | - | 3.5-3.6 | 8.6 | 4.9 | Avg Strength | 29.89 | 30.16 |
| 25-35 | - | - | 3.7-4.2 | 40.2 | 31.4 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | 34.6 | 51.9 | 74 & Below | - | - |
| LEAF GRADE | | | 5.0-5.2 | 2.3 | 6.1 | 75 | - | - |
| | Week | Season | 5.3 & Above | 0.1 | 0.4 | 76 | 0.1 | * |
| 1 | 45.5 | 56.9 | Avg Micronaire | 4.02 | 4.32 | 77 | 3.9 | 0.5 |
| 2 | 47.6 | 39.8 | EXTRANEIOUS MATTER | | | 78 | 5.7 | 2.0 |
| 3 | 5.4 | 3.0 | | Week | Season | 79 | 7.8 | 10.1 |
| 4 | 0.9 | 0.2 | Bark (11) | 0.1 | 0.2 | 80 | 27.0 | 26.9 |
| 5 | 0.4 | 0.1 | Grass (21) | - | 0.1 | 81 | 32.0 | 40.7 |
| 6 | 0.1 | * | Seed Coat (31) | 1.3 | 0.3 | 82 | 20.2 | 18.1 |
| 7 | - | - | Prep (01) | - | - | 83 | 2.6 | 1.5 |
| 8 | - | - | Other (61) | - | - | 84 | 0.6 | 0.1 |
| Avg Leaf | 1.63 | 1.47 | Plastic (71) | 0.1 | * | 85 & Above | 0.1 | * |
| Avg Trash | 0.15 | 0.13 | Gins | 4 | 5 | Avg Uniformity | 80.96 | 81.12 |
| Bales Classed | 3,856 | 33,415 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 13

Email us with accessibility issues regarding this report

| COLOR GRADE | | | LEAF GRADE | | |
|-----------------------|--------------|--------------|-----------------------|---------------|----------------|
| | Week | Season | | Week | Season |
| 01 | 33.0 | 28.5 | 1 | 43.3 | 47.7 |
| 02 | 63.0 | 66.8 | 2 | 55.2 | 49.7 |
| 03 | 4.0 | 4.6 | 3 | 1.5 | 2.5 |
| 04 | * | 0.2 | 4 | - | 0.1 |
| 05 | - | * | 5 | - | * |
| 06 | - | * | 6 | - | - |
| 07 | - | * | 7 | - | - |
| | | | Avg Leaf | 1.58 | 1.55 |
| | | | Avg Trash | 0.26 | 0.26 |
| EXTRANEIOUS MATTER | | | STRENGTH | | |
| | Week | Season | | Week | Season |
| Prep (01) | - | * | 36 & Below | 0.8 | 0.7 |
| Bark (11) | * | * | 37 | 0.1 | 1.9 |
| Grass (21) | 0.1 | 0.4 | 38 | 0.7 | 4.1 |
| Spindle Twist (51) | * | 0.1 | 39 | 3.1 | 4.4 |
| Plastic (71) | * | * | 40 | 2.9 | 2.8 |
| | | | 41 | 2.3 | 3.6 |
| MICRONAIRE | | | 42 | 4.7 | 7.8 |
| | Week | Season | 43 | 10.6 | 15.7 |
| 2.4 & Below | - | - | 44 | 19.5 | 21.9 |
| 2.5-2.6 | - | * | 45 | 29.4 | 20.4 |
| 2.7-2.9 | 0.1 | 0.1 | 46 | 16.1 | 11.1 |
| 3.0-3.2 | 0.2 | 0.4 | 47 | 7.3 | 4.0 |
| 3.3-3.4 | 0.7 | 0.9 | 48 & Above | 2.4 | 1.6 |
| 3.5-3.6 | 1.9 | 2.8 | Avg Strength | 44.73 | 43.87 |
| 3.7-4.2 | 34.0 | 37.6 | | | |
| 4.3-4.9 | 63.1 | 58.1 | UNIFORMITY | | |
| 5.0-5.2 | * | * | | Week | Season |
| 5.3 & Above | * | * | 83 & Below | 0.1 | 0.3 |
| Avg Micronaire | 4.29 | 4.26 | 84 | 3.2 | 5.5 |
| STAPLE | | | 85 | 9.5 | 12.0 |
| | Week | Season | 86 | 35.2 | 39.3 |
| 44 & Shorter | 0.3 | 1.4 | 87 | 49.4 | 39.8 |
| 46 | 6.1 | 10.6 | 88 & Above | 2.6 | 3.1 |
| 48 | 24.0 | 23.6 | Avg Uniformity | 86.81 | 86.67 |
| 50 | 61.7 | 56.0 | Bales Classed | 20,004 | 372,443 |
| 52 & Longer | 7.9 | 8.5 | Gins | 12 | 21 |
| Avg Staple | 49.41 | 49.19 | | | |
| Avg Length | 1.43 | 1.43 | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: