



Visalia Classing Office Quality Report for the Week Ending 2/11/2021

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

February 12, 2021

Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	21.8	21.1	31 & Shorter	-	*	22 & Below	-	-
21	58.3	53.0	32	0.4	*	23	-	*
31	15.0	21.6	33	0.5	0.3	24	-	*
41	1.2	1.5	34	4.0	1.7	25	-	0.1
51	-	*	35	6.9	7.9	26	*	0.4
61	-	-	36	14.8	18.2	27	1.9	2.0
71	-	-	37	23.4	30.6	28	2.6	6.3
12	-	1.6	38	27.6	24.1	29	6.7	11.4
22	-	0.5	39	16.5	13.6	30	20.3	18.6
32	1.7	0.5	40	4.3	3.2	31	29.6	19.6
42	1.8	0.2	41 & Longer	1.6	0.4	32	15.2	13.5
52	*	*	Avg Staple	37.35	37.22	33	10.4	8.7
62	-	-	Avg Length	1.17	1.16	34	7.7	6.7
13	-	*	MICRONAIRE			35	3.5	5.0
23	-	*	2.4 & Below	-	*	36	1.2	4.3
33	-	*	2.5-2.6	0.5	*	37	0.7	2.6
43	0.1	*	2.7-2.9	3.0	0.2	38	*	0.7
53	-	*	3.0-3.2	1.2	0.7	39	-	0.1
63	-	*	3.3-3.4	2.0	1.0	40 & Above	-	0.1
24-54	-	*	3.5-3.6	0.2	1.9	Avg Strength	31.79	31.88
25-35	-	-	3.7-4.2	10.6	23.8	UNIFORMITY		
81-85	-	-	4.3-4.9	79.1	62.9	74 & Below	Week	Season
LEAF GRADE			5.0-5.2	1.2	8.3	75	*	*
	Week	Season	5.3 & Above	2.2	1.2	76	0.6	0.1
1	29.8	33.3	Avg Micronaire	4.43	4.45	77	2.5	0.4
2	51.3	49.0	EXTRANEIOUS MATTER			78	3.2	2.3
3	12.4	14.6	Bark (11)	Week	Season	79	8.1	10.8
4	3.5	2.4	Grass (21)	5.9	0.7	80	18.8	28.4
5	2.1	0.6	Seed Coat (31)	0.2	0.2	81	43.2	34.9
6	0.7	0.1	Prep (01)	*	1.5	82	22.5	14.7
7	0.1	*	Other (61)	-	*	83	1.0	5.9
8	-	*	Plastic (71)	*	*	84	*	2.3
Avg Leaf	2.00	1.89	Gins	6	29	85 & Above	-	0.1
Avg Trash	0.19	0.17				Avg Uniformity	81.11	81.20
Bales Classed	8,558	458,711						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>



Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	23.6	26.5	31 & Shorter	-	*	22 & Below	-	-
21	63.1	53.3	32	-	*	23	-	*
31	12.6	15.2	33	-	0.4	24	-	*
41	0.3	1.3	34	3.2	2.1	25	-	0.1
51	-	*	35	6.4	9.1	26	*	0.5
61	-	-	36	13.0	19.4	27	1.7	2.2
71	-	-	37	23.5	32.1	28	1.9	7.1
12	-	2.6	38	29.7	22.9	29	5.3	12.4
22	-	0.7	39	17.9	10.9	30	19.5	18.2
32	0.3	0.3	40	4.6	2.7	31	30.8	20.8
42	0.1	*	41 & Longer	1.7	0.4	32	15.6	15.3
52	-	*	Avg Staple	37.51	37.09	33	11.2	9.4
62	-	-	Avg Length	1.17	1.16	34	8.2	7.0
13	-	*	MICRONAIRE			35	3.8	3.9
23	-	*	2.4 & Below	-	*	36	1.3	2.2
33	-	*	2.5-2.6	-	*	37	0.8	0.7
43	-	*	2.7-2.9	-	0.1	38	*	0.1
53	-	-	3.0-3.2	-	0.3	39	-	*
63	-	*	3.3-3.4	-	0.5	40 & Above	-	*
24-54	-	*	3.5-3.6	*	0.7	Avg Strength	31.91	31.55
25-35	-	-	3.7-4.2	10.8	13.2	UNIFORMITY		
81-85	-	-	4.3-4.9	85.5	72.1	74 & Below	-	-
			5.0-5.2	1.3	11.3	75	-	*
			5.3 & Above	2.4	1.8	76	-	0.1
			Avg Micronaire	4.54	4.58	77	*	0.4
			EXTRANEIOUS MATTER			78	0.6	2.6
				Week	Season	79	7.5	11.6
			Bark (11)	0.2	0.2	80	19.7	27.2
			Grass (21)	0.1	0.1	81	46.8	37.2
			Seed Coat (31)	*	2.4	82	24.3	17.7
			Prep (01)	-	*	83	1.1	2.9
			Other (61)	-	*	84	*	0.3
			Plastic (71)	*	0.2	85 & Above	-	*
			Gins	4	10	Avg Uniformity	81.34	81.10
LEAF GRADE								
	Week	Season						
1	32.2	36.7						
2	55.2	49.3						
3	11.3	11.2						
4	0.9	2.1						
5	0.3	0.6						
6	*	0.2						
7	*	0.1						
8	-	*						
Avg Leaf	1.82	1.81						
Avg Trash	0.16	0.16						
Bales Classed	7,906	284,700						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 2/11/2021

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

February 12, 2021

Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	*	31 & Shorter	-	-	22 & Below	-	-
21	-	23.1	32	-	-	23	-	-
31	-	69.3	33	-	*	24	-	-
41	-	4.8	34	-	*	25	-	-
51	-	*	35	-	0.1	26	-	*
61	-	-	36	-	1.6	27	-	*
71	-	-	37	-	12.2	28	-	0.1
12	-	-	38	-	33.4	29	-	1.3
22	-	0.6	39	-	39.0	30	-	0.9
32	-	1.7	40	-	12.6	31	-	0.8
42	-	0.5	41 & Longer	-	1.1	32	-	0.7
52	-	*	Avg Staple	-	38.52	33	-	1.5
62	-	-	Avg Length	-	1.21	34	-	7.0
13	-	-	MICRONAIRE			35	-	23.0
23	-	-	2.4 & Below	-	-	36	-	30.7
33	-	*	2.5-2.6	-	-	37	-	23.9
43	-	*	2.7-2.9	-	-	38	-	7.6
53	-	-	3.0-3.2	-	0.1	39	-	1.2
63	-	-	3.3-3.4	-	0.4	40 & Above	-	1.1
24-54	-	-	3.5-3.6	-	3.1	Avg Strength	-	36.28
25-35	-	-	3.7-4.2	-	29.1	UNIFORMITY		
81-85	-	-	4.3-4.9	-	65.9	74 & Below	-	-
LEAF GRADE			5.0-5.2	-	1.5	75	-	-
	Week	Season	5.3 & Above	-	*	76	-	-
1	-	2.9	Avg Micronaire	-	4.34	77	-	*
2	-	49.4	EXTRANEIOUS MATTER			78	-	*
3	-	43.4	Bark (11)	-	*	79	-	0.1
4	-	4.1	Grass (21)	-	0.3	80	-	0.4
5	-	0.2	Seed Coat (31)	-	0.1	81	-	2.6
6	-	*	Prep (01)	-	*	82	-	11.8
7	-	-	Other (61)	-	*	83	-	54.2
8	-	-	Plastic (71)	-	*	84	-	29.7
Avg Leaf	-	2.49	Gins	0	7	85 & Above	-	1.3
Avg Trash	-	0.26				Avg Uniformity	-	83.59
Bales Classed	-	33,093						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 2/11/2021

Visalia - CA - Saw Ginned

Agricultural Marketing Service

Cotton Market News

February 12, 2021

Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	15.7	31 & Shorter	-	*	22 & Below	-	-
21	0.2	53.1	32	5.8	*	23	-	-
31	44.3	28.4	33	6.9	0.2	24	-	*
41	12.6	1.2	34	13.7	1.4	25	-	*
51	-	*	35	13.0	5.9	26	0.2	0.2
61	-	-	36	36.7	17.9	27	4.9	0.6
71	-	-	37	21.6	31.2	28	11.3	2.2
12	-	*	38	2.1	27.9	29	23.5	9.0
22	-	0.1	39	0.2	14.0	30	31.0	22.4
32	18.7	0.8	40	-	1.3	31	14.6	22.1
42	22.5	0.7	41 & Longer	-	*	32	11.2	14.5
52	0.5	*	Avg Staple	35.42	37.25	33	1.5	11.6
62	-	-	Avg Length	1.10	1.16	34	1.4	7.9
13	-	-				35	0.3	3.9
23	-	*	MICRONAIRE			36	-	3.5
33	-	*	2.4 & Below	-	*	37	0.2	2.0
43	1.2	*	2.5-2.6	6.4	0.1	38	-	0.2
53	-	*	2.7-2.9	38.8	0.6	39	-	*
63	-	-	3.0-3.2	15.5	1.5	40 & Above	-	*
24-54	-	-	3.3-3.4	25.8	1.9	Avg Strength	30.35	32.03
25-35	-	-	3.5-3.6	2.8	3.9	UNIFORMITY		
81-85	-	-	3.7-4.2	9.0	48.2	74 & Below	Week	Season
LEAF GRADE			4.3-4.9	1.7	40.5	75	0.3	*
	Week	Season	5.0-5.2	-	3.3	76	8.1	0.1
1	-	23.9	5.3 & Above	-	0.1	77	32.8	0.7
2	4.1	52.1	Avg Micronaire	3.13	4.20	78	35.6	2.5
3	25.8	19.3	EXTRANEIOUS MATTER			79	15.5	12.5
4	35.3	3.7	Bark (11)	Week	Season	80	6.9	40.4
5	23.8	0.7	Grass (21)	75.3	2.5	81	0.3	36.5
6	9.5	0.2	Seed Coat (31)	1.8	0.4	82	0.3	6.8
7	1.5	*	Prep (01)	0.2	*	83	-	0.5
8	-	*	Other (61)	-	-	84	-	*
Avg Leaf	4.13	2.06	Plastic (71)	0.5	*	85 & Above	-	*
Avg Trash	0.57	0.19	Gins	0.8	*	Avg Uniformity	78.28	80.77
Bales Classed	652	102,903		2	7			

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:

Source: USDA AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

<https://mymarketnews.ams.usda.gov/cottonmn@ams.usda.gov>



Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			STAPLE			STRENGTH		
	Week	Season		Week	Season		Week	Season
11	-	13.4	31 & Shorter	-	*	22 & Below	-	-
21	-	75.6	32	-	-	23	-	*
31	-	9.8	33	-	*	24	-	*
41	-	0.4	34	-	1.7	25	-	0.1
51	-	*	35	-	11.1	26	-	0.8
61	-	-	36	-	24.6	27	-	6.1
71	-	-	37	-	32.8	28	-	16.6
12	-	0.2	38	-	14.5	29	-	19.2
22	-	0.2	39	-	11.3	30	-	26.6
32	-	0.1	40	-	3.5	31	-	20.3
42	-	*	41 & Longer	-	0.3	32	-	8.5
52	-	-	Avg Staple	-	36.97	33	-	1.3
62	-	-	Avg Length	-	1.15	34	-	0.1
13	-	*	MICRONAIRE			35	-	0.2
23	-	0.1	2.4 & Below	-	*	36	-	0.1
33	-	0.1	2.5-2.6	-	*	37	-	0.1
43	-	*	2.7-2.9	-	0.2	38	-	*
53	-	-	3.0-3.2	-	2.1	39	-	*
63	-	-	3.3-3.4	-	2.5	40 & Above	-	*
24-54	-	*	3.5-3.6	-	4.6	Avg Strength	-	30.15
25-35	-	-	3.7-4.2	-	32.6	UNIFORMITY		
81-85	-	-	4.3-4.9	-	51.8	74 & Below	-	-
LEAF GRADE			5.0-5.2	-	5.8	75	-	*
	Week	Season	5.3 & Above	-	0.4	76	-	*
1	-	59.4	Avg Micronaire	-	4.32	77	-	0.5
2	-	37.6	EXTRANEIOUS MATTER			78	-	1.8
3	-	2.8	Bark (11)	-	0.2	79	-	9.3
4	-	0.1	Grass (21)	-	*	80	-	28.9
5	-	*	Seed Coat (31)	-	0.3	81	-	41.6
6	-	*	Prep (01)	-	-	82	-	16.4
7	-	-	Other (61)	-	-	83	-	1.3
8	-	-	Plastic (71)	-	*	84	-	0.1
Avg Leaf	-	1.44	Gins	0	5	85 & Above	-	*
Avg Trash	-	0.13				Avg Uniformity	-	81.10
Bales Classed	-	38,015						

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 18

Email us with accessibility issues regarding this report

COLOR GRADE			LEAF GRADE		
	Week	Season		Week	Season
01	13.7	28.2	1	31.4	44.9
02	79.7	67.0	2	66.5	52.3
03	6.6	4.6	3	2.0	2.7
04	0.1	0.2	4	-	0.1
05	-	*	5	*	*
06	*	*	6	-	*
07	-	*	7	-	*
			Avg Leaf	1.71	1.58
			Avg Trash	0.28	0.26
EXTRANEIOUS MATTER			STRENGTH		
	Week	Season		Week	Season
Prep (01)	-	*	36 & Below	-	0.7
Bark (11)	0.1	*	37	-	1.7
Grass (21)	-	0.3	38	0.2	4.0
Spindle Twist (51)	*	0.1	39	0.3	4.6
Plastic (71)	-	*	40	1.0	2.8
			41	3.6	3.6
			42	9.7	7.6
			43	20.4	15.1
			44	24.4	21.1
			45	19.6	20.4
			46	11.5	11.8
			47	5.7	4.6
			48 & Above	3.7	1.9
			Avg Strength	44.63	43.94
MICRONAIRE			UNIFORMITY		
	Week	Season		Week	Season
2.4 & Below	-	-	83 & Below	*	0.4
2.5-2.6	-	*	84	0.9	5.4
2.7-2.9	-	0.1	85	7.9	12.6
3.0-3.2	0.1	0.4	86	39.2	38.9
3.3-3.4	*	0.9	87	41.5	39.3
3.5-3.6	*	2.6	88 & Above	10.5	3.6
3.7-4.2	14.0	36.5	Avg Uniformity	86.99	86.67
4.3-4.9	85.5	59.4	Bales Classed	11,075	476,135
5.0-5.2	0.3	0.1	Gins	4	22
5.3 & Above	*	*			
Avg Micronaire	4.43	4.26			
STAPLE					
	Week	Season			
44 & Shorter	-	1.2			
46	0.3	10.5			
48	17.3	22.1			
50	70.1	57.0			
52 & Longer	12.2	9.2			
Avg Staple	49.89	49.25			
Avg Length	1.45	1.43			

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: