



Visalia Classing Office Quality Report for the Week Ending 3/11/2021

Visalia - Office Summary

Agricultural Marketing Service

Cotton Market News

March 12, 2021

Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|----------------|---------------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 20.8 | 31 & Shorter | - | * | 22 & Below | - | * |
| 21 | - | 53.2 | 32 | - | * | 23 | - | * |
| 31 | - | 21.5 | 33 | - | 0.3 | 24 | - | * |
| 41 | - | 1.5 | 34 | - | 1.7 | 25 | - | 0.1 |
| 51 | - | * | 35 | - | 7.9 | 26 | - | 0.4 |
| 61 | - | - | 36 | - | 18.1 | 27 | - | 2.0 |
| 71 | - | - | 37 | - | 30.6 | 28 | - | 6.3 |
| 12 | - | 1.6 | 38 | - | 24.2 | 29 | - | 11.3 |
| 22 | - | 0.5 | 39 | - | 13.6 | 30 | - | 18.6 |
| 32 | - | 0.5 | 40 | - | 3.2 | 31 | - | 19.9 |
| 42 | - | 0.2 | 41 & Longer | - | 0.4 | 32 | - | 13.5 |
| 52 | - | * | Avg Staple | - | 37.22 | 33 | - | 8.6 |
| 62 | - | * | Avg Length | - | 1.16 | 34 | - | 6.7 |
| 13 | - | * | MICRONAIRE | | | 35 | - | 5.0 |
| 23 | - | * | 2.4 & Below | - | * | 36 | - | 4.3 |
| 33 | - | * | 2.5-2.6 | - | * | 37 | - | 2.5 |
| 43 | - | * | 2.7-2.9 | - | 0.2 | 38 | - | 0.6 |
| 53 | - | * | 3.0-3.2 | - | 0.7 | 39 | - | 0.1 |
| 63 | - | * | 3.3-3.4 | - | 1.0 | 40 & Above | - | 0.1 |
| 24-54 | - | * | 3.5-3.6 | - | 2.0 | Avg Strength | - | 31.88 |
| 25-35 | - | - | 3.7-4.2 | - | 24.0 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | - | 62.7 | 74 & Below | - | * |
| | | | 5.0-5.2 | - | 8.2 | 75 | - | * |
| | | | 5.3 & Above | - | 1.2 | 76 | - | 0.1 |
| | | | Avg Micronaire | - | 4.45 | 77 | - | 0.4 |
| | | | EXTRANEIOUS MATTER | | | 78 | - | 2.3 |
| | | | Bark (11) | - | 0.9 | 79 | - | 10.8 |
| | | | Grass (21) | - | 0.2 | 80 | - | 28.4 |
| | | | Seed Coat (31) | - | 1.5 | 81 | - | 35.0 |
| | | | Prep (01) | - | * | 82 | - | 14.8 |
| | | | Other (61) | - | * | 83 | - | 5.8 |
| | | | Plastic (71) | - | 0.2 | 84 | - | 2.3 |
| | | | Gins | - | 29 | 85 & Above | - | 0.1 |
| | | | | | | Avg Uniformity | - | 81.20 |
| LEAF GRADE | | | | | | | | |
| | Week | Season | | | | | | |
| 1 | - | 33.1 | | | | | | |
| 2 | - | 48.9 | | | | | | |
| 3 | - | 14.6 | | | | | | |
| 4 | - | 2.5 | | | | | | |
| 5 | - | 0.6 | | | | | | |
| 6 | - | 0.2 | | | | | | |
| 7 | - | * | | | | | | |
| 8 | - | * | | | | | | |
| Avg Leaf | - | 1.89 | | | | | | |
| Avg Trash | - | 0.18 | | | | | | |
| Bales Classed | - | 468,621 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|----------------|---------------------------|------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 25.9 | 31 & Shorter | - | * | 22 & Below | - | * |
| 21 | - | 53.7 | 32 | - | * | 23 | - | * |
| 31 | - | 15.2 | 33 | - | 0.4 | 24 | - | * |
| 41 | - | 1.4 | 34 | - | 2.0 | 25 | - | 0.1 |
| 51 | - | * | 35 | - | 9.0 | 26 | - | 0.5 |
| 61 | - | - | 36 | - | 19.1 | 27 | - | 2.1 |
| 71 | - | - | 37 | - | 32.2 | 28 | - | 7.0 |
| 12 | - | 2.5 | 38 | - | 23.1 | 29 | - | 12.2 |
| 22 | - | 0.6 | 39 | - | 10.9 | 30 | - | 18.3 |
| 32 | - | 0.4 | 40 | - | 2.8 | 31 | - | 21.2 |
| 42 | - | 0.1 | 41 & Longer | - | 0.4 | 32 | - | 15.3 |
| 52 | - | * | Avg Staple | - | 37.10 | 33 | - | 9.4 |
| 62 | - | * | Avg Length | - | 1.16 | 34 | - | 7.0 |
| 13 | - | * | MICRONAIRE | | | 35 | - | 4.0 |
| 23 | - | * | 2.4 & Below | - | * | 36 | - | 2.1 |
| 33 | - | * | 2.5-2.6 | - | * | 37 | - | 0.7 |
| 43 | - | * | 2.7-2.9 | - | 0.1 | 38 | - | 0.1 |
| 53 | - | - | 3.0-3.2 | - | 0.3 | 39 | - | * |
| 63 | - | * | 3.3-3.4 | - | 0.5 | 40 & Above | - | * |
| 24-54 | - | * | 3.5-3.6 | - | 0.8 | Avg Strength | - | 31.56 |
| 25-35 | - | - | 3.7-4.2 | - | 13.9 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | - | 71.4 | 74 & Below | - | * |
| LEAF GRADE | | | 5.0-5.2 | - | 11.0 | 75 | - | * |
| | Week | Season | 5.3 & Above | - | 1.9 | 76 | - | 0.1 |
| 1 | - | 36.3 | Avg Micronaire | - | 4.57 | 77 | - | 0.4 |
| 2 | - | 49.2 | EXTRANEIOUS MATTER | | | 78 | - | 2.6 |
| 3 | - | 11.2 | Bark (11) | - | 0.5 | 79 | - | 11.5 |
| 4 | - | 2.3 | Grass (21) | - | 0.2 | 80 | - | 27.3 |
| 5 | - | 0.7 | Seed Coat (31) | - | 2.4 | 81 | - | 37.2 |
| 6 | - | 0.2 | Prep (01) | - | * | 82 | - | 17.7 |
| 7 | - | 0.1 | Other (61) | - | * | 83 | - | 2.8 |
| 8 | - | * | Plastic (71) | - | 0.3 | 84 | - | 0.3 |
| Avg Leaf | - | 1.83 | Gins | - | 10 | 85 & Above | - | * |
| Avg Trash | - | 0.17 | | | | Avg Uniformity | - | 81.09 |
| Bales Classed | - | 294,610 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Visalia Classing Office Quality Report for the Week Ending 3/11/2021

Visalia - CA - Roller Ginned

Agricultural Marketing Service

Cotton Market News

March 12, 2021

Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|---------------|-----------------------|----------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | * | 31 & Shorter | - | - | 22 & Below | - | - |
| 21 | - | 23.1 | 32 | - | - | 23 | - | - |
| 31 | - | 69.3 | 33 | - | * | 24 | - | - |
| 41 | - | 4.8 | 34 | - | * | 25 | - | - |
| 51 | - | * | 35 | - | 0.1 | 26 | - | * |
| 61 | - | - | 36 | - | 1.6 | 27 | - | * |
| 71 | - | - | 37 | - | 12.2 | 28 | - | 0.1 |
| 12 | - | - | 38 | - | 33.4 | 29 | - | 1.3 |
| 22 | - | 0.6 | 39 | - | 39.0 | 30 | - | 0.9 |
| 32 | - | 1.7 | 40 | - | 12.6 | 31 | - | 0.8 |
| 42 | - | 0.5 | 41 & Longer | - | 1.1 | 32 | - | 0.7 |
| 52 | - | * | Avg Staple | - | 38.52 | 33 | - | 1.5 |
| 62 | - | - | Avg Length | - | 1.21 | 34 | - | 7.0 |
| 13 | - | - | | | | 35 | - | 23.0 |
| 23 | - | - | MICRONAIRE | | | 36 | - | 30.7 |
| 33 | - | * | | Week | Season | 37 | - | 23.9 |
| 43 | - | * | 2.4 & Below | - | - | 38 | - | 7.6 |
| 53 | - | - | 2.5-2.6 | - | - | 39 | - | 1.2 |
| 63 | - | - | 2.7-2.9 | - | - | 40 & Above | - | 1.1 |
| 24-54 | - | - | 3.0-3.2 | - | 0.1 | Avg Strength | - | 36.28 |
| 25-35 | - | - | 3.3-3.4 | - | 0.4 | UNIFORMITY | | |
| 81-85 | - | - | 3.5-3.6 | - | 3.1 | | Week | Season |
| LEAF GRADE | | | 3.7-4.2 | - | 29.1 | 74 & Below | - | - |
| | Week | Season | 4.3-4.9 | - | 65.9 | 75 | - | - |
| 1 | - | 2.9 | 5.0-5.2 | - | 1.5 | 76 | - | - |
| 2 | - | 49.4 | 5.3 & Above | - | * | 77 | - | * |
| 3 | - | 43.4 | Avg Micronaire | - | 4.34 | 78 | - | * |
| 4 | - | 4.1 | EXTRANEIOUS MATTER | | | 79 | - | 0.1 |
| 5 | - | 0.2 | | Week | Season | 80 | - | 0.4 |
| 6 | - | * | Bark (11) | - | * | 81 | - | 2.6 |
| 7 | - | - | Grass (21) | - | 0.3 | 82 | - | 11.8 |
| 8 | - | - | Seed Coat (31) | - | 0.1 | 83 | - | 54.2 |
| Avg Leaf | - | 2.49 | Prep (01) | - | * | 84 | - | 29.7 |
| Avg Trash | - | 0.26 | Other (61) | - | * | 85 & Above | - | 1.3 |
| Bales Classed | - | 33,093 | Plastic (71) | - | * | Avg Uniformity | - | 83.59 |
| | | | Gins | 0 | 7 | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|----------------|---------------------------|----------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 15.7 | 31 & Shorter | - | * | 22 & Below | - | - |
| 21 | - | 53.1 | 32 | - | * | 23 | - | - |
| 31 | - | 28.4 | 33 | - | 0.2 | 24 | - | * |
| 41 | - | 1.2 | 34 | - | 1.4 | 25 | - | * |
| 51 | - | * | 35 | - | 5.9 | 26 | - | 0.2 |
| 61 | - | - | 36 | - | 17.9 | 27 | - | 0.6 |
| 71 | - | - | 37 | - | 31.2 | 28 | - | 2.2 |
| 12 | - | * | 38 | - | 27.9 | 29 | - | 9.0 |
| 22 | - | 0.1 | 39 | - | 14.0 | 30 | - | 22.4 |
| 32 | - | 0.8 | 40 | - | 1.3 | 31 | - | 22.1 |
| 42 | - | 0.7 | 41 & Longer | - | * | 32 | - | 14.5 |
| 52 | - | * | Avg Staple | - | 37.25 | 33 | - | 11.6 |
| 62 | - | - | Avg Length | - | 1.16 | 34 | - | 7.9 |
| 13 | - | - | MICRONAIRE | | | 35 | - | 3.9 |
| 23 | - | * | 2.4 & Below | - | * | 36 | - | 3.5 |
| 33 | - | * | 2.5-2.6 | - | 0.1 | 37 | - | 2.0 |
| 43 | - | * | 2.7-2.9 | - | 0.6 | 38 | - | 0.2 |
| 53 | - | * | 3.0-3.2 | - | 1.5 | 39 | - | * |
| 63 | - | - | 3.3-3.4 | - | 1.9 | 40 & Above | - | * |
| 24-54 | - | - | 3.5-3.6 | - | 3.9 | Avg Strength | - | 32.03 |
| 25-35 | - | - | 3.7-4.2 | - | 48.2 | UNIFORMITY | | |
| 81-85 | - | - | 4.3-4.9 | - | 40.5 | 74 & Below | - | * |
| | | | 5.0-5.2 | - | 3.3 | 75 | - | * |
| | | | 5.3 & Above | - | 0.1 | 76 | - | 0.1 |
| | | | Avg Micronaire | - | 4.20 | 77 | - | 0.7 |
| | | | EXTRANEIOUS MATTER | | | 78 | - | 2.5 |
| | | | Bark (11) | - | 2.5 | 79 | - | 12.5 |
| | | | Grass (21) | - | 0.4 | 80 | - | 40.4 |
| | | | Seed Coat (31) | - | * | 81 | - | 36.5 |
| | | | Prep (01) | - | - | 82 | - | 6.8 |
| | | | Other (61) | - | * | 83 | - | 0.5 |
| | | | Plastic (71) | - | * | 84 | - | * |
| | | | Gins | 0 | 7 | 85 & Above | - | * |
| | | | | | | Avg Uniformity | - | 80.77 |
| LEAF GRADE | | | | | | | | |
| | Week | Season | | | | | | |
| 1 | - | 23.9 | | | | | | |
| 2 | - | 52.1 | | | | | | |
| 3 | - | 19.3 | | | | | | |
| 4 | - | 3.7 | | | | | | |
| 5 | - | 0.7 | | | | | | |
| 6 | - | 0.2 | | | | | | |
| 7 | - | * | | | | | | |
| 8 | - | * | | | | | | |
| Avg Leaf | - | 2.06 | | | | | | |
| Avg Trash | - | 0.19 | | | | | | |
| Bales Classed | - | 102,903 | | | | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | STAPLE | | | STRENGTH | | |
|----------------------|------|---------------|---------------------------|----------|--------------|-----------------------|------|--------------|
| | Week | Season | | Week | Season | | Week | Season |
| 11 | - | 13.4 | 31 & Shorter | - | * | 22 & Below | - | - |
| 21 | - | 75.6 | 32 | - | - | 23 | - | * |
| 31 | - | 9.8 | 33 | - | * | 24 | - | * |
| 41 | - | 0.4 | 34 | - | 1.7 | 25 | - | 0.1 |
| 51 | - | * | 35 | - | 11.1 | 26 | - | 0.8 |
| 61 | - | - | 36 | - | 24.6 | 27 | - | 6.1 |
| 71 | - | - | 37 | - | 32.8 | 28 | - | 16.6 |
| 12 | - | 0.2 | 38 | - | 14.5 | 29 | - | 19.2 |
| 22 | - | 0.2 | 39 | - | 11.3 | 30 | - | 26.6 |
| 32 | - | 0.1 | 40 | - | 3.5 | 31 | - | 20.3 |
| 42 | - | * | 41 & Longer | - | 0.3 | 32 | - | 8.5 |
| 52 | - | - | Avg Staple | - | 36.97 | 33 | - | 1.3 |
| 62 | - | - | Avg Length | - | 1.15 | 34 | - | 0.1 |
| 13 | - | * | MICRONAIRE | | | 35 | - | 0.2 |
| 23 | - | 0.1 | | Week | Season | 36 | - | 0.1 |
| 33 | - | 0.1 | 2.4 & Below | - | * | 37 | - | 0.1 |
| 43 | - | * | 2.5-2.6 | - | * | 38 | - | * |
| 53 | - | - | 2.7-2.9 | - | 0.2 | 39 | - | * |
| 63 | - | - | 3.0-3.2 | - | 2.1 | 40 & Above | - | * |
| 24-54 | - | * | 3.3-3.4 | - | 2.5 | Avg Strength | - | 30.15 |
| 25-35 | - | - | 3.5-3.6 | - | 4.6 | UNIFORMITY | | |
| 81-85 | - | - | 3.7-4.2 | - | 32.6 | | Week | Season |
| LEAF GRADE | | | 4.3-4.9 | - | 51.8 | 74 & Below | - | - |
| | Week | Season | 5.0-5.2 | - | 5.8 | 75 | - | * |
| 1 | - | 59.4 | 5.3 & Above | - | 0.4 | 76 | - | * |
| 2 | - | 37.6 | Avg Micronaire | - | 4.32 | 77 | - | 0.5 |
| 3 | - | 2.8 | EXTRANEIOUS MATTER | | | 78 | - | 1.8 |
| 4 | - | 0.1 | | Week | Season | 79 | - | 9.3 |
| 5 | - | * | Bark (11) | - | 0.2 | 80 | - | 28.9 |
| 6 | - | * | Grass (21) | - | * | 81 | - | 41.6 |
| 7 | - | - | Seed Coat (31) | - | 0.3 | 82 | - | 16.4 |
| 8 | - | - | Prep (01) | - | - | 83 | - | 1.3 |
| Avg Leaf | - | 1.44 | Other (61) | - | - | 84 | - | 0.1 |
| Avg Trash | - | 0.13 | Plastic (71) | - | * | 85 & Above | - | * |
| Bales Classed | - | 38,015 | Gins | 0 | 5 | Avg Uniformity | - | 81.10 |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info:



Volume 4, No. 22

Email us with accessibility issues regarding this report

| COLOR GRADE | | | LEAF GRADE | | |
|-----------------------|------|--------------|-----------------------|------|----------------|
| | Week | Season | | Week | Season |
| 01 | - | 26.7 | 1 | - | 43.9 |
| 02 | - | 68.6 | 2 | - | 53.4 |
| 03 | - | 4.5 | 3 | - | 2.6 |
| 04 | - | 0.2 | 4 | - | 0.1 |
| 05 | - | * | 5 | - | * |
| 06 | - | * | 6 | - | * |
| 07 | - | * | 7 | - | * |
| Avg Leaf | | | - | - | 1.59 |
| EXTRANEIOUS MATTER | | | STRENGTH | | |
| | Week | Season | | Week | Season |
| Prep (01) | - | * | 36 & Below | - | 0.7 |
| Bark (11) | - | * | 37 | - | 1.6 |
| Grass (21) | - | 0.3 | 38 | - | 3.7 |
| Spindle Twist (51) | - | 0.1 | 39 | - | 4.3 |
| Plastic (71) | - | * | 40 | - | 2.7 |
| MICRONAIRE | | | 41 | - | 3.7 |
| | Week | Season | 42 | - | 8.0 |
| 2.4 & Below | - | - | 43 | - | 15.5 |
| 2.5-2.6 | - | * | 44 | - | 21.3 |
| 2.7-2.9 | - | 0.1 | 45 | - | 20.2 |
| 3.0-3.2 | - | 0.4 | 46 | - | 11.7 |
| 3.3-3.4 | - | 0.9 | 47 | - | 4.6 |
| 3.5-3.6 | - | 2.4 | 48 & Above | - | 1.9 |
| 3.7-4.2 | - | 34.5 | Avg Strength | - | 43.96 |
| 4.3-4.9 | - | 61.6 | UNIFORMITY | | |
| 5.0-5.2 | - | 0.1 | | Week | Season |
| 5.3 & Above | - | * | 83 & Below | - | 0.3 |
| Avg Micronaire | - | 4.28 | 84 | - | 5.1 |
| STAPLE | | | 85 | - | 12.4 |
| | Week | Season | 86 | - | 38.9 |
| 44 & Shorter | - | 1.1 | 87 | - | 39.3 |
| 46 | - | 9.8 | 88 & Above | - | 4.0 |
| 48 | - | 22.0 | Avg Uniformity | - | 86.68 |
| 50 | - | 58.0 | Bales Classed | - | 510,168 |
| 52 & Longer | - | 9.1 | Gins | - | 22 |
| Avg Staple | - | 49.28 | | | |
| Avg Length | - | 1.43 | | | |

Because of rounding, percentages may not total to 100.

* Less than 0.05%

Additional Info: