Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

24-Aug-18

Volume 101, No. 18

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis		Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program	
	ICE Futures		Staple 34	Staple 35	Today	Season
	Points		*Cents per pound*		*Bales*	*Bales*
Southeast	-50	Oct-18	81.31	83.56	0	364
North Delta	-150	Oct-18	80.31	82.06	0	0
South Delta	-150	Oct-18	80.31	82.06	0	270
East TX-OK	-550	Oct-18	76.31	78.81	106	7,271
West Texas	-600	Oct-18	75.81	78.31	0	745
Desert SW	-575	Oct-18	76.06	80.06	0	3
SJ Valley	-525	Oct-18	76.56	85.46	0	0
					Upland Total	
Average	-371	Oct-18	78.10	81.47	**106**	**8,653**
Previous day	-379	Oct-18	77.94	81.32		

	AMERICAN PIMA SPOT PRICE QUOTATIONS				
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total	
American Pima	139.25	116.75	124.50	**0**	**0**

ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Aug 24 - Aug 30 ADJ. WORLD PRICE	
Month	*Cents per pound*					73.83	
	Today	Previous	Change			**CC ADJUSTMENT**	
Oct-18	81.81	81.73 ↑	**0.08**	**Season high**		0.00	
Dec-18	81.63	81.49 ↑	**0.14**			**FC ADJUSTMENT**	
Mar-19	81.79	81.91 ↓	**-0.12**	8/2/2018	85.65	2017	2018
May-19	82.18	82.29 ↓	**-0.11**			0.82	0.87
Jul-19	82.55	82.67 ↓	**-0.12**			**LOAN DEFICIENCY PMT.**	
Oct-19	78.35	78.87 ↓	**-0.52**	**Season low**		0.00	
Dec-19	76.78	77.02 ↓	**-0.24**				
Mar-20	77.06	77.21 ↓	**-0.15**	8/15/2018	77.29	**PIMA COMPETITIVENESS**	
May-20	77.43	77.71 ↓	**-0.28**			**PAYMENT**	
Jul-20	77.70	78.09 ↓	**-0.39**			0.00	

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK	✓					
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton

SOUTHEAST DIFFERENCES 24-Aug-18

Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-50	150	250	425	475	475
	3	-225	-50	150	225	400	450	450
	4	-225	-125	75	175	275	300	300
	5	-375	-225	-125	25	75	75	75
	6	-500	-350	-300	-225	-200	-200	-200
	7	-625	-475	-450	-350	-325	-325	-325
31	1 & 2	-225	-50	125	225	400	425	425
	3	-225	-50	125	225	375	400	400
	4	-225	-125	75	175	250	275	275
	5	-375	-225	-125	25	50	50	50
	6	-500	-350	-300	-275	-250	-250	-250
	7	-625	-475	-450	-400	-375	-375	-375
41	1 & 2	-275	-100	50	200	225	225	250
	3	-275	-100	50	175	200	200	225
	4	-275	-200	81.31	150	175	175	200
	5	-450	-350	-200	-75	-25	-25	-25
	6	-575	-450	-425	-350	-325	-325	-325
	7	-675	-575	-550	-500	-475	-475	-475
51	1 & 2	-475	-300	-175	-175	-150	-150	-150
	3	-550	-325	-250	-225	-175	-175	-175
	4	-575	-325	-275	-275	-250	-250	-250
	5	-675	-550	-450	-400	-375	-375	-375
	6	-750	-575	-525	-525	-500	-500	-500
	7	-825	-700	-675	-675	-650	-650	-650
61	1-5	-775	-700	-625	-600	-600	-600	-600
	6	-950	-875	-825	-800	-800	-800	-800
	7	-1075	-950	-900	-875	-875	-875	-875
71	1-6	-1075	-1000	-950	-950	-950	-950	-950
	7	-1100	-1025	-975	-975	-975	-975	-975
12 & 22	1 & 2	-275	-100	50	150	275	275	300
	3	-275	-100	50	125	250	250	275
	4	-275	-125	0	100	225	225	250
	5	-425	-325	-200	0	25	25	25
	6	-550	-425	-425	-350	-325	-325	-325
	7	-650	-550	-550	-500	-475	-475	-475
32	1 & 2	-325	-175	-25	0	50	50	50
	3	-350	-200	-50	0	25	25	25
	4	-450	-200	-150	-100	-50	-50	-50
	5	-525	-350	-300	-275	-250	-250	-250
	6	-600	-450	-450	-425	-400	-400	-400
	7	-700	-575	-575	-550	-525	-525	-525
42	1-3	-625	-425	-225	-200	-175	-175	-175
	4	-675	-425	-275	-275	-250	-250	-250
	5	-775	-650	-425	-375	-350	-350	-350
	6	-825	-775	-625	-625	-600	-600	-600
	7	-925	-800	-775	-750	-725	-725	-725
52	1-4	-825	-700	-575	-500	-500	-500	-500
	5	-850	-850	-675	-650	-650	-650	-650
	6	-925	-900	-850	-825	-825	-825	-825
	7	-1075	-1000	-950	-925	-925	-925	-925
62	1-5	-950	-875	-825	-825	-825	-825	-825
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000
43	1-3	-900	-850	-800	-750	-725	-725	-725
	4	-925	-900	-850	-775	-750	-750	-750
	5	-950	-900	-850	-825	-825	-825	-825
	6	-1000	-925	-875	-850	-850	-850	-850
	7	-1125	-1000	-950	-925	-925	-925	-925
53	1-4	-1000	-900	-850	-800	-800	-800	-800
	5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100
63	1-5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100

Mike	
Range	Diff.
25-26	-825
27-29	-425
30-32	-275
33-34	-150
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-200
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-425
22.0 - 22.9	-350
23.0 - 23.9	-300
24.0 - 24.9	-250
25.0 - 25.9	-200
26.0 - 26.9	-25
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & Above	50

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-800
Other - Level 1	-400
Other - Level 2	-800
Plastic - Level 1	-400
Plastic - Level 2	-800

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-110
79.0 - 79.9	-100
80.0 - 80.9	-25
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	20
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

NORTH DELTA DIFFERENCES 24-Aug-18

		Staple						
Color	Leaf	32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	125	250	475	500	500
	3	-225	-75	100	200	400	425	425
	4	-275	-200	25	75	300	325	325
	5	-450	-325	-75	0	25	50	50
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
31	1 & 2	-225	-100	75	200	450	475	475
	3	-225	-100	75	175	400	425	425
	4	-275	-250	25	75	250	275	275
	5	-450	-325	-125	-50	-25	0	0
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
41	1 & 2	-350	-250	50	100	225	250	250
	3	-350	-250	25	50	200	225	225
	4	-375	-275	80.31	0	125	150	150
	5	-525	-400	-225	-125	-75	-75	-75
	6	-575	-500	-400	-325	-300	-300	-300
	7	-700	-675	-550	-450	-450	-450	-450
51	1-2	-675	-475	-350	-250	-250	-250	-250
	3	-725	-475	-375	-275	-275	-275	-275
	4	-750	-500	-400	-350	-350	-350	-350
	5	-825	-725	-525	-475	-450	-450	-450
	6	-850	-825	-675	-600	-600	-600	-600
	7	-1000	-975	-825	-700	-700	-700	-700
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-925	-850	-775	-750	-750	-750	-750
	7	-1025	-1000	-875	-850	-850	-850	-850
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075
12 & 22	1 & 2	-275	-125	50	100	250	275	275
	3	-275	-125	25	50	200	250	250
	4	-300	-250	0	0	150	175	175
	5	-500	-375	-200	-100	-75	-50	-50
	6	-625	-550	-425	-325	-300	-300	-300
	7	-675	-650	-525	-450	-425	-425	-425
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-600	-425	-250	-225	-200	-200	-200
	6	-700	-650	-475	-425	-400	-400	-400
	7	-800	-750	-575	-525	-525	-525	-525
42	1-3	-550	-425	-350	-225	-225	-225	-225
	4	-575	-450	-375	-300	-300	-300	-300
	5	-725	-575	-450	-400	-375	-375	-375
	6	-850	-750	-600	-550	-525	-525	-525
	7	-900	-800	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-825	-725	-650	-600	-600	-600	-600
	6	-975	-875	-800	-775	-775	-775	-775
	7	-1000	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925
43	1-3	-900	-675	-500	-475	-475	-475	-475
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-225
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-300
22.0 - 22.9	-250
23.0 - 23.9	-200
24.0 - 24.9	-175
25.0 - 25.9	-150
26.0 - 26.9	-25
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & Above	50

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-800
Other - Level 1	-375
Other - Level 2	-785
Plastic - Level 1	-375
Plastic - Level 2	-785

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-80
79.0 - 79.9	-70
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

SOUTH DELTA DIFFERENCES 24-Aug-18

		Staple						
Color	Leaf	32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	125	250	475	500	500
	3	-225	-75	100	200	400	425	425
	4	-275	-200	25	75	300	325	325
	5	-450	-325	-75	0	25	50	50
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
31	1 & 2	-225	-100	75	200	450	475	475
	3	-225	-100	75	175	400	425	425
	4	-275	-250	25	75	250	275	275
	5	-450	-325	-125	-50	-25	0	0
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
41	1 & 2	-350	-250	50	100	225	250	250
	3	-350	-250	25	50	200	225	225
	4	-375	-275	80.31	0	125	150	150
	5	-525	-400	-225	-125	-75	-75	-75
	6	-575	-500	-400	-325	-300	-300	-300
	7	-700	-675	-550	-450	-450	-450	-450
51	1-2	-675	-475	-350	-250	-250	-250	-250
	3	-725	-475	-375	-275	-275	-275	-275
	4	-750	-500	-400	-350	-350	-350	-350
	5	-825	-725	-525	-475	-450	-450	-450
	6	-925	-825	-675	-600	-600	-600	-600
	7	-1000	-975	-825	-700	-700	-700	-700
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-925	-850	-775	-750	-750	-750	-750
	7	-1025	-1000	-875	-850	-850	-850	-850
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075
12 & 22	1 & 2	-275	-125	50	100	250	275	275
	3	-275	-125	25	50	200	250	250
	4	-300	-250	0	0	150	175	175
	5	-500	-375	-200	-100	-75	-50	-50
	6	-625	-550	-425	-325	-300	-300	-300
	7	-675	-650	-525	-450	-425	-425	-425
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-600	-425	-250	-225	-200	-200	-200
	6	-700	-650	-475	-425	-400	-400	-400
	7	-800	-750	-575	-525	-525	-525	-525
42	1-3	-550	-425	-350	-225	-225	-225	-225
	4	-575	-450	-375	-300	-275	-275	-275
	5	-725	-575	-450	-400	-375	-375	-375
	6	-850	-750	-600	-525	-500	-500	-500
	7	-900	-800	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-825	-725	-650	-600	-600	-600	-600
	6	-975	-875	-800	-775	-775	-775	-775
	7	-1000	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925
43	1-3	-900	-675	-475	-450	-450	-450	-450
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike	
Range	Diff.
25-26	-1100
27-29	-750
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-225
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-275
22.0 - 22.9	-225
23.0 - 23.9	-200
24.0 - 24.9	-175
25.0 - 25.9	-150
26.0 - 26.9	-25
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & Above	50

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-800
Other - Level 1	-375
Other - Level 2	-785
Plastic - Level 1	-375
Plastic - Level 2	-785

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-80
79.0 - 79.9	-70
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

EAST TEXAS-OKLAHOMA DIFFERENCES 24-Aug-18

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	500	525	550
	3	-400	-350	-150	150	300	425	450	475
	4	-475	-350	-175	100	100	325	350	350
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-125	125	300	400	475	500
	3	-425	-350	-150	125	250	375	425	450
	4	-525	-425	-225	75	100	225	225	225
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	50	175	325	350	350
	3	-525	-350	-175	50	125	200	225	225
	4	-575	-425	-325	76.31	75	175	200	200
	5	-700	-525	-475	-125	-75	175	200	200
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	125	150	150
	3	-675	-550	-425	-50	-50	125	150	150
	4	-725	-575	-450	-125	-100	75	100	100
	5	-775	-650	-600	-225	-175	-50	-25	-25
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-600	-400	-225	75	75	200	250	250
	3	-625	-450	-275	0	25	125	175	175
	4	-675	-475	-300	-25	-25	125	175	175
	5	-750	-650	-600	-300	-200	25	75	75
	6	-925	-750	-750	-450	-400	-325	-275	-275
	7	-1050	-875	-850	-550	-500	-425	-375	-375
32	1 & 2	-625	-550	-375	-75	25	150	200	200
	3	-650	-550	-400	-100	-75	75	125	125
	4	-700	-575	-475	-175	-150	-75	-25	-25
	5	-800	-700	-675	-350	-275	-75	-25	-25
	6	-975	-800	-800	-525	-475	-400	-350	-350
	7	-1125	-925	-925	-625	-575	-500	-450	-450
42	1-3	-675	-600	-525	-150	-100	0	50	50
	4	-725	-625	-550	-175	-150	-75	-25	-25
	5	-875	-750	-700	-400	-350	-300	-250	-250
	6	-1100	-850	-825	-550	-500	-450	-400	-400
	7	-1225	-975	-950	-675	-600	-550	-500	-500
52	1-4	-925	-750	-675	-450	-450	-400	-350	-350
	5	-1000	-850	-750	-500	-500	-450	-400	-400
	6	-1225	-1050	-975	-650	-625	-575	-525	-525
	7	-1325	-1175	-1100	-775	-750	-650	-600	-600
62	1-5	-1050	-925	-900	-575	-550	-500	-450	-450
	6	-1275	-1125	-1100	-775	-750	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-975	-850	-775	-450	-375	-275	-175	-175
	3	-1000	-875	-800	-475	-400	-300	-200	-200
	4	-1050	-950	-850	-525	-450	-350	-250	-250
	5	-1175	-1050	-975	-650	-575	-475	-375	-375
	6	-1300	-1125	-1025	-750	-675	-575	-475	-475
	7	-1400	-1225	-1150	-875	-800	-700	-600	-600
33	1 & 2	-1075	-925	-850	-505	-450	-350	-250	-250
	3	-1075	-925	-850	-530	-475	-375	-250	-250
	4	-1150	-1000	-900	-580	-525	-425	-300	-300
	5	-1300	-1100	-1000	-705	-650	-550	-425	-425
	6	-1375	-1175	-1100	-830	-775	-675	-550	-550
	7	-1475	-1300	-1200	-955	-900	-800	-675	-675
43	1-3	-1125	-1000	-900	-580	-525	-425	-300	-300
	4	-1200	-1075	-950	-605	-550	-450	-325	-325
	5	-1325	-1175	-1050	-735	-675	-575	-450	-450
	6	-1425	-1250	-1150	-855	-825	-725	-600	-600
	7	-1525	-1350	-1250	-955	-925	-825	-700	-700
53	1-4	-1250	-1175	-1075	-755	-750	-675	-550	-550
	5	-1350	-1250	-1175	-830	-825	-750	-625	-625
	6	-1450	-1350	-1275	-980	-950	-875	-750	-750
	7	-1550	-1450	-1400	-1080	-1025	-950	-825	-825
63	1-5	-1450	-1325	-1225	-930	-825	-750	-625	-625
	6	-1550	-1450	-1325	-1030	-975	-900	-775	-775
34	1 & 2	-1200	-1100	-1050	-725	-700	-625	-550	-550
	3	-1200	-1100	-1050	-725	-700	-625	-550	-550
	4	-1325	-1225	-1150	-825	-800	-725	-650	-650
	5	-1425	-1325	-1275	-950	-925	-850	-775	-775
	6	-1600	-1500	-1450	-1125	-1100	-1025	-950	-950
44	1-3	-1300	-1200	-1150	-825	-800	-725	-650	-650
	4	-1375	-1300	-1200	-875	-850	-775	-700	-700
	5	-1450	-1375	-1300	-975	-950	-875	-800	-800
	6	-1625	-1525	-1475	-1150	-1125	-1050	-975	-975
54	1-4	-1400	-1325	-1275	-900	-900	-825	-775	-775
	5	-1500	-1425	-1350	-975	-975	-900	-850	-850

Mike

Range	Diff.
24 & Below	-2475
25-26	-2475
27-29	-1600
30-32	-1250
33-34	-1025
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength

(Grams per Tex)

Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity

Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-550
Plastic - Level 2	-600

WEST TEXAS DIFFERENCES 24-Aug-18

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	350	400	475	500
	3	-350	-240	-40	135	275	375	450	475
	4	-375	-275	-150	125	250	325	375	375
	5	-500	-300	-250	25	175	325	325	325
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	250	350	450	475
	3	-475	-315	-115	85	250	350	425	450
	4	-525	-375	-250	75	125	225	250	250
	5	-600	-425	-350	-75	25	175	175	175
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	175	275	300	300
	3	-600	-425	-225	45	100	250	275	275
	4	-650	-450	-375	75.81	75	175	200	200
	5	-725	-525	-450	-150	-50	100	100	100
	6	-875	-700	-625	-350	-350	-225	-225	-225
	7	-1000	-800	-725	-450	-400	-300	-300	-300
51	1 & 2	-750	-550	-475	-125	-25	75	75	75
	3	-750	-550	-475	-125	-25	75	75	75
	4	-775	-550	-550	-200	-75	25	25	25
	5	-825	-650	-650	-350	-250	-125	-125	-125
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-525	-325	-175	50	100	225	300	300
	3	-575	-375	-200	50	50	175	250	250
	4	-600	-425	-375	-175	0	150	225	225
	5	-725	-550	-550	-350	-150	-100	-50	-50
	6	-875	-675	-675	-450	-375	-325	-275	-275
	7	-950	-775	-750	-525	-450	-400	-350	-350
32	1 & 2	-575	-375	-225	-75	-25	50	125	125
	3	-625	-425	-250	-125	-50	50	125	125
	4	-700	-500	-425	-200	-75	0	50	50
	5	-825	-700	-650	-400	-250	-200	-150	-150
	6	-975	-775	-750	-525	-450	-400	-350	-350
	7	-1075	-875	-800	-625	-525	-475	-425	-425
42	1-3	-725	-525	-475	-225	-150	25	75	75
	4	-775	-600	-500	-250	-175	0	50	50
	5	-875	-750	-675	-425	-275	-250	-200	-200
	6	-1075	-800	-775	-550	-475	-425	-375	-375
	7	-1150	-950	-875	-675	-550	-500	-450	-450
52	1-4	-1000	-775	-750	-575	-450	-400	-350	-350
	5	-1075	-875	-825	-625	-500	-450	-400	-400
	6	-1275	-1050	-1000	-750	-650	-600	-550	-550
	7	-1350	-1150	-1100	-850	-750	-700	-650	-650
62	1-5	-1125	-950	-925	-725	-625	-575	-525	-525
	6	-1300	-1100	-1075	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-850	-650	-600	-400	-325	-300	-250	-250
	3	-900	-675	-625	-425	-350	-325	-275	-275
	4	-925	-750	-700	-475	-400	-375	-325	-325
	5	-1050	-850	-825	-600	-525	-475	-425	-425
	6	-1150	-925	-900	-675	-600	-550	-500	-500
	7	-1225	-1025	-975	-725	-700	-650	-600	-600
33	1 & 2	-975	-725	-675	-450	-400	-375	-325	-325
	3	-975	-725	-675	-450	-400	-375	-325	-325
	4	-1050	-800	-750	-500	-450	-425	-375	-375
	5	-1200	-925	-875	-650	-575	-525	-475	-475
	6	-1250	-1000	-1000	-700	-675	-625	-575	-575
	7	-1325	-1100	-1050	-825	-775	-725	-675	-675
43	1-3	-1025	-825	-775	-525	-475	-425	-375	-375
	4	-1100	-900	-825	-550	-475	-425	-375	-375
	5	-1225	-1000	-925	-675	-600	-550	-500	-500
	6	-1300	-1075	-1025	-775	-750	-700	-650	-650
	7	-1375	-1175	-1100	-850	-825	-775	-725	-725
53	1-4	-1200	-1075	-1000	-725	-675	-625	-575	-575
	5	-1300	-1125	-1075	-825	-775	-725	-675	-675
	6	-1425	-1225	-1175	-925	-900	-850	-800	-800
	7	-1500	-1300	-1275	-1050	-1025	-975	-925	-925
63	1-5	-1425	-1225	-1150	-875	-800	-750	-700	-700
	6	-1500	-1325	-1225	-1025	-975	-925	-875	-875
34	1 & 2	-1100	-900	-850	-625	-600	-550	-500	-500
	3	-1100	-900	-850	-625	-600	-550	-500	-500
	4	-1225	-1025	-950	-725	-700	-650	-600	-600
	5	-1325	-1125	-1075	-850	-825	-775	-725	-725
	6	-1475	-1275	-1225	-1050	-1025	-975	-925	-925
44	1-3	-1225	-1025	-975	-750	-725	-675	-625	-625
	4	-1300	-1125	-1025	-800	-775	-725	-675	-675
	5	-1400	-1200	-1125	-900	-875	-825	-775	-775
	6	-1550	-1350	-1300	-1125	-1100	-1050	-1000	-1000
54	1-4	-1325	-1150	-1100	-875	-850	-800	-750	-750
	5	-1425	-1225	-1150	-1000	-975	-925	-875	-875

Mike

Range	Diff.
24 & Below	-2475
25-26	-2475
27-29	-1600
30-32	-1250
33-34	-1025
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength

(Grams per Tex)

Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity

Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-550
Plastic - Level 2	-600

DESERT SOUTHWEST DIFFERENCES 24-Aug-18

Color	Leaf	Staple					
		33	34	35	36	37	38
11 & 21	1 & 2	-100	125	550	645	710	745
	3	-100	100	475	595	610	645
	4	-300	50	300	335	370	370
	5	-375	-175	25	100	185	185
	6	-450	-350	-100	-85	-30	-30
	7	-650	-375	-175	-140	-100	-100
31	1 & 2	-175	75	500	595	630	655
	3	-175	50	400	545	555	580
	4	-350	25	200	285	320	345
	5	-400	-200	-50	0	70	70
	6	-475	-375	-135	-120	-40	-40
	7	-675	-400	-225	-195	-115	-115
41	1 & 2	-575	0	50	110	120	145
	3	-575	0	35	85	120	145
	4	-625	76.06	25	35	95	95
	5	-625	-500	-350	-340	-280	-280
	6	-800	-675	-450	-440	-390	-390
	7	-950	-825	-625	-620	-585	-585
51	1 & 2	-675	-500	-250	-215	-205	-205
	3	-675	-500	-250	-215	-205	-205
	4	-700	-575	-375	-325	-265	-265
	5	-800	-750	-575	-550	-500	-500
	6	-950	-850	-650	-650	-600	-600
	7	-1150	-1050	-850	-850	-825	-825
12 & 22	1 & 2	-475	50	325	385	445	445
	3	-475	50	300	360	420	420
	4	-575	0	225	285	370	370
	5	-600	-425	-125	-125	-50	-50
	6	-750	-625	-325	-325	-250	-250
	7	-925	-800	-575	-575	-500	-500
32	1 & 2	-575	-200	150	235	245	245
	3	-575	-200	150	235	245	245
	4	-625	-425	0	85	95	95
	5	-675	-675	-400	-400	-400	-400
	6	-875	-800	-525	-525	-525	-525
	7	-1025	-975	-775	-775	-775	-775
42	1-3	-625	-450	-150	-100	-100	-100
	4	-650	-525	-250	-200	-200	-200
	5	-725	-700	-450	-450	-450	-450
	6	-900	-825	-575	-575	-575	-575
	7	-1100	-1000	-825	-825	-825	-825
52	1-4	-850	-725	-500	-450	-450	-450
	5	-900	-800	-575	-575	-575	-575
	6	-1000	-900	-675	-675	-675	-675
	7	-1250	-1150	-975	-950	-950	-950
43	1-3	-725	-650	-575	-500	-500	-500
	4	-825	-750	-625	-575	-575	-575
	5	-925	-825	-650	-625	-625	-625
	6	-1025	-925	-900	-900	-900	-900
	7	-1125	-1050	-1025	-1025	-1025	-1025
53	1-4	-975	-875	-800	-800	-800	-800
	5	-1025	-925	-850	-850	-850	-850
	6	-1125	-1025	-950	-950	-950	-950
	7	-1375	-1275	-1275	-1275	-1275	-1275

Mike	
Range	Diff.
24 & Below	-1350
25-26	-1150
27-29	-1050
30-32	-650
33-34	-450
35-36	0
37-42	25
43-49	0
50-52	-300
53 & Above	-550

Strength	
(Grams per Tex)	
Range	Diff.
21.0 - 21.9	-600
22.0 - 22.9	-450
23.0 - 23.9	-300
24.0 - 24.9	-225
25.0 - 25.9	-200
26.0 - 26.9	-125
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	100

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-50
Prep - Level 2	-800
Other - Level 1	-350
Other - Level 2	-800
Plastic - Level 1	-350
Plastic - Level 2	-800

Uniformity	
Unit	Points
77.9 & Below	-100
78.0 - 78.9	-90
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

SAN JOAQUIN VALLEY DIFFERENCES 24-Aug-18

Color	Leaf	Staple				
		34	35	36	37	38
11 & 21	1 & 2	415	1040	1390	1540	1765
	3	365	990	1340	1465	1665
	4	75	350	400	500	500
	5	-125	75	130	190	190
	6	-400	-200	-150	-100	-100
	7	-625	-525	-475	-425	-425
31	1 & 2	315	940	1290	1415	1590
	3	265	890	1240	1365	1540
	4	50	300	330	410	410
	5	-200	0	55	115	115
	6	-500	-325	-275	-225	-225
	7	-675	-575	-525	-475	-475
41	1 & 2	100	350	430	440	440
	3	50	250	330	340	340
	4	76.56	200	280	290	290
	5	-425	-200	-195	-185	-185
	6	-625	-450	-450	-450	-450
	7	-825	-725	-725	-725	-725
51	1 & 2	-675	-225	-175	-175	-175
	3	-700	-250	-200	-200	-200
	4	-750	-300	-275	-275	-275
	5	-775	-375	-325	-325	-325
	6	-900	-800	-800	-800	-800
	7	-1050	-1000	-1000	-1000	-1000
12 & 22	1 & 2	125	575	830	965	1140
	3	50	500	780	890	1040
	4	-75	325	375	440	440
	5	-250	-50	0	50	50
	6	-525	-400	-350	-300	-300
	7	-775	-700	-650	-600	-600
32	1 & 2	0	250	325	375	475
	3	-50	200	275	325	425
	4	-200	25	50	100	100
	5	-525	-275	-275	-275	-275
	6	-675	-475	-475	-475	-475
	7	-850	-750	-750	-750	-750
42	1-3	-450	-100	-75	-75	-75
	4	-500	-175	-150	-150	-150
	5	-675	-350	-300	-300	-300
	6	-800	-775	-775	-775	-775
	7	-1000	-950	-950	-950	-950
52	1-4	-825	-775	-775	-775	-775
	5	-875	-825	-825	-825	-825
	6	-1025	-1025	-1025	-1025	-1025
	7	-1225	-1225	-1225	-1225	-1225
33	1 & 2	-500	-500	-500	-500	-500
	3	-500	-500	-500	-500	-500
	4	-600	-600	-600	-600	-600
	5	-800	-800	-800	-800	-800
	6	-1075	-1075	-1075	-1075	-1075
	7	-1225	-1225	-1225	-1225	-1225
43	1-3	-875	-875	-875	-875	-875
	4	-925	-925	-925	-925	-925
	5	-1075	-1075	-1075	-1075	-1075
	6	-1225	-1225	-1225	-1225	-1225
	7	-1425	-1425	-1425	-1425	-1425

Mike	
Range	Diff.
27-29	-1600
30-32	-1000
33-34	-500
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-500

Strength (Grams per Tex)	
Range	Diff.
24.0 - 24.9	-500
25.0 - 25.9	-400
26.0 - 26.9	-300
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	75
31.0 - 32.9	125
33.0 & Above	250

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-50
Prep - Level 2	-800
Other - Level 1	-350
Other - Level 2	-925
Plastic - Level 1	-350
Plastic - Level 2	-925

Uniformity	
Unit	Points
77.9 & Below	-60
78.0 - 78.9	-50
79.0 - 79.9	-40
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	50
83.0 - 83.9	80
84.0 - 84.9	90
85.0 - 85.9	100
86.0 & Above	110

24-Aug-18

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple 44	46	48	50
1	1	131.00	139.75	142.25	142.25
	2	130.75	139.50	142.00	142.00
	3	123.00	130.75	132.25	132.25
	4				
	5				
	6				
2	1	130.75	139.50	142.00	142.00
	2	130.50	139.25	141.75	141.75
	3	122.75	130.50	132.00	132.00
	4	112.75	121.00	122.50	122.50
	5				
	6				
3	1	120.50	128.25	129.75	129.75
	2	118.00	125.75	127.25	127.25
	3	116.75	124.50	126.00	126.00
	4	107.75	115.50	117.00	117.00
	5	91.75	99.00	100.50	100.50
	6				
4	1	101.50	109.25	111.50	111.50
	2	101.25	109.00	110.75	110.75
	3	101.00	108.75	110.00	110.00
	4	96.00	103.75	105.00	105.00
	5	84.75	92.50	93.75	93.75
	6				
5	1				
	2	80.50	90.50	91.75	91.75
	3	80.50	90.00	91.75	91.75
	4	80.50	84.50	85.75	85.75
	5	80.25	84.25	85.50	85.50
	6				
6	1				
	2	72.75	75.75	77.00	77.00
	3	72.75	75.75	77.00	77.00
	4	72.75	75.75	77.00	77.00
	5	72.50	75.50	76.75	76.75
	6	72.00	75.00	76.25	76.25

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on May 30, 2018.

Mike

Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength

(Grams per Tex)

Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES 24-Aug-18

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-69	186	434	616	675	719
	3	-375	-253	-82	157	381	562	611	651
	4	-425	-280	-192	68	189	323	364	364
	5	-513	-395	-308	-82	57	140	168	168
	6	-675	-505	-450	-314	-221	-173	-158	-158
	7	-750	-600	-567	-421	-346	-295	-282	-282
31	1 & 2	-413	-258	-107	125	374	562	621	656
	3	-450	-268	-115	114	338	526	574	610
	4	-525	-315	-242	50	150	259	290	294
	5	-588	-425	-333	-125	-4	65	91	91
	6	-738	-530	-467	-343	-266	-228	-209	-209
	7	-825	-625	-583	-439	-379	-342	-324	-324
41	1 & 2	-538	-340	-254	49	164	259	276	284
	3	-563	-350	-263	35	112	209	230	237
	4	-613	-380	-346	78.10	75	156	180	184
	5	-713	-510	-450	-264	-143	-62	-49	-49
	6	-863	-615	-583	-461	-371	-309	-302	-302
	7	-975	-725	-721	-600	-511	-474	-469	-469
51	1 & 2	-713	-580	-471	-318	-175	-120	-115	-115
	3	-713	-620	-475	-339	-193	-134	-129	-129
	4	-750	-640	-504	-389	-261	-207	-195	-195
	5	-800	-725	-675	-514	-389	-332	-321	-321
	6	-963	-805	-779	-639	-564	-525	-518	-518
	7	-1063	-890	-904	-779	-696	-661	-657	-657
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-563	-310	-204	64	204	345	398	426
	3	-600	-330	-217	36	157	299	355	380
	4	-638	-355	-313	-39	89	209	255	259
	5	-738	-525	-471	-275	-104	-46	-7	-7
	6	-900	-645	-617	-475	-357	-321	-289	-289
	7	-1000	-730	-729	-607	-518	-482	-450	-450
32	1 & 2	-600	-410	-308	-82	57	130	156	171
	3	-638	-425	-321	-104	25	101	128	142
	4	-700	-475	-379	-221	-71	-20	3	3
	5	-813	-625	-533	-393	-275	-229	-214	-214
	6	-975	-715	-696	-561	-457	-429	-414	-414
	7	-1100	-820	-804	-686	-604	-582	-568	-568
42	1-3	-700	-570	-483	-314	-164	-111	-96	-96
	4	-750	-610	-504	-354	-232	-179	-164	-164
	5	-875	-745	-650	-504	-371	-343	-329	-329
	6	-1088	-835	-796	-650	-575	-550	-536	-536
	7	-1188	-930	-888	-789	-711	-693	-679	-679
52	1-4	-963	-770	-688	-600	-525	-504	-489	-489
	5	-1038	-845	-796	-682	-607	-593	-579	-579
	6	-1250	-995	-938	-825	-764	-750	-736	-736
	7	-1338	-1080	-1067	-964	-911	-886	-871	-871
62	1-5	-1088	-975	-910	-765	-730	-710	-690	-690
	6	-1288	-1140	-1075	-910	-880	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-913	-750	-688	-425	-350	-288	-213	-213
	3	-950	-775	-713	-450	-375	-313	-238	-238
	4	-988	-850	-775	-500	-425	-363	-288	-288
	5	-1113	-950	-900	-625	-550	-475	-400	-400
	6	-1225	-1025	-963	-713	-638	-563	-488	-488
	7	-1313	-1125	-1063	-800	-750	-675	-600	-600
33	1 & 2	-1025	-825	-763	-485	-450	-408	-358	-358
	3	-1025	-825	-763	-493	-458	-417	-358	-358
	4	-1100	-900	-825	-560	-525	-483	-425	-425
	5	-1250	-1013	-938	-718	-675	-625	-567	-567
	6	-1313	-1088	-1050	-868	-842	-792	-733	-733
	7	-1400	-1200	-1125	-1002	-967	-917	-858	-858
43	1-3	-1075	-905	-767	-629	-589	-554	-529	-529
	4	-1150	-950	-817	-676	-621	-589	-564	-564
	5	-1275	-1005	-917	-816	-761	-736	-711	-711
	6	-1363	-1085	-1004	-915	-893	-871	-846	-846
	7	-1450	-1210	-1113	-1040	-1018	-996	-971	-971
53	1-4	-1225	-1050	-958	-809	-771	-750	-721	-721
	5	-1325	-1130	-1058	-901	-871	-850	-821	-821
	6	-1438	-1245	-1146	-997	-967	-946	-917	-917
	7	-1525	-1310	-1283	-1126	-1104	-1083	-1054	-1054
63	1-5	-1438	-1225	-1160	-996	-950	-925	-890	-890
	6	-1525	-1315	-1240	-1071	-1040	-1015	-980	-980
34	1 & 2	-1150	-1000	-950	-675	-650	-588	-525	-525
	3	-1150	-1000	-950	-675	-650	-588	-525	-525
	4	-1275	-1125	-1050	-775	-750	-688	-625	-625
	5	-1375	-1225	-1175	-900	-875	-813	-750	-750
	6	-1538	-1388	-1338	-1088	-1063	-1000	-938	-938
44	1-3	-1263	-1113	-1063	-788	-763	-700	-638	-638
	4	-1338	-1213	-1113	-838	-813	-750	-688	-688
	5	-1425	-1288	-1213	-938	-913	-850	-788	-788
	6	-1588	-1438	-1388	-1138	-1113	-1050	-988	-988
54	1-4	-1363	-1238	-1188	-888	-875	-813	-763	-763
	5	-1463	-1325	-1250	-988	-975	-913	-863	-863

Mike

Range	Diff.
24 & Below	-2100
25-26	-1504
27-29	-1096
30-32	-725
33-34	-486
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength

(Grams per Tex)

Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-358
22.0 - 22.9	-296
23.0 - 23.9	-242
24.0 - 24.9	-254
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & Above	79

Uniformity

Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	29
84.0 - 84.9	37
85.0 - 85.9	47
86.0 & Above	57

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-421
Other - Level 2	-756
Plastic - Level 1	-421
Plastic - Level 2	-756

Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News 24-Aug-18
Volume 101, No. 18

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/

Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-68	152	350	489	537
	3	-83	127	295	439	477
	4	-190	75	180	312	344
	5	-305	-75	65	165	187
21	1 & 2	-68	152	350	489	537
	3	-83	127	295	439	477
	4	-190	75	180	312	344
	5	-305	-75	65	165	187
31	1 & 2	-108	97	295	439	491
	3	-118	92	260	409	446
	4	-240	55	135	247	269
	5	-335	-110	5	85	104
41	1 & 2	-255	39	140	232	249
	3	-265	34	97	187	209
	4	-360	0	65	137	164
	5	-460	-240	-135	-33	-16
51	1 & 2	-470	-240	-150	-83	-76
	3	-475	-260	-165	-93	-86
	4	-505	-315	-235	-165	-148
	5	-665	-460	-375	-310	-295
12	1 & 2	-220	55	150	267	309
	3	-235	35	110	222	269
22	1 & 2	-220	55	150	267	309
	3	-235	35	110	222	269
32	1 & 2	-320	-95	30	107	134
	3	-335	-115	0	82	109
Strength	25.0 - 25.9	-235				

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

USDA Agricultural Marketing Service

Cotton and Tobacco Program

3275 Appling Road, Memphis, TN 38133

(901) 384-3016

Daily Spot Cotton Quotations

Volume 101, No. 18 **24-Aug-18**

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS: Basis N.Y. Futures		Color 41 Leaf 4 Staple 34	Color 31 Leaf 3 Staple 35	SPOT TRANSACTIONS: Number of Bales Provided to Cotton Program: Today	Season
	Points		*Cents per pound*		*Bales*	*Bales*
Southeast	-50	Oct-18	81.31	83.56	0	364
North Delta	-150	Oct-18	80.31	82.06	0	0
South Delta	-150	Oct-18	80.31	82.06	0	270
East TX-OK	-550	Oct-18	76.31	78.81	106	7,271
West Texas	-600	Oct-18	75.81	78.31	0	745
Desert SW	-575	Oct-18	76.06	80.06	0	3
SJ Valley	-525	Oct-18	76.56	85.46	0	0
					Upland Total	
Average	-371	Oct-18	78.10	81.47	**106**	**8,653**
Previous day	-379	Oct-18	77.94	81.32		

	AMERICAN PIMA SPOT PRICE QUOTATIONS: Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total: Today	Season
American Pima	139.25	116.75	124.50	**0**	**0**

ICE FUTURES US - CONTRACT NO. 2 1/
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER

Month	Today	Previous	Change
	Cents per pound		
Oct-18	81.81	81.73 ↑	**0.08**
Dec-18	81.63	81.49 ↑	**0.14**
Mar-19	81.79	81.91 ↓	**-0.12**
May-19	82.18	82.29 ↓	**-0.11**
Jul-19	82.55	82.67 ↓	**-0.12**
Oct-19	78.35	78.87 ↓	**-0.52**
Dec-19	76.78	77.02 ↓	**-0.24**
Mar-20	77.06	77.21 ↓	**-0.15**
May-20	77.43	77.71 ↓	**-0.28**
Jul-20	77.70	78.09 ↓	**-0.39**

7-MARKET BASE QUOTATIONS FOR UPLAND COTTON

Season high		
	8/2/2018	85.65
Season low		
	8/15/2018	77.29

Aug 24 - Aug 30
ADJ. WORLD PRICE
73.83
CC ADJUSTMENT
0.00
FC ADJUSTMENT

2017	2018
0.82	0.87

LOAN DEFICIENCY PMT.
0.00

Pima Competitiveness Payment
0.00

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/

	Color 11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-68	-68	-108	-255	-470	-220	-220	-320
3	-83	-83	-118	-265	-475	-235	-235	-335
4	-190	-190	-240	-360	-505	NOT TENDERABLE		
5	-305	-305	-335	-460	-665	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	152	152	97	39	-240	55	55	-95
3	127	127	92	34	-260	35	35	-115
4	75	75	55	0	-315	NOT TENDERABLE		
5	-75	-75	-110	-240	-460	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	350	350	295	140	-150	150	150	30
3	295	295	260	97	-165	110	110	0
4	180	180	135	65	-235	NOT TENDERABLE		
5	65	65	5	-135	-375	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	489	489	439	232	-83	267	267	107
3	439	439	409	187	-93	222	222	82
4	312	312	247	137	-165	NOT TENDERABLE		
5	165	165	85	-33	-310	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	537	537	491	249	-76	309	309	134
3	477	477	446	209	-86	269	269	109
4	344	344	269	164	-148	NOT TENDERABLE		
5	187	187	104	-16	-295	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf