# Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

20-Nov-18

**Volume 101, No. 79**

**Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.**

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | SPOT TRANSACTIONS | |
|---|---|---|---|---|---|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | |
| | ICE Futures | Staple 34 | Staple 35 | Today | Season |
| | *Points* | *Cents per pound* | | *Bales* | *Bales* |
| Southeast | -200 Mar-19 | 75.43 | 77.68 | 0 | 1,008 |
| North Delta | -275 Mar-19 | 74.68 | 76.43 | 0 | 355 |
| South Delta | -275 Mar-19 | 74.68 | 76.43 | 0 | 1,698 |
| East TX-OK | -625 Mar-19 | 71.18 | 73.68 | 623 | 42,213 |
| West Texas | -625 Mar-19 | 71.18 | 73.68 | 962 | 13,414 |
| Desert SW | -675 Mar-19 | 70.68 | 74.68 | 0 | 4,286 |
| SJ Valley | -625 Mar-19 | 71.18 | 80.08 | 0 | 0 |
| | | | | Upland Total | |
| Average | -471 Mar-19 | 72.72 | 76.09 | **1,585** | **62,974** |
| Previous day | -471 Mar-19 | 73.34 | 76.71 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | |
|---|---|---|---|---|---|
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | |
| American Pima | 132.00 | 109.50 | 117.25 | **0** | **0** |

| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Nov 16 - Nov 22 ADJ. WORLD PRICE | |
|---|---|---|---|---|---|---|---|
| Month | *Cents per pound* | | | | | 68.48 | |
| | Today | Previous | Change | | | **CC ADJUSTMENT** | |
| Dec-18 | 75.27 | 75.88 | **-0.61** | **Season high** | | 0.00 | |
| Mar-19 | 77.43 | 78.05 | **-0.62** | | | **FC ADJUSTMENT** | |
| May-19 | 78.67 | 79.32 | **-0.65** | 8/2/2018 | 85.65 | 2017 | 2018 |
| Jul-19 | 79.87 | 80.49 | **-0.62** | | | 1.04 | 1.09 |
| Oct-19 | 77.14 | 77.76 | **-0.62** | | | **LOAN DEFICIENCY PMT.** | |
| Dec-19 | 76.63 | 77.18 | **-0.55** | **Season low** | | 0.00 | |
| Mar-20 | 77.29 | 77.79 | **-0.50** | | | | |
| May-20 | 77.54 | 78.04 | **-0.50** | 11/13/2018 | 72.07 | **PIMA COMPETITIVENESS** | |
| Jul-20 | 77.74 | 78.24 | **-0.50** | | | **PAYMENT** | |
| Oct-20 | 74.31 | 74.81 | **-0.50** | | | 0.00 | |

**TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:**

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous Matter | Uniformity |
|---|---|---|---|---|---|---|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-OK | | ✓ | | | | |
| West Texas | | ✓ | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton

SOUTHEAST DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -50 | 150 | 250 | 325 | 375 | 375 |
| | 3 | -225 | -50 | 150 | 225 | 300 | 350 | 350 |
| | 4 | -225 | -125 | 75 | 175 | 275 | 300 | 300 |
| | 5 | -375 | -225 | -125 | 25 | 75 | 75 | 75 |
| | 6 | -500 | -350 | -300 | -225 | -200 | -200 | -200 |
| | 7 | -625 | -475 | -450 | -350 | -325 | -325 | -325 |
| 31 | 1 & 2 | -225 | -50 | 125 | 225 | 300 | 325 | 325 |
| | 3 | -225 | -50 | 125 | 225 | 275 | 300 | 300 |
| | 4 | -225 | -125 | 75 | 175 | 250 | 275 | 275 |
| | 5 | -375 | -225 | -125 | 25 | 50 | 50 | 50 |
| | 6 | -500 | -350 | -300 | -275 | -250 | -250 | -250 |
| | 7 | -625 | -475 | -450 | -400 | -375 | -375 | -375 |
| 41 | 1 & 2 | -275 | -100 | 50 | 150 | 200 | 200 | 225 |
| | 3 | -275 | -100 | 50 | 125 | 175 | 175 | 200 |
| | 4 | -275 | -200 | 75.43 | 100 | 175 | 175 | 200 |
| | 5 | -450 | -350 | -200 | -75 | -25 | -25 | -25 |
| | 6 | -575 | -450 | -425 | -350 | -325 | -325 | -325 |
| | 7 | -675 | -575 | -550 | -500 | -475 | -475 | -475 |
| 51 | 1 & 2 | -475 | -300 | -175 | -175 | -150 | -150 | -150 |
| | 3 | -550 | -325 | -250 | -225 | -175 | -175 | -175 |
| | 4 | -575 | -325 | -275 | -275 | -250 | -250 | -250 |
| | 5 | -675 | -550 | -450 | -400 | -375 | -375 | -375 |
| | 6 | -750 | -575 | -525 | -525 | -500 | -500 | -500 |
| | 7 | -825 | -700 | -675 | -675 | -650 | -650 | -650 |
| 61 | 1-5 | -775 | -700 | -625 | -600 | -600 | -600 | -600 |
| | 6 | -950 | -875 | -825 | -800 | -800 | -800 | -800 |
| | 7 | -1075 | -950 | -900 | -875 | -875 | -875 | -875 |
| 71 | 1-6 | -1075 | -1000 | -950 | -950 | -950 | -950 | -950 |
| | 7 | -1100 | -1025 | -975 | -975 | -975 | -975 | -975 |
| 12 & 22 | 1 & 2 | -275 | -100 | 50 | 150 | 250 | 250 | 275 |
| | 3 | -275 | -100 | 50 | 125 | 225 | 225 | 250 |
| | 4 | -275 | -125 | 0 | 100 | 200 | 200 | 225 |
| | 5 | -425 | -325 | -200 | 0 | 25 | 25 | 25 |
| | 6 | -550 | -425 | -425 | -350 | -325 | -325 | -325 |
| | 7 | -650 | -550 | -550 | -500 | -475 | -475 | -475 |
| 32 | 1 & 2 | -325 | -175 | -25 | 0 | 50 | 50 | 50 |
| | 3 | -350 | -200 | -50 | 0 | 25 | 25 | 25 |
| | 4 | -450 | -200 | -150 | -100 | -50 | -50 | -50 |
| | 5 | -525 | -350 | -300 | -275 | -250 | -250 | -250 |
| | 6 | -600 | -450 | -450 | -425 | -400 | -400 | -400 |
| | 7 | -700 | -575 | -575 | -550 | -525 | -525 | -525 |
| 42 | 1-3 | -625 | -425 | -225 | -200 | -175 | -175 | -175 |
| | 4 | -675 | -425 | -275 | -275 | -250 | -250 | -250 |
| | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 |
| | 6 | -825 | -775 | -625 | -625 | -600 | -600 | -600 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 |
| 52 | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 |
| | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 62 | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 |
| 43 | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 53 | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 |
| | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -825 |
| 27-29 | -425 |
| 30-32 | -275 |
| 33-34 | -150 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -200 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -425 |
| 22.0 - 22.9 | -350 |
| 23.0 - 23.9 | -300 |
| 24.0 - 24.9 | -250 |
| 25.0 - 25.9 | -200 |
| 26.0 - 26.9 | -25 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -400 |
| Other - Level 2 | -800 |
| Plastic - Level 1 | -400 |
| Plastic - Level 2 | -800 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -125 |
| 78.0 - 78.9 | -110 |
| 79.0 - 79.9 | -100 |
| 80.0 - 80.9 | -25 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 20 |
| 84.0 - 84.9 | 30 |
| 85.0 - 85.9 | 40 |
| 86.0 & Above | 50 |

NORTH DELTA DIFFERENCES 20-Nov-18

| | | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Color | Leaf | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -75 | 125 | 250 | 475 | 500 | 500 |
| | 3 | -225 | -75 | 100 | 200 | 400 | 425 | 425 |
| | 4 | -275 | -200 | 25 | 75 | 300 | 325 | 325 |
| | 5 | -450 | -325 | -75 | 0 | 25 | 50 | 50 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 31 | 1 & 2 | -225 | -100 | 75 | 200 | 450 | 475 | 475 |
| | 3 | -225 | -100 | 75 | 175 | 400 | 425 | 425 |
| | 4 | -275 | -250 | 25 | 75 | 250 | 275 | 275 |
| | 5 | -450 | -325 | -125 | -50 | -25 | 0 | 0 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 41 | 1 & 2 | -350 | -250 | 50 | 100 | 225 | 250 | 250 |
| | 3 | -350 | -250 | 25 | 50 | 200 | 225 | 225 |
| | 4 | -375 | -275 | 74.68 | 0 | 125 | 150 | 150 |
| | 5 | -525 | -400 | -225 | -125 | -75 | -75 | -75 |
| | 6 | -575 | -500 | -400 | -325 | -300 | -300 | -300 |
| | 7 | -700 | -675 | -550 | -450 | -450 | -450 | -450 |
| 51 | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -825 | -725 | -525 | -475 | -450 | -450 | -450 |
| | 6 | -850 | -825 | -675 | -600 | -600 | -600 | -600 |
| | 7 | -1000 | -975 | -825 | -700 | -700 | -700 | -700 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1275 | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 |
| | 5 | -500 | -375 | -200 | -100 | -75 | -50 | -50 |
| | 6 | -625 | -550 | -425 | -325 | -300 | -300 | -300 |
| | 7 | -675 | -650 | -525 | -450 | -425 | -425 | -425 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -600 | -425 | -250 | -225 | -200 | -200 | -200 |
| | 6 | -700 | -650 | -475 | -425 | -400 | -400 | -400 |
| | 7 | -800 | -750 | -575 | -525 | -525 | -525 | -525 |
| 42 | 1-3 | -550 | -425 | -350 | -225 | -225 | -225 | -225 |
| | 4 | -575 | -450 | -375 | -300 | -300 | -300 | -300 |
| | 5 | -725 | -575 | -450 | -400 | -375 | -375 | -375 |
| | 6 | -850 | -750 | -600 | -550 | -525 | -525 | -525 |
| | 7 | -900 | -800 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |
| 43 | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -1000 |
| 27-29 | -650 |
| 30-32 | -325 |
| 33-34 | -125 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -300 |
| 22.0 - 22.9 | -250 |
| 23.0 - 23.9 | -200 |
| 24.0 - 24.9 | -175 |
| 25.0 - 25.9 | -150 |
| 26.0 - 26.9 | -25 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -375 |
| Other - Level 2 | -785 |
| Plastic - Level 1 | -375 |
| Plastic - Level 2 | -785 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

SOUTH DELTA DIFFERENCES 20-Nov-18

| | | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Color | Leaf | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -75 | 125 | 250 | 475 | 500 | 500 |
| | 3 | -225 | -75 | 100 | 200 | 400 | 425 | 425 |
| | 4 | -275 | -200 | 25 | 75 | 300 | 325 | 325 |
| | 5 | -450 | -325 | -75 | 0 | 25 | 50 | 50 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 31 | 1 & 2 | -225 | -100 | 75 | 200 | 450 | 475 | 475 |
| | 3 | -225 | -100 | 75 | 175 | 400 | 425 | 425 |
| | 4 | -275 | -250 | 25 | 75 | 250 | 275 | 275 |
| | 5 | -450 | -325 | -125 | -50 | -25 | 0 | 0 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 41 | 1 & 2 | -350 | -250 | 50 | 100 | 225 | 250 | 250 |
| | 3 | -350 | -250 | 25 | 50 | 200 | 225 | 225 |
| | 4 | -375 | -275 | 74.68 | 0 | 125 | 150 | 150 |
| | 5 | -525 | -400 | -225 | -125 | -75 | -75 | -75 |
| | 6 | -575 | -500 | -400 | -325 | -300 | -300 | -300 |
| | 7 | -700 | -675 | -550 | -450 | -450 | -450 | -450 |
| 51 | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -825 | -725 | -525 | -475 | -450 | -450 | -450 |
| | 6 | -925 | -825 | -675 | -600 | -600 | -600 | -600 |
| | 7 | -1000 | -975 | -825 | -700 | -700 | -700 | -700 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1275 | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 |
| | 5 | -500 | -375 | -200 | -100 | -75 | -50 | -50 |
| | 6 | -625 | -550 | -425 | -325 | -300 | -300 | -300 |
| | 7 | -675 | -650 | -525 | -450 | -425 | -425 | -425 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -600 | -425 | -250 | -225 | -200 | -200 | -200 |
| | 6 | -700 | -650 | -475 | -425 | -400 | -400 | -400 |
| | 7 | -800 | -750 | -575 | -525 | -525 | -525 | -525 |
| 42 | 1-3 | -550 | -425 | -350 | -225 | -225 | -225 | -225 |
| | 4 | -575 | -450 | -375 | -300 | -275 | -275 | -275 |
| | 5 | -725 | -575 | -450 | -400 | -375 | -375 | -375 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -800 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |
| 43 | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -1100 |
| 27-29 | -750 |
| 30-32 | -325 |
| 33-34 | -125 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -275 |
| 22.0 - 22.9 | -225 |
| 23.0 - 23.9 | -200 |
| 24.0 - 24.9 | -175 |
| 25.0 - 25.9 | -150 |
| 26.0 - 26.9 | -25 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -375 |
| Other - Level 2 | -785 |
| Plastic - Level 1 | -375 |
| Plastic - Level 2 | -785 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

EAST TEXAS-OKLAHOMA DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -350 | -300 | -125 | 200 | 350 | 425 | 450 | 475 |
| | 3 | -400 | -350 | -150 | 150 | 300 | 375 | 375 | 400 |
| | 4 | -475 | -350 | -175 | 100 | 100 | 275 | 300 | 300 |
| | 5 | -525 | -400 | -350 | -25 | 100 | 250 | 250 | 250 |
| | 6 | -675 | -525 | -525 | -275 | -275 | -75 | -75 | -75 |
| | 7 | -750 | -625 | -625 | -350 | -350 | -150 | -150 | -150 |
| 31 | 1 & 2 | -400 | -325 | -125 | 125 | 300 | 350 | 425 | 450 |
| | 3 | -425 | -350 | -150 | 125 | 250 | 325 | 375 | 400 |
| | 4 | -525 | -425 | -225 | 75 | 100 | 175 | 175 | 175 |
| | 5 | -575 | -425 | -375 | -25 | 75 | 175 | 175 | 175 |
| | 6 | -700 | -550 | -550 | -275 | -275 | -125 | -125 | -125 |
| | 7 | -775 | -650 | -650 | -350 | -350 | -225 | -225 | -225 |
| 41 | 1 & 2 | -500 | -325 | -150 | 100 | 175 | 275 | 300 | 300 |
| | 3 | -525 | -350 | -175 | 100 | 125 | 150 | 175 | 175 |
| | 4 | -575 | -425 | -325 | 71.18 | 75 | 125 | 150 | 150 |
| | 5 | -700 | -525 | -475 | -125 | -75 | 125 | 150 | 150 |
| | 6 | -850 | -650 | -625 | -350 | -350 | -125 | -125 | -125 |
| | 7 | -950 | -750 | -725 | -450 | -425 | -300 | -300 | -300 |
| 51 | 1 & 2 | -675 | -525 | -425 | -50 | -50 | 75 | 100 | 100 |
| | 3 | -675 | -550 | -425 | -50 | -50 | 75 | 100 | 100 |
| | 4 | -725 | -575 | -450 | -125 | -100 | 25 | 50 | 50 |
| | 5 | -775 | -650 | -600 | -225 | -175 | -100 | -75 | -75 |
| | 6 | -950 | -750 | -750 | -375 | -375 | -250 | -250 | -250 |
| | 7 | -1050 | -775 | -775 | -450 | -450 | -325 | -325 | -325 |
| 61 | 1-5 | -850 | -700 | -650 | -275 | -275 | -150 | -150 | -150 |
| | 6 | -1025 | -825 | -800 | -450 | -425 | -300 | -300 | -300 |
| | 7 | -1125 | -925 | -900 | -550 | -525 | -400 | -400 | -400 |
| 71 | 1-6 | -1050 | -950 | -900 | -525 | -525 | -400 | -400 | -400 |
| | 7 | -1150 | -1000 | -975 | -600 | -600 | -475 | -475 | -475 |
| 12 & 22 | 1 & 2 | -750 | -525 | -325 | 25 | 75 | 150 | 200 | 200 |
| | 3 | -775 | -575 | -375 | 0 | 25 | 75 | 125 | 125 |
| | 4 | -825 | -600 | -400 | -25 | -25 | 75 | 125 | 125 |
| | 5 | -900 | -775 | -700 | -300 | -200 | -25 | 25 | 25 |
| | 6 | -1075 | -875 | -850 | -450 | -400 | -325 | -275 | -275 |
| | 7 | -1200 | -1000 | -950 | -550 | -500 | -425 | -375 | -375 |
| 32 | 1 & 2 | -775 | -675 | -475 | -75 | 25 | 100 | 150 | 150 |
| | 3 | -800 | -675 | -500 | -100 | -75 | 25 | 75 | 75 |
| | 4 | -850 | -700 | -575 | -175 | -150 | -75 | -25 | -25 |
| | 5 | -950 | -825 | -775 | -350 | -275 | -75 | -25 | -25 |
| | 6 | -1125 | -925 | -900 | -525 | -475 | -400 | -350 | -350 |
| | 7 | -1275 | -1050 | -1025 | -625 | -575 | -500 | -450 | -450 |
| 42 | 1-3 | -825 | -725 | -625 | -150 | -100 | -50 | 0 | 0 |
| | 4 | -875 | -750 | -650 | -175 | -150 | -125 | -75 | -75 |
| | 5 | -1025 | -875 | -800 | -400 | -350 | -300 | -250 | -250 |
| | 6 | -1250 | -975 | -925 | -550 | -500 | -450 | -400 | -400 |
| | 7 | -1375 | -1100 | -1050 | -675 | -600 | -550 | -500 | -500 |
| 52 | 1-4 | -1075 | -875 | -775 | -450 | -450 | -400 | -350 | -350 |
| | 5 | -1150 | -975 | -850 | -500 | -500 | -450 | -400 | -400 |
| | 6 | -1375 | -1175 | -1075 | -650 | -625 | -575 | -525 | -525 |
| | 7 | -1475 | -1300 | -1200 | -775 | -750 | -650 | -600 | -600 |
| 62 | 1-5 | -1200 | -1050 | -1000 | -575 | -550 | -500 | -450 | -450 |
| | 6 | -1425 | -1250 | -1200 | -775 | -750 | -675 | -625 | -625 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1150 | -1000 | -900 | -450 | -375 | -275 | -175 | -175 |
| | 3 | -1175 | -1025 | -925 | -475 | -400 | -300 | -200 | -200 |
| | 4 | -1225 | -1100 | -975 | -525 | -450 | -350 | -250 | -250 |
| | 5 | -1350 | -1200 | -1100 | -650 | -575 | -475 | -375 | -375 |
| | 6 | -1475 | -1275 | -1150 | -750 | -675 | -575 | -475 | -475 |
| | 7 | -1575 | -1375 | -1275 | -875 | -800 | -700 | -600 | -600 |
| 33 | 1 & 2 | -1250 | -1075 | -975 | -505 | -450 | -350 | -250 | -250 |
| | 3 | -1250 | -1075 | -975 | -530 | -475 | -375 | -250 | -250 |
| | 4 | -1325 | -1150 | -1025 | -580 | -525 | -425 | -300 | -300 |
| | 5 | -1475 | -1250 | -1125 | -705 | -650 | -550 | -425 | -425 |
| | 6 | -1550 | -1325 | -1225 | -830 | -775 | -675 | -550 | -550 |
| | 7 | -1650 | -1450 | -1325 | -955 | -900 | -800 | -675 | -675 |
| 43 | 1-3 | -1300 | -1150 | -1025 | -580 | -525 | -425 | -300 | -300 |
| | 4 | -1375 | -1225 | -1075 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1325 | -1175 | -735 | -675 | -575 | -450 | -450 |
| | 6 | -1600 | -1400 | -1275 | -855 | -825 | -725 | -600 | -600 |
| | 7 | -1700 | -1500 | -1375 | -955 | -925 | -825 | -700 | -700 |
| 53 | 1-4 | -1425 | -1325 | -1200 | -755 | -750 | -675 | -550 | -550 |
| | 5 | -1525 | -1400 | -1300 | -830 | -825 | -750 | -625 | -625 |
| | 6 | -1625 | -1500 | -1400 | -980 | -950 | -875 | -750 | -750 |
| | 7 | -1725 | -1600 | -1525 | -1080 | -1025 | -950 | -825 | -825 |
| 63 | 1-5 | -1625 | -1475 | -1350 | -930 | -825 | -750 | -625 | -625 |
| | 6 | -1725 | -1600 | -1450 | -1030 | -975 | -900 | -775 | -775 |
| 34 | 1 & 2 | -1375 | -1250 | -1175 | -725 | -700 | -625 | -550 | -550 |
| | 3 | -1375 | -1250 | -1175 | -725 | -700 | -625 | -550 | -550 |
| | 4 | -1500 | -1375 | -1275 | -825 | -800 | -725 | -650 | -650 |
| | 5 | -1600 | -1475 | -1400 | -950 | -925 | -850 | -775 | -775 |
| | 6 | -1775 | -1650 | -1575 | -1125 | -1100 | -1025 | -950 | -950 |
| 44 | 1-3 | -1475 | -1350 | -1275 | -825 | -800 | -725 | -650 | -650 |
| | 4 | -1550 | -1450 | -1325 | -875 | -850 | -775 | -700 | -700 |
| | 5 | -1625 | -1525 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 54 | 1-4 | -1575 | -1475 | -1400 | -900 | -900 | -825 | -775 | -775 |
| | 5 | -1675 | -1575 | -1475 | -975 | -975 | -900 | -850 | -850 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -2475 |
| 25-26 | -2475 |
| 27-29 | -1600 |
| 30-32 | -1250 |
| 33-34 | -1025 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -250 |
| 53 & Above | -375 |

Strength

(Grams per Tex)

| Range | Diff. |
|---|---|
| 19.0 - 19.9 | -300 |
| 20.0 - 20.9 | -300 |
| 21.0 - 21.9 | -275 |
| 22.0 - 22.9 | -250 |
| 23.0 - 23.9 | -225 |
| 24.0 - 24.9 | -225 |
| 25.0 - 25.9 | -150 |
| 26.0 - 26.9 | -100 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 25 |
| 33.0 & above | 25 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -60 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -600 |
| Plastic - Level 2 | -650 |

WEST TEXAS DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -275 | -190 | 10 | 160 | 350 | 350 | 425 | 450 |
| | 3 | -350 | -240 | -40 | 135 | 275 | 325 | 400 | 425 |
| | 4 | -375 | -275 | -150 | 125 | 250 | 275 | 325 | 325 |
| | 5 | -500 | -300 | -250 | 25 | 175 | 275 | 275 | 275 |
| | 6 | -675 | -500 | -425 | -175 | -150 | -100 | -100 | -100 |
| | 7 | -750 | -550 | -500 | -250 | -225 | -175 | -175 | -175 |
| 31 | 1 & 2 | -425 | -290 | -90 | 85 | 250 | 300 | 400 | 425 |
| | 3 | -475 | -315 | -115 | 85 | 250 | 300 | 375 | 400 |
| | 4 | -525 | -375 | -250 | 75 | 125 | 175 | 200 | 200 |
| | 5 | -600 | -425 | -350 | -75 | 25 | 125 | 125 | 125 |
| | 6 | -775 | -600 | -475 | -250 | -250 | -225 | -225 | -225 |
| | 7 | -875 | -650 | -550 | -300 | -300 | -275 | -275 | -275 |
| 41 | 1 & 2 | -575 | -400 | -200 | 45 | 175 | 225 | 250 | 250 |
| | 3 | -600 | -425 | -225 | 45 | 100 | 200 | 225 | 225 |
| | 4 | -650 | -450 | -375 | 71.18 | 75 | 125 | 150 | 150 |
| | 5 | -725 | -525 | -450 | -150 | -50 | 50 | 50 | 50 |
| | 6 | -875 | -700 | -625 | -350 | -350 | -225 | -225 | -225 |
| | 7 | -1000 | -800 | -725 | -450 | -400 | -300 | -300 | -300 |
| 51 | 1 & 2 | -750 | -550 | -475 | -125 | -25 | 25 | 25 | 25 |
| | 3 | -750 | -550 | -475 | -125 | -25 | 25 | 25 | 25 |
| | 4 | -775 | -550 | -550 | -200 | -75 | -25 | -25 | -25 |
| | 5 | -825 | -650 | -650 | -350 | -250 | -175 | -175 | -175 |
| | 6 | -975 | -750 | -750 | -475 | -400 | -275 | -275 | -275 |
| | 7 | -1075 | -850 | -850 | -575 | -500 | -400 | -400 | -400 |
| 61 | 1-5 | -900 | -725 | -725 | -400 | -300 | -200 | -200 | -200 |
| | 6 | -1025 | -800 | -800 | -600 | -500 | -375 | -375 | -375 |
| | 7 | -1125 | -950 | -925 | -675 | -575 | -475 | -475 | -475 |
| 71 | 1-6 | -1100 | -925 | -875 | -675 | -575 | -500 | -500 | -500 |
| | 7 | -1175 | -950 | -925 | -700 | -650 | -575 | -575 | -575 |
| 12 & 22 | 1 & 2 | -675 | -450 | -275 | 50 | 100 | 175 | 250 | 250 |
| | 3 | -725 | -500 | -300 | 50 | 50 | 125 | 200 | 200 |
| | 4 | -750 | -550 | -475 | -175 | 0 | 100 | 175 | 175 |
| | 5 | -875 | -675 | -650 | -350 | -150 | -150 | -100 | -100 |
| | 6 | -1025 | -800 | -775 | -450 | -375 | -325 | -275 | -275 |
| | 7 | -1100 | -900 | -850 | -525 | -450 | -400 | -350 | -350 |
| 32 | 1 & 2 | -725 | -500 | -325 | -75 | -25 | 0 | 75 | 75 |
| | 3 | -775 | -550 | -350 | -125 | -50 | 0 | 75 | 75 |
| | 4 | -850 | -625 | -525 | -200 | -75 | 0 | 50 | 50 |
| | 5 | -975 | -825 | -750 | -400 | -250 | -200 | -150 | -150 |
| | 6 | -1125 | -900 | -850 | -525 | -450 | -400 | -350 | -350 |
| | 7 | -1225 | -1000 | -900 | -625 | -525 | -475 | -425 | -425 |
| 42 | 1-3 | -875 | -650 | -575 | -225 | -150 | -25 | 25 | 25 |
| | 4 | -925 | -725 | -600 | -250 | -175 | -50 | 0 | 0 |
| | 5 | -1025 | -875 | -775 | -425 | -275 | -250 | -200 | -200 |
| | 6 | -1225 | -925 | -875 | -550 | -475 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -975 | -675 | -550 | -500 | -450 | -450 |
| 52 | 1-4 | -1150 | -900 | -850 | -575 | -450 | -400 | -350 | -350 |
| | 5 | -1225 | -1000 | -925 | -625 | -500 | -450 | -400 | -400 |
| | 6 | -1425 | -1175 | -1100 | -750 | -650 | -600 | -550 | -550 |
| | 7 | -1500 | -1275 | -1200 | -850 | -750 | -700 | -650 | -650 |
| 62 | 1-5 | -1275 | -1075 | -1025 | -725 | -625 | -575 | -525 | -525 |
| | 6 | -1450 | -1225 | -1175 | -875 | -800 | -750 | -700 | -700 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1025 | -800 | -725 | -400 | -325 | -300 | -250 | -250 |
| | 3 | -1075 | -825 | -750 | -425 | -350 | -325 | -275 | -275 |
| | 4 | -1100 | -900 | -825 | -475 | -400 | -375 | -325 | -325 |
| | 5 | -1225 | -1000 | -950 | -600 | -525 | -475 | -425 | -425 |
| | 6 | -1325 | -1075 | -1025 | -675 | -600 | -550 | -500 | -500 |
| | 7 | -1400 | -1175 | -1100 | -725 | -700 | -650 | -600 | -600 |
| 33 | 1 & 2 | -1150 | -875 | -800 | -450 | -400 | -375 | -325 | -325 |
| | 3 | -1150 | -875 | -800 | -450 | -400 | -375 | -325 | -325 |
| | 4 | -1225 | -950 | -875 | -500 | -450 | -425 | -375 | -375 |
| | 5 | -1375 | -1075 | -1000 | -650 | -575 | -525 | -475 | -475 |
| | 6 | -1425 | -1150 | -1125 | -700 | -675 | -625 | -575 | -575 |
| | 7 | -1500 | -1250 | -1175 | -825 | -775 | -725 | -675 | -675 |
| 43 | 1-3 | -1200 | -975 | -900 | -525 | -475 | -425 | -375 | -375 |
| | 4 | -1275 | -1050 | -950 | -550 | -475 | -425 | -375 | -375 |
| | 5 | -1400 | -1150 | -1050 | -675 | -600 | -550 | -500 | -500 |
| | 6 | -1475 | -1225 | -1150 | -775 | -750 | -700 | -650 | -650 |
| | 7 | -1550 | -1325 | -1225 | -850 | -825 | -775 | -725 | -725 |
| 53 | 1-4 | -1375 | -1225 | -1125 | -725 | -675 | -625 | -575 | -575 |
| | 5 | -1475 | -1275 | -1200 | -825 | -775 | -725 | -675 | -675 |
| | 6 | -1600 | -1375 | -1300 | -925 | -900 | -850 | -800 | -800 |
| | 7 | -1675 | -1450 | -1400 | -1050 | -1025 | -975 | -925 | -925 |
| 63 | 1-5 | -1600 | -1375 | -1275 | -875 | -800 | -750 | -700 | -700 |
| | 6 | -1675 | -1475 | -1350 | -1025 | -975 | -925 | -875 | -875 |
| 34 | 1 & 2 | -1275 | -1050 | -975 | -625 | -600 | -550 | -500 | -500 |
| | 3 | -1275 | -1050 | -975 | -625 | -600 | -550 | -500 | -500 |
| | 4 | -1400 | -1175 | -1075 | -725 | -700 | -650 | -600 | -600 |
| | 5 | -1500 | -1275 | -1200 | -850 | -825 | -775 | -725 | -725 |
| | 6 | -1650 | -1425 | -1350 | -1050 | -1025 | -975 | -925 | -925 |
| 44 | 1-3 | -1400 | -1175 | -1100 | -750 | -725 | -675 | -625 | -625 |
| | 4 | -1475 | -1275 | -1150 | -800 | -775 | -725 | -675 | -675 |
| | 5 | -1575 | -1350 | -1250 | -900 | -875 | -825 | -775 | -775 |
| | 6 | -1725 | -1500 | -1425 | -1125 | -1100 | -1050 | -1000 | -1000 |
| 54 | 1-4 | -1500 | -1300 | -1225 | -875 | -850 | -800 | -750 | -750 |
| | 5 | -1600 | -1375 | -1275 | -1000 | -975 | -925 | -875 | -875 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -2475 |
| 25-26 | -2475 |
| 27-29 | -1600 |
| 30-32 | -1250 |
| 33-34 | -1025 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -250 |
| 53 & Above | -375 |

Strength

(Grams per Tex)

| Range | Diff. |
|---|---|
| 19.0 - 19.9 | -300 |
| 20.0 - 20.9 | -300 |
| 21.0 - 21.9 | -275 |
| 22.0 - 22.9 | -250 |
| 23.0 - 23.9 | -225 |
| 24.0 - 24.9 | -225 |
| 25.0 - 25.9 | -150 |
| 26.0 - 26.9 | -100 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 25 |
| 33.0 & above | 25 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -125 |
| 78.0 - 78.9 | -95 |
| 79.0 - 79.9 | -80 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -600 |
| Plastic - Level 2 | -650 |

DESERT SOUTHWEST DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | | |
|---|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -100 | 125 | 550 | 645 | 710 | 745 |
| | 3 | -100 | 100 | 475 | 595 | 610 | 645 |
| | 4 | -300 | 50 | 300 | 335 | 370 | 370 |
| | 5 | -375 | -175 | 25 | 100 | 185 | 185 |
| | 6 | -450 | -350 | -100 | -85 | -30 | -30 |
| | 7 | -650 | -375 | -175 | -140 | -100 | -100 |
| 31 | 1 & 2 | -175 | 75 | 500 | 595 | 630 | 655 |
| | 3 | -175 | 50 | 400 | 545 | 555 | 580 |
| | 4 | -350 | 25 | 200 | 285 | 320 | 345 |
| | 5 | -400 | -200 | -50 | 0 | 70 | 70 |
| | 6 | -475 | -375 | -135 | -120 | -40 | -40 |
| | 7 | -675 | -400 | -225 | -195 | -115 | -115 |
| 41 | 1 & 2 | -575 | 0 | 50 | 110 | 120 | 145 |
| | 3 | -575 | 0 | 35 | 85 | 120 | 145 |
| | 4 | -625 | 70.68 | 25 | 35 | 95 | 95 |
| | 5 | -625 | -500 | -350 | -340 | -280 | -280 |
| | 6 | -800 | -675 | -450 | -440 | -390 | -390 |
| | 7 | -950 | -825 | -625 | -620 | -585 | -585 |
| 51 | 1 & 2 | -675 | -500 | -250 | -215 | -205 | -205 |
| | 3 | -675 | -500 | -250 | -215 | -205 | -205 |
| | 4 | -700 | -575 | -375 | -325 | -265 | -265 |
| | 5 | -800 | -750 | -575 | -550 | -500 | -500 |
| | 6 | -950 | -850 | -650 | -650 | -600 | -600 |
| | 7 | -1150 | -1050 | -850 | -850 | -825 | -825 |
| 12 & 22 | 1 & 2 | -475 | 50 | 325 | 385 | 445 | 445 |
| | 3 | -475 | 50 | 300 | 360 | 420 | 420 |
| | 4 | -575 | 0 | 225 | 285 | 370 | 370 |
| | 5 | -600 | -425 | -125 | -125 | -50 | -50 |
| | 6 | -750 | -625 | -325 | -325 | -250 | -250 |
| | 7 | -925 | -800 | -575 | -575 | -500 | -500 |
| 32 | 1 & 2 | -575 | -200 | 150 | 235 | 245 | 245 |
| | 3 | -575 | -200 | 150 | 235 | 245 | 245 |
| | 4 | -625 | -425 | 0 | 85 | 95 | 95 |
| | 5 | -675 | -675 | -400 | -400 | -400 | -400 |
| | 6 | -875 | -800 | -525 | -525 | -525 | -525 |
| | 7 | -1025 | -975 | -775 | -775 | -775 | -775 |
| 42 | 1-3 | -625 | -450 | -150 | -100 | -100 | -100 |
| | 4 | -650 | -525 | -250 | -200 | -200 | -200 |
| | 5 | -725 | -700 | -450 | -450 | -450 | -450 |
| | 6 | -900 | -825 | -575 | -575 | -575 | -575 |
| | 7 | -1100 | -1000 | -825 | -825 | -825 | -825 |
| 52 | 1-4 | -850 | -725 | -500 | -450 | -450 | -450 |
| | 5 | -900 | -800 | -575 | -575 | -575 | -575 |
| | 6 | -1000 | -900 | -675 | -675 | -675 | -675 |
| | 7 | -1250 | -1150 | -975 | -950 | -950 | -950 |
| 43 | 1-3 | -725 | -650 | -575 | -500 | -500 | -500 |
| | 4 | -825 | -750 | -625 | -575 | -575 | -575 |
| | 5 | -925 | -825 | -650 | -625 | -625 | -625 |
| | 6 | -1025 | -925 | -900 | -900 | -900 | -900 |
| | 7 | -1125 | -1050 | -1025 | -1025 | -1025 | -1025 |
| 53 | 1-4 | -975 | -875 | -800 | -800 | -800 | -800 |
| | 5 | -1025 | -925 | -850 | -850 | -850 | -850 |
| | 6 | -1125 | -1025 | -950 | -950 | -950 | -950 |
| | 7 | -1375 | -1275 | -1275 | -1275 | -1275 | -1275 |

| Mike | |
|---|---|
| Range | Diff. |
| 24 & Below | -1350 |
| 25-26 | -1150 |
| 27-29 | -1050 |
| 30-32 | -650 |
| 33-34 | -450 |
| 35-36 | 0 |
| 37-42 | 25 |
| 43-49 | 0 |
| 50-52 | -300 |
| 53 & Above | -550 |

| **Strength** | |
|---|---|
| (Grams per Tex) | |
| Range | Diff. |
| 21.0 - 21.9 | -600 |
| 22.0 - 22.9 | -450 |
| 23.0 - 23.9 | -300 |
| 24.0 - 24.9 | -225 |
| 25.0 - 25.9 | -200 |
| 26.0 - 26.9 | -125 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & above | 100 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -50 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -350 |
| Other - Level 2 | -800 |
| Plastic - Level 1 | -350 |
| Plastic - Level 2 | -800 |

| **Uniformity** | |
|---|---|
| Unit | Points |
| 77.9 & Below | -100 |
| 78.0 - 78.9 | -90 |
| 79.0 - 79.9 | -80 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

SAN JOAQUIN VALLEY DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 |
| | 4 | 75 | 350 | 400 | 500 | 500 |
| | 5 | -125 | 75 | 130 | 190 | 190 |
| | 6 | -400 | -200 | -150 | -100 | -100 |
| | 7 | -625 | -525 | -475 | -425 | -425 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 |
| | 4 | 50 | 300 | 330 | 410 | 410 |
| | 5 | -200 | 0 | 55 | 115 | 115 |
| | 6 | -500 | -325 | -275 | -225 | -225 |
| | 7 | -675 | -575 | -525 | -475 | -475 |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 |
| | 3 | 50 | 250 | 330 | 340 | 340 |
| | 4 | 71.18 | 200 | 280 | 290 | 290 |
| | 5 | -425 | -200 | -195 | -185 | -185 |
| | 6 | -625 | -450 | -450 | -450 | -450 |
| | 7 | -825 | -725 | -725 | -725 | -725 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 |
| | 3 | -700 | -250 | -200 | -200 | -200 |
| | 4 | -750 | -300 | -275 | -275 | -275 |
| | 5 | -775 | -375 | -325 | -325 | -325 |
| | 6 | -900 | -800 | -800 | -800 | -800 |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 |
| | 3 | 50 | 500 | 780 | 890 | 1040 |
| | 4 | -75 | 325 | 375 | 440 | 440 |
| | 5 | -250 | -50 | 0 | 50 | 50 |
| | 6 | -525 | -400 | -350 | -300 | -300 |
| | 7 | -775 | -700 | -650 | -600 | -600 |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 |
| | 3 | -50 | 200 | 275 | 325 | 425 |
| | 4 | -200 | 25 | 50 | 100 | 100 |
| | 5 | -525 | -275 | -275 | -275 | -275 |
| | 6 | -675 | -475 | -475 | -475 | -475 |
| | 7 | -850 | -750 | -750 | -750 | -750 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 |
| | 4 | -500 | -175 | -150 | -150 | -150 |
| | 5 | -675 | -350 | -300 | -300 | -300 |
| | 6 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -950 | -950 | -950 | -950 |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 |
| | 5 | -875 | -825 | -825 | -825 | -825 |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 |
| | 3 | -500 | -500 | -500 | -500 | -500 |
| | 4 | -600 | -600 | -600 | -600 | -600 |
| | 5 | -800 | -800 | -800 | -800 | -800 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 |
| | 4 | -925 | -925 | -925 | -925 | -925 |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 |

| Mike | |
|---|---|
| Range | Diff. |
| 27-29 | -1600 |
| 30-32 | -1000 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -500 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 24.0 - 24.9 | -500 |
| 25.0 - 25.9 | -400 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 75 |
| 31.0 - 32.9 | 125 |
| 33.0 & Above | 250 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -50 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -350 |
| Other - Level 2 | -925 |
| Plastic - Level 1 | -350 |
| Plastic - Level 2 | -925 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -60 |
| 78.0 - 78.9 | -50 |
| 79.0 - 79.9 | -40 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 50 |
| 83.0 - 83.9 | 80 |
| 84.0 - 84.9 | 90 |
| 85.0 - 85.9 | 100 |
| 86.0 & Above | 110 |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

# AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple 44 | 46 | 48 | 50 |
|---|---|---|---|---|---|
| 1 | 1 | 123.75 | 132.50 | 133.50 | 133.50 |
| | 2 | 123.50 | 132.25 | 133.25 | 133.25 |
| | 3 | 115.75 | 123.50 | 123.50 | 123.50 |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| 2 | 1 | 123.50 | 132.25 | 133.25 | 133.25 |
| | 2 | 123.25 | 132.00 | 133.00 | 133.00 |
| | 3 | 115.50 | 123.25 | 123.25 | 123.25 |
| | 4 | 105.50 | 113.75 | 113.75 | 113.75 |
| | 5 | | | | |
| | 6 | | | | |
| 3 | 1 | 113.25 | 121.00 | 121.00 | 121.00 |
| | 2 | 110.75 | 118.50 | 118.50 | 118.50 |
| | 3 | 109.50 | 117.25 | 117.25 | 117.25 |
| | 4 | 100.50 | 108.25 | 108.25 | 108.25 |
| | 5 | 84.50 | 91.75 | 91.75 | 91.75 |
| | 6 | | | | |
| 4 | 1 | 94.25 | 102.00 | 102.75 | 102.75 |
| | 2 | 94.00 | 101.75 | 102.00 | 102.00 |
| | 3 | 93.75 | 101.50 | 101.25 | 101.25 |
| | 4 | 88.75 | 96.50 | 96.25 | 96.25 |
| | 5 | 77.50 | 85.25 | 85.00 | 85.00 |
| | 6 | | | | |
| 5 | 1 | | | | |
| | 2 | 73.25 | 83.25 | 83.00 | 83.00 |
| | 3 | 73.25 | 82.75 | 83.00 | 83.00 |
| | 4 | 73.25 | 77.25 | 77.00 | 77.00 |
| | 5 | 73.00 | 77.00 | 76.75 | 76.75 |
| | 6 | | | | |
| 6 | 1 | | | | |
| | 2 | 65.50 | 68.50 | 68.25 | 68.25 |
| | 3 | 65.50 | 68.50 | 68.25 | 68.25 |
| | 4 | 65.50 | 68.50 | 68.25 | 68.25 |
| | 5 | 65.25 | 68.25 | 68.00 | 68.00 |
| | 6 | 64.75 | 67.75 | 67.50 | 67.50 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on October 31, 2018.

**Mike**

| Range | Diff. |
|---|---|
| 26 & Below | -1900 |
| 27-29 | -1400 |
| 30-32 | -900 |
| 33-34 | -400 |
| 35 & Above | 0 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 34.9 & Below | -1350 |
| 35.0 – 35.9 | -1100 |
| 36.0 – 36.9 | -850 |
| 37.0 – 37.9 | 0 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

**Extraneous Matter**

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -715 |
| Plastic - Level 2 | -1035 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES 20-Nov-18

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -313 | -233 | -69 | 186 | 434 | 584 | 643 | 687 |
| | 3 | -375 | -253 | -82 | 157 | 381 | 534 | 579 | 619 |
| | 4 | -425 | -280 | -192 | 68 | 189 | 309 | 349 | 349 |
| | 5 | -513 | -395 | -308 | -82 | 57 | 126 | 154 | 154 |
| | 6 | -675 | -505 | -450 | -314 | -221 | -173 | -158 | -158 |
| | 7 | -750 | -600 | -567 | -421 | -346 | -295 | -282 | -282 |
| 31 | 1 & 2 | -413 | -258 | -107 | 125 | 374 | 534 | 592 | 628 |
| | 3 | -450 | -268 | -115 | 114 | 338 | 498 | 546 | 581 |
| | 4 | -525 | -315 | -242 | 50 | 150 | 245 | 276 | 279 |
| | 5 | -588 | -425 | -333 | -125 | -4 | 51 | 76 | 76 |
| | 6 | -738 | -530 | -467 | -343 | -266 | -228 | -209 | -209 |
| | 7 | -825 | -625 | -583 | -439 | -379 | -342 | -324 | -324 |
| 41 | 1 & 2 | -538 | -340 | -254 | 56 | 157 | 241 | 259 | 266 |
| | 3 | -563 | -350 | -263 | 42 | 105 | 191 | 212 | 219 |
| | 4 | -613 | -380 | -346 | 72.72 | 68 | 141 | 166 | 169 |
| | 5 | -713 | -510 | -450 | -264 | -143 | -76 | -63 | -63 |
| | 6 | -863 | -615 | -583 | -461 | -371 | -309 | -302 | -302 |
| | 7 | -975 | -725 | -721 | -600 | -511 | -474 | -469 | -469 |
| 51 | 1 & 2 | -713 | -580 | -471 | -318 | -175 | -134 | -129 | -129 |
| | 3 | -713 | -620 | -475 | -339 | -193 | -149 | -144 | -144 |
| | 4 | -750 | -640 | -504 | -389 | -261 | -221 | -209 | -209 |
| | 5 | -800 | -725 | -675 | -514 | -389 | -346 | -336 | -336 |
| | 6 | -963 | -805 | -779 | -639 | -564 | -525 | -518 | -518 |
| | 7 | -1063 | -890 | -904 | -779 | -696 | -661 | -657 | -657 |
| 61 | 1-5 | -875 | -780 | -715 | -520 | -465 | -420 | -420 | -420 |
| | 6 | -1025 | -885 | -835 | -685 | -645 | -595 | -595 | -595 |
| | 7 | -1125 | -1000 | -955 | -775 | -735 | -690 | -690 | -690 |
| 71 | 1-6 | -1075 | -1080 | -1025 | -860 | -820 | -780 | -780 | -780 |
| | 7 | -1163 | -1120 | -1075 | -895 | -875 | -835 | -835 | -835 |
| 12 & 22 | 1 & 2 | -713 | -360 | -238 | 57 | 204 | 327 | 380 | 409 |
| | 3 | -750 | -380 | -250 | 36 | 157 | 281 | 337 | 362 |
| | 4 | -788 | -405 | -346 | -39 | 89 | 191 | 237 | 241 |
| | 5 | -888 | -575 | -504 | -275 | -104 | -61 | -21 | -21 |
| | 6 | -1050 | -695 | -650 | -475 | -357 | -321 | -289 | -289 |
| | 7 | -1150 | -780 | -763 | -607 | -518 | -482 | -450 | -450 |
| 32 | 1 & 2 | -750 | -460 | -342 | -82 | 57 | 116 | 142 | 156 |
| | 3 | -788 | -475 | -354 | -104 | 25 | 87 | 114 | 128 |
| | 4 | -850 | -525 | -413 | -221 | -71 | -20 | 3 | 3 |
| | 5 | -963 | -675 | -567 | -393 | -275 | -229 | -214 | -214 |
| | 6 | -1125 | -765 | -729 | -561 | -457 | -429 | -414 | -414 |
| | 7 | -1250 | -870 | -838 | -686 | -604 | -582 | -568 | -568 |
| 42 | 1-3 | -850 | -620 | -517 | -314 | -164 | -125 | -111 | -111 |
| | 4 | -900 | -660 | -538 | -354 | -232 | -193 | -179 | -179 |
| | 5 | -1025 | -795 | -683 | -504 | -371 | -343 | -329 | -329 |
| | 6 | -1238 | -885 | -829 | -650 | -575 | -550 | -536 | -536 |
| | 7 | -1338 | -980 | -921 | -789 | -711 | -693 | -679 | -679 |
| 52 | 1-4 | -1113 | -820 | -721 | -600 | -525 | -504 | -489 | -489 |
| | 5 | -1188 | -895 | -829 | -682 | -607 | -593 | -579 | -579 |
| | 6 | -1400 | -1045 | -971 | -825 | -764 | -750 | -736 | -736 |
| | 7 | -1488 | -1130 | -1100 | -964 | -911 | -886 | -871 | -871 |
| 62 | 1-5 | -1238 | -1025 | -950 | -765 | -730 | -710 | -690 | -690 |
| | 6 | -1438 | -1190 | -1115 | -910 | -880 | -855 | -835 | -835 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1088 | -900 | -813 | -425 | -350 | -288 | -213 | -213 |
| | 3 | -1125 | -925 | -838 | -450 | -375 | -313 | -238 | -238 |
| | 4 | -1163 | -1000 | -900 | -500 | -425 | -363 | -288 | -288 |
| | 5 | -1288 | -1100 | -1025 | -625 | -550 | -475 | -400 | -400 |
| | 6 | -1400 | -1175 | -1088 | -713 | -638 | -563 | -488 | -488 |
| | 7 | -1488 | -1275 | -1188 | -800 | -750 | -675 | -600 | -600 |
| 33 | 1 & 2 | -1200 | -975 | -888 | -485 | -450 | -408 | -358 | -358 |
| | 3 | -1200 | -975 | -888 | -493 | -458 | -417 | -358 | -358 |
| | 4 | -1275 | -1050 | -950 | -560 | -525 | -483 | -425 | -425 |
| | 5 | -1425 | -1163 | -1063 | -718 | -675 | -625 | -567 | -567 |
| | 6 | -1488 | -1238 | -1175 | -868 | -842 | -792 | -733 | -733 |
| | 7 | -1575 | -1350 | -1250 | -1002 | -967 | -917 | -858 | -858 |
| 43 | 1-3 | -1250 | -965 | -808 | -629 | -589 | -554 | -529 | -529 |
| | 4 | -1325 | -1010 | -858 | -676 | -621 | -589 | -564 | -564 |
| | 5 | -1450 | -1065 | -958 | -816 | -761 | -736 | -711 | -711 |
| | 6 | -1538 | -1145 | -1046 | -915 | -893 | -871 | -846 | -846 |
| | 7 | -1625 | -1270 | -1154 | -1040 | -1018 | -996 | -971 | -971 |
| 53 | 1-4 | -1400 | -1110 | -1000 | -809 | -771 | -750 | -721 | -721 |
| | 5 | -1500 | -1190 | -1100 | -901 | -871 | -850 | -821 | -821 |
| | 6 | -1613 | -1305 | -1188 | -997 | -967 | -946 | -917 | -917 |
| | 7 | -1700 | -1370 | -1325 | -1126 | -1104 | -1083 | -1054 | -1054 |
| 63 | 1-5 | -1613 | -1285 | -1210 | -996 | -950 | -925 | -890 | -890 |
| | 6 | -1700 | -1375 | -1290 | -1071 | -1040 | -1015 | -980 | -980 |
| 34 | 1 & 2 | -1325 | -1150 | -1075 | -675 | -650 | -588 | -525 | -525 |
| | 3 | -1325 | -1150 | -1075 | -675 | -650 | -588 | -525 | -525 |
| | 4 | -1450 | -1275 | -1175 | -775 | -750 | -688 | -625 | -625 |
| | 5 | -1550 | -1375 | -1300 | -900 | -875 | -813 | -750 | -750 |
| | 6 | -1713 | -1538 | -1463 | -1088 | -1063 | -1000 | -938 | -938 |
| 44 | 1-3 | -1438 | -1263 | -1188 | -788 | -763 | -700 | -638 | -638 |
| | 4 | -1513 | -1363 | -1238 | -838 | -813 | -750 | -688 | -688 |
| | 5 | -1600 | -1438 | -1338 | -938 | -913 | -850 | -788 | -788 |
| | 6 | -1763 | -1588 | -1513 | -1138 | -1113 | -1050 | -988 | -988 |
| 54 | 1-4 | -1538 | -1388 | -1313 | -888 | -875 | -813 | -763 | -763 |
| | 5 | -1638 | -1475 | -1375 | -988 | -975 | -913 | -863 | -863 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -2100 |
| 25-26 | -1504 |
| 27-29 | -1096 |
| 30-32 | -725 |
| 33-34 | -486 |
| Base 35-36 | 0 |
| 37-42 | 14 |
| Base 43-49 | 0 |
| 50-52 | -279 |
| 53 & Above | -404 |

Strength

(Grams per Tex)

| Range | Diff. |
|---|---|
| 19.0 - 19.9 | -300 |
| 20.0 - 20.9 | -300 |
| 21.0 - 21.9 | -358 |
| 22.0 - 22.9 | -296 |
| 23.0 - 23.9 | -242 |
| 24.0 - 24.9 | -254 |
| 25.0 - 25.9 | -200 |
| 26.0 - 26.9 | -100 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 32 |
| 31.0 - 32.9 | 54 |
| 33.0 & Above | 79 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -97 |
| 78.0 - 78.9 | -83 |
| 79.0 - 79.9 | -71 |
| 80.0 - 80.9 | -4 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -157 |
| Prep - Level 2 | -714 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -421 |
| Other - Level 2 | -756 |
| Plastic - Level 1 | -421 |
| Plastic - Level 2 | -756 |

# Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News 20-Nov-18

**Volume 101, No. 79**

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

**PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/**

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -68 | 152 | 350 | 444 | 492 |
| | 3 | -83 | 127 | 295 | 399 | 432 |
| | 4 | -190 | 75 | 180 | 292 | 324 |
| | 5 | -305 | -75 | 65 | 145 | 167 |
| 21 | 1 & 2 | -68 | 152 | 350 | 444 | 492 |
| | 3 | -83 | 127 | 295 | 399 | 432 |
| | 4 | -190 | 75 | 180 | 292 | 324 |
| | 5 | -305 | -75 | 65 | 145 | 167 |
| 31 | 1 & 2 | -108 | 97 | 295 | 399 | 451 |
| | 3 | -118 | 92 | 260 | 369 | 406 |
| | 4 | -240 | 55 | 135 | 227 | 249 |
| | 5 | -335 | -110 | 5 | 65 | 84 |
| 41 | 1 & 2 | -255 | 49 | 130 | 207 | 224 |
| | 3 | -265 | 44 | 87 | 162 | 184 |
| | 4 | -360 | 0 | 55 | 117 | 144 |
| | 5 | -460 | -240 | -135 | -53 | -36 |
| 51 | 1 & 2 | -470 | -240 | -150 | -103 | -96 |
| | 3 | -475 | -260 | -165 | -113 | -106 |
| | 4 | -505 | -315 | -235 | -185 | -168 |
| | 5 | -665 | -460 | -375 | -330 | -315 |
| 12 | 1 & 2 | -260 | 45 | 150 | 242 | 284 |
| | 3 | -275 | 35 | 110 | 197 | 244 |
| 22 | 1 & 2 | -260 | 45 | 150 | 242 | 284 |
| | 3 | -275 | 35 | 110 | 197 | 244 |
| 32 | 1 & 2 | -360 | -95 | 30 | 87 | 114 |
| | 3 | -375 | -115 | 0 | 62 | 89 |
| Strength | 25.0 - 25.9 | -235 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

USDA Agricultural Marketing Service

**Cotton and Tobacco Program**

**3275 Appling Road, Memphis, TN 38133**

(901) 384-3016

# Daily Spot Cotton Quotations

**Volume 101, No. 79** **20-Nov-18**

**Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.**

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | SPOT TRANSACTIONS | |
|---|---|---|---|---|---|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | |
| | N.Y. Futures | Staple 34 | Staple 35 | Today | Season |
| | *Points* | *Cents per pound* | | *Bales* | *Bales* |
| Southeast | -200 Mar-19 | 75.43 | 77.68 | 0 | 1,008 |
| North Delta | -275 Mar-19 | 74.68 | 76.43 | 0 | 355 |
| South Delta | -275 Mar-19 | 74.68 | 76.43 | 0 | 1,698 |
| East TX-OK | -625 Mar-19 | 71.18 | 73.68 | 623 | 42,213 |
| West Texas | -625 Mar-19 | 71.18 | 73.68 | 962 | 13,414 |
| Desert SW | -675 Mar-19 | 70.68 | 74.68 | 0 | 4,286 |
| SJ Valley | -625 Mar-19 | 71.18 | 80.08 | 0 | 0 |
| | | | | Upland Total | |
| Average | -471 Mar-19 | 72.72 | 76.09 | **1,585** | **62,974** |
| Previous day | -471 Mar-19 | 73.34 | 76.71 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | |
|---|---|---|---|---|
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total |
| American Pima | 132.00 | 109.50 | 117.25 | **0** **0** |

**ICE FUTURES US - CONTRACT NO. 2 1/**
**COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER**

| Month | Today | Previous | Change |
|---|---|---|---|
| | *Cents per pound* | | |
| Dec-18 | 75.27 | 75.88 ↓ | **-0.61** |
| Mar-19 | 77.43 | 78.05 ↓ | **-0.62** |
| May-19 | 78.67 | 79.32 ↓ | **-0.65** |
| Jul-19 | 79.87 | 80.49 ↓ | **-0.62** |
| Oct-19 | 77.14 | 77.76 ↓ | **-0.62** |
| Dec-19 | 76.63 | 77.18 ↓ | **-0.55** |
| Mar-20 | 77.29 | 77.79 ↓ | **-0.50** |
| May-20 | 77.54 | 78.04 ↓ | **-0.50** |
| Jul-20 | 77.74 | 78.24 ↓ | **-0.50** |
| Oct-20 | 74.31 | 74.81 ↓ | **-0.50** |

**7-MARKET BASE QUOTATIONS FOR UPLAND COTTON**

| | | |
|---|---|---|
| **Season high** | | |
| | 8/2/2018 | 85.65 |
| **Season low** | | |
| | 11/13/2018 | 72.07 |

**Nov 16 - Nov 22**
**ADJ. WORLD PRICE**
68.48
**CC ADJUSTMENT**
0.00
**FC ADJUSTMENT**

| 2017 | 2018 |
|---|---|
| 1.04 | 1.09 |

**LOAN DEFICIENCY PMT.**
0.00

**Pima Competitiveness Payment**
0.00

**PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/**

| | Color | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
| Staple 33 | | | | | | | | |
| Leaf 1 & 2 | -68 | -68 | -108 | -255 | -470 | -260 | -260 | -360 |
| 3 | -83 | -83 | -118 | -265 | -475 | -275 | -275 | -375 |
| 4 | -190 | -190 | -240 | -360 | -505 | NOT TENDERABLE | | |
| 5 | -305 | -305 | -335 | -460 | -665 | NOT TENDERABLE | | |
| Staple 34 | | | | | | | | |
| Leaf 1 & 2 | 152 | 152 | 97 | 49 | -240 | 45 | 45 | -95 |
| 3 | 127 | 127 | 92 | 44 | -260 | 35 | 35 | -115 |
| 4 | 75 | 75 | 55 | 0 | -315 | NOT TENDERABLE | | |
| 5 | -75 | -75 | -110 | -240 | -460 | NOT TENDERABLE | | |
| Staple 35 | | | | | | | | |
| Leaf 1 & 2 | 350 | 350 | 295 | 130 | -150 | 150 | 150 | 30 |
| 3 | 295 | 295 | 260 | 87 | -165 | 110 | 110 | 0 |
| 4 | 180 | 180 | 135 | 55 | -235 | NOT TENDERABLE | | |
| 5 | 65 | 65 | 5 | -135 | -375 | NOT TENDERABLE | | |
| Staple 36 | | | | | | | | |
| Leaf 1 & 2 | 444 | 444 | 399 | 207 | -103 | 242 | 242 | 87 |
| 3 | 399 | 399 | 369 | 162 | -113 | 197 | 197 | 62 |
| 4 | 292 | 292 | 227 | 117 | -185 | NOT TENDERABLE | | |
| 5 | 145 | 145 | 65 | -53 | -330 | NOT TENDERABLE | | |
| Staple 37 | | | | | | | | |
| Leaf 1 & 2 | 492 | 492 | 451 | 224 | -96 | 284 | 284 | 114 |
| 3 | 432 | 432 | 406 | 184 | -106 | 244 | 244 | 89 |
| 4 | 324 | 324 | 249 | 144 | -168 | NOT TENDERABLE | | |
| 5 | 167 | 167 | 84 | -36 | -315 | NOT TENDERABLE | | |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf