# Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

22-Aug-19

**Volume 102, No. 16**

**Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.**

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | SPOT TRANSACTIONS | |
|---|---|---|---|---|---|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | |
| | ICE Futures | Staple 34 | Staple 35 | Today | Season |
| | *Points* | *Cents per pound* | | *Bales* | *Bales* |
| Southeast | -175 Oct-19 | 57.12 | 59.37 | 0 | 0 |
| North Delta | -300 Oct-19 | 55.87 | 58.12 | 0 | 5,631 |
| South Delta | -300 Oct-19 | 55.87 | 58.12 | 0 | 0 |
| East TX-OK | -550 Oct-19 | 53.37 | 55.62 | 807 | 6,003 |
| West Texas | -550 Oct-19 | 53.37 | 56.12 | 42 | 7,104 |
| Desert SW | -725 Oct-19 | 51.62 | 55.62 | 0 | 14 |
| SJ Valley | -675 Oct-19 | 52.12 | 61.02 | 0 | 0 |
| | | | | Upland Total | |
| Average | -468 Oct-19 | 54.19 | 57.71 | **849** | **18,752** |
| Previous day | -468 Oct-19 | 55.19 | 58.71 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | |
|---|---|---|---|---|---|
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | |
| American Pima | 120.00 | 97.50 | 105.25 | **0** | **0** |

| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Aug 16 - Aug 22 ADJ. WORLD PRICE | |
|---|---|---|---|---|---|---|---|
| Month | *Cents per pound* | | | | | 52.22 | |
| | Today | Previous | Change | | | **CC ADJUSTMENT** | |
| Oct-19 | 58.87 | 59.87 ↓ | **-1.00** | **Season high** | | 0.00 | |
| Dec-19 | 58.94 | 59.94 ↓ | **-1.00** | | | **FC ADJUSTMENT** | |
| Mar-20 | 59.86 | 60.66 ↓ | **-0.80** | 8/1/2019 | 56.66 | 2018 | 2019 |
| May-20 | 60.76 | 61.50 ↓ | **-0.74** | | | 0.17 | 0.02 |
| Jul-20 | 61.80 | 62.46 ↓ | **-0.66** | | | **LOAN DEFICIENCY PMT.** | |
| Oct-20 | 62.47 | 62.95 ↓ | **-0.48** | **Season low** | | 0.00 | |
| Dec-20 | 62.77 | 63.25 ↓ | **-0.48** | | | | |
| Mar-21 | 63.82 | 64.25 ↓ | **-0.43** | 8/5/2019 | 52.73 | **PIMA COMPETITIVENESS** | |
| May-21 | 65.02 | 65.40 ↓ | **-0.38** | | | **PAYMENT** | |
| Jul-21 | 66.17 | 66.60 ↓ | **-0.43** | | | 0.00 | |

**TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:**

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous Matter | Uniformity |
|---|---|---|---|---|---|---|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-OK | | | | | | |
| West Texas | | | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton

SOUTHEAST DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -50 | 150 | 250 | 325 | 375 | 375 |
| | 3 | -225 | -50 | 150 | 225 | 300 | 350 | 350 |
| | 4 | -225 | -125 | 75 | 175 | 275 | 300 | 300 |
| | 5 | -475 | -325 | -225 | -75 | -25 | -25 | -25 |
| | 6 | -600 | -450 | -400 | -325 | -300 | -300 | -300 |
| | 7 | -725 | -575 | -550 | -450 | -425 | -425 | -425 |
| 31 | 1 & 2 | -225 | -50 | 125 | 225 | 300 | 325 | 325 |
| | 3 | -225 | -50 | 125 | 225 | 275 | 300 | 300 |
| | 4 | -225 | -125 | 75 | 175 | 250 | 275 | 275 |
| | 5 | -475 | -325 | -225 | -75 | -50 | -50 | -50 |
| | 6 | -600 | -450 | -400 | -375 | -350 | -350 | -350 |
| | 7 | -725 | -575 | -550 | -500 | -475 | -475 | -475 |
| 41 | 1 & 2 | -275 | -100 | 50 | 150 | 200 | 200 | 225 |
| | 3 | -275 | -100 | 50 | 125 | 175 | 175 | 200 |
| | 4 | -275 | -200 | 57.12 | 100 | 175 | 175 | 200 |
| | 5 | -550 | -450 | -300 | -175 | -125 | -125 | -125 |
| | 6 | -675 | -550 | -525 | -450 | -425 | -425 | -425 |
| | 7 | -775 | -675 | -650 | -600 | -575 | -575 | -575 |
| 51 | 1 & 2 | -475 | -300 | -175 | -175 | -150 | -150 | -150 |
| | 3 | -550 | -325 | -250 | -225 | -175 | -175 | -175 |
| | 4 | -575 | -325 | -275 | -275 | -250 | -250 | -250 |
| | 5 | -775 | -650 | -550 | -500 | -475 | -475 | -475 |
| | 6 | -850 | -675 | -625 | -625 | -600 | -600 | -600 |
| | 7 | -925 | -800 | -775 | -775 | -750 | -750 | -750 |
| 61 | 1-5 | -775 | -700 | -625 | -600 | -600 | -600 | -600 |
| | 6 | -950 | -875 | -825 | -800 | -800 | -800 | -800 |
| | 7 | -1075 | -950 | -900 | -875 | -875 | -875 | -875 |
| 71 | 1-6 | -1075 | -1000 | -950 | -950 | -950 | -950 | -950 |
| | 7 | -1100 | -1025 | -975 | -975 | -975 | -975 | -975 |
| 12 & 22 | 1 & 2 | -275 | -100 | 50 | 150 | 250 | 250 | 275 |
| | 3 | -275 | -100 | 50 | 125 | 225 | 225 | 250 |
| | 4 | -275 | -125 | 0 | 100 | 200 | 200 | 225 |
| | 5 | -525 | -425 | -300 | -100 | -75 | -75 | -75 |
| | 6 | -650 | -525 | -525 | -450 | -425 | -425 | -425 |
| | 7 | -750 | -650 | -650 | -600 | -575 | -575 | -575 |
| 32 | 1 & 2 | -325 | -175 | -25 | 0 | 50 | 50 | 50 |
| | 3 | -350 | -200 | -50 | 0 | 25 | 25 | 25 |
| | 4 | -450 | -200 | -150 | -100 | -50 | -50 | -50 |
| | 5 | -625 | -450 | -400 | -375 | -350 | -350 | -350 |
| | 6 | -700 | -550 | -550 | -525 | -500 | -500 | -500 |
| | 7 | -800 | -675 | -675 | -650 | -625 | -625 | -625 |
| 42 | 1-3 | -625 | -425 | -225 | -200 | -175 | -175 | -175 |
| | 4 | -675 | -425 | -275 | -275 | -250 | -250 | -250 |
| | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 |
| | 6 | -825 | -775 | -625 | -625 | -600 | -600 | -600 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 |
| 52 | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 |
| | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 62 | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 |
| 43 | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 |
| 53 | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 |
| | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -1075 |
| 27-29 | -675 |
| 30-32 | -525 |
| 33-34 | -400 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -200 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -725 |
| 22.0 - 22.9 | -675 |
| 23.0 - 23.9 | -650 |
| 24.0 - 24.9 | -625 |
| 25.0 - 25.9 | -600 |
| 26.0 - 26.9 | -200 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -450 |
| Other - Level 2 | -800 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -125 |
| 78.0 - 78.9 | -110 |
| 79.0 - 79.9 | -100 |
| 80.0 - 80.9 | -25 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 20 |
| 84.0 - 84.9 | 30 |
| 85.0 - 85.9 | 40 |
| 86.0 & Above | 50 |

NORTH DELTA DIFFERENCES 22-Aug-19

| | | Staple | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Color | Leaf | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 300 | 375 | 425 | 425 |
| | 3 | -225 | -75 | 150 | 250 | 350 | 375 | 375 |
| | 4 | -275 | -200 | 75 | 125 | 250 | 275 | 275 |
| | 5 | -450 | -325 | -75 | 0 | 25 | 50 | 50 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 31 | 1 & 2 | -225 | -100 | 125 | 250 | 350 | 375 | 375 |
| | 3 | -225 | -100 | 125 | 225 | 325 | 350 | 350 |
| | 4 | -275 | -250 | 75 | 125 | 175 | 200 | 200 |
| | 5 | -450 | -325 | -125 | -50 | -25 | 0 | 0 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| 41 | 1 & 2 | -350 | -250 | 100 | 150 | 250 | 250 | 275 |
| | 3 | -350 | -250 | 75 | 100 | 225 | 225 | 250 |
| | 4 | -375 | -275 | 55.87 | 50 | 175 | 200 | 200 |
| | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 |
| | 6 | -675 | -600 | -500 | -425 | -400 | -400 | -400 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -575 | -575 |
| 51 | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 |
| | 6 | -950 | -925 | -775 | -700 | -700 | -700 | -700 |
| | 7 | -1000 | -975 | -825 | -750 | -775 | -775 | -775 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -950 | -950 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1275 | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 |
| 42 | 1-3 | -550 | -425 | -325 | -200 | -175 | -175 | -175 |
| | 4 | -575 | -450 | -350 | -275 | -250 | -250 | -250 |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 |
| | 6 | -850 | -750 | -600 | -550 | -525 | -525 | -525 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |
| 43 | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -1000 |
| 27-29 | -650 |
| 30-32 | -525 |
| 33-34 | -425 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -750 |
| 22.0 - 22.9 | -700 |
| 23.0 - 23.9 | -650 |
| 24.0 - 24.9 | -625 |
| 25.0 - 25.9 | -600 |
| 26.0 - 26.9 | -25 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -375 |
| Other - Level 2 | -785 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

SOUTH DELTA DIFFERENCES 22-Aug-19

| Color | Leaf | Staple 32 | 33 | 34 | 35 | 36 | 37 | 38 |
|---|---|---|---|---|---|---|---|---|
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 300 | 375 | 425 | 425 |
| | 3 | -225 | -75 | 150 | 250 | 350 | 375 | 375 |
| | 4 | -275 | -200 | 75 | 125 | 250 | 275 | 275 |
| | 5 | -450 | -325 | -175 | -100 | -75 | -50 | -50 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 |
| 31 | 1 & 2 | -225 | -100 | 125 | 250 | 350 | 375 | 375 |
| | 3 | -225 | -100 | 125 | 225 | 325 | 350 | 350 |
| | 4 | -275 | -250 | 75 | 125 | 175 | 200 | 200 |
| | 5 | -550 | -425 | -225 | -150 | -125 | -100 | -100 |
| | 6 | -600 | -575 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -700 | -675 | -550 | -500 | -500 | -500 | -500 |
| 41 | 1 & 2 | -350 | -250 | 100 | 150 | 250 | 250 | 275 |
| | 3 | -350 | -250 | 75 | 100 | 225 | 225 | 250 |
| | 4 | -375 | -275 | 55.87 | 50 | 175 | 200 | 200 |
| | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 |
| | 6 | -675 | -600 | -500 | -425 | -400 | -425 | -425 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -575 | -575 |
| 51 | 1-2 | -675 | -475 | -300 | -200 | -200 | -200 | -200 |
| | 3 | -725 | -475 | -325 | -225 | -225 | -225 | -225 |
| | 4 | -750 | -500 | -350 | -300 | -300 | -300 | -300 |
| | 5 | -825 | -725 | -625 | -575 | -550 | -550 | -550 |
| | 6 | -925 | -825 | -775 | -700 | -700 | -700 | -700 |
| | 7 | -1100 | -1075 | -925 | -800 | -800 | -800 | -800 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 7 | -1125 | -1100 | -975 | -850 | -850 | -850 | -850 |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1275 | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 |
| 42 | 1-3 | -550 | -425 | -325 | -200 | -175 | -175 | -175 |
| | 4 | -575 | -450 | -350 | -275 | -225 | -225 | -225 |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -875 | -725 | -650 | -600 | -600 | -600 | -600 |
| | 6 | -925 | -875 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1025 | -975 | -900 | -875 | -875 | -875 | -875 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 |
| 43 | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 |

| Mike | |
|---|---|
| Range | Diff. |
| 25-26 | -1100 |
| 27-29 | -750 |
| 30-32 | -525 |
| 33-34 | -425 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -375 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 21.0 - 21.9 | -725 |
| 22.0 - 22.9 | -675 |
| 23.0 - 23.9 | -650 |
| 24.0 - 24.9 | -625 |
| 25.0 - 25.9 | -600 |
| 26.0 - 26.9 | -25 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & Above | 50 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -375 |
| Other - Level 2 | -785 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -70 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

EAST TEXAS-OKLAHOMA DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -350 | -300 | -125 | 200 | 350 | 525 | 550 | 575 |
| | 3 | -400 | -350 | -150 | 150 | 300 | 475 | 475 | 500 |
| | 4 | -475 | -350 | -175 | 100 | 100 | 350 | 375 | 375 |
| | 5 | -525 | -400 | -350 | -25 | 100 | 300 | 300 | 300 |
| | 6 | -675 | -525 | -525 | -275 | -275 | -75 | -75 | -75 |
| | 7 | -750 | -625 | -625 | -350 | -350 | -150 | -150 | -150 |
| 31 | 1 & 2 | -400 | -325 | -150 | 100 | 275 | 425 | 525 | 550 |
| | 3 | -425 | -350 | -175 | 100 | 225 | 400 | 475 | 500 |
| | 4 | -525 | -425 | -225 | 75 | 100 | 275 | 275 | 275 |
| | 5 | -575 | -425 | -375 | -25 | 75 | 225 | 225 | 225 |
| | 6 | -700 | -550 | -550 | -275 | -275 | -125 | -125 | -125 |
| | 7 | -775 | -650 | -650 | -350 | -350 | -225 | -225 | -225 |
| 41 | 1 & 2 | -500 | -325 | -150 | 100 | 200 | 325 | 350 | 350 |
| | 3 | -525 | -350 | -175 | 100 | 150 | 200 | 225 | 225 |
| | 4 | -575 | -425 | -325 | 53.37 | 100 | 125 | 150 | 150 |
| | 5 | -700 | -525 | -475 | -125 | -75 | 100 | 125 | 125 |
| | 6 | -850 | -650 | -625 | -350 | -350 | -150 | -150 | -150 |
| | 7 | -950 | -750 | -725 | -450 | -425 | -325 | -325 | -325 |
| 51 | 1 & 2 | -700 | -550 | -450 | -75 | -75 | 50 | 75 | 75 |
| | 3 | -700 | -575 | -450 | -75 | -75 | 50 | 75 | 75 |
| | 4 | -750 | -600 | -475 | -150 | -125 | 0 | 25 | 25 |
| | 5 | -800 | -675 | -625 | -250 | -200 | -125 | -100 | -100 |
| | 6 | -975 | -775 | -775 | -400 | -400 | -275 | -275 | -275 |
| | 7 | -1075 | -800 | -800 | -475 | -475 | -350 | -350 | -350 |
| 61 | 1-5 | -875 | -725 | -675 | -300 | -300 | -175 | -175 | -175 |
| | 6 | -1050 | -850 | -825 | -475 | -450 | -325 | -325 | -325 |
| | 7 | -1150 | -950 | -925 | -575 | -550 | -425 | -425 | -425 |
| 71 | 1-6 | -1075 | -975 | -925 | -550 | -550 | -425 | -425 | -425 |
| | 7 | -1175 | -1025 | -1000 | -625 | -625 | -500 | -500 | -500 |
| 12 & 22 | 1 & 2 | -725 | -500 | -300 | 50 | 200 | 325 | 375 | 375 |
| | 3 | -750 | -550 | -350 | 25 | 150 | 225 | 250 | 250 |
| | 4 | -800 | -575 | -375 | 0 | 75 | 175 | 200 | 200 |
| | 5 | -875 | -750 | -675 | -275 | -175 | 25 | 75 | 75 |
| | 6 | -1050 | -850 | -825 | -425 | -375 | -275 | -225 | -225 |
| | 7 | -1175 | -975 | -925 | -525 | -475 | -375 | -325 | -325 |
| 32 | 1 & 2 | -800 | -700 | -500 | -100 | 0 | 100 | 150 | 150 |
| | 3 | -825 | -700 | -525 | -125 | -100 | 25 | 75 | 75 |
| | 4 | -875 | -725 | -600 | -200 | -175 | -100 | -50 | -50 |
| | 5 | -975 | -850 | -800 | -375 | -300 | -100 | -50 | -50 |
| | 6 | -1150 | -950 | -925 | -550 | -500 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -1050 | -650 | -600 | -525 | -475 | -475 |
| 42 | 1-3 | -875 | -775 | -675 | -200 | -150 | -75 | -25 | -25 |
| | 4 | -925 | -800 | -700 | -225 | -200 | -150 | -100 | -100 |
| | 5 | -1075 | -925 | -850 | -450 | -400 | -325 | -275 | -275 |
| | 6 | -1300 | -1025 | -975 | -600 | -550 | -475 | -425 | -425 |
| | 7 | -1425 | -1150 | -1100 | -725 | -650 | -575 | -525 | -525 |
| 52 | 1-4 | -1125 | -925 | -825 | -500 | -500 | -425 | -375 | -375 |
| | 5 | -1200 | -1025 | -900 | -550 | -550 | -475 | -425 | -425 |
| | 6 | -1425 | -1225 | -1125 | -700 | -675 | -600 | -550 | -550 |
| | 7 | -1525 | -1350 | -1250 | -825 | -800 | -675 | -625 | -625 |
| 62 | 1-5 | -1250 | -1100 | -1050 | -625 | -600 | -525 | -475 | -475 |
| | 6 | -1475 | -1300 | -1250 | -825 | -800 | -700 | -650 | -650 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1200 | -1050 | -950 | -500 | -425 | -325 | -225 | -225 |
| | 3 | -1225 | -1075 | -975 | -525 | -450 | -350 | -250 | -250 |
| | 4 | -1275 | -1150 | -1025 | -575 | -500 | -400 | -300 | -300 |
| | 5 | -1400 | -1250 | -1150 | -700 | -625 | -525 | -425 | -425 |
| | 6 | -1525 | -1325 | -1200 | -800 | -725 | -625 | -525 | -525 |
| | 7 | -1625 | -1425 | -1325 | -925 | -850 | -750 | -650 | -650 |
| 33 | 1 & 2 | -1275 | -1100 | -1000 | -530 | -475 | -375 | -275 | -275 |
| | 3 | -1275 | -1100 | -1000 | -555 | -500 | -400 | -275 | -275 |
| | 4 | -1350 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1275 | -1175 | -730 | -675 | -575 | -450 | -450 |
| | 6 | -1575 | -1350 | -1250 | -855 | -800 | -700 | -575 | -575 |
| | 7 | -1675 | -1475 | -1350 | -980 | -925 | -825 | -700 | -700 |
| 43 | 1-3 | -1325 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 4 | -1400 | -1250 | -1100 | -630 | -575 | -475 | -350 | -350 |
| | 5 | -1525 | -1350 | -1200 | -760 | -700 | -600 | -475 | -475 |
| | 6 | -1625 | -1425 | -1300 | -880 | -850 | -750 | -625 | -625 |
| | 7 | -1725 | -1525 | -1400 | -980 | -950 | -850 | -725 | -725 |
| 53 | 1-4 | -1450 | -1350 | -1225 | -780 | -775 | -700 | -575 | -575 |
| | 5 | -1550 | -1425 | -1325 | -855 | -850 | -775 | -650 | -650 |
| | 6 | -1650 | -1525 | -1425 | -1005 | -975 | -900 | -775 | -775 |
| | 7 | -1750 | -1625 | -1550 | -1105 | -1050 | -975 | -850 | -850 |
| 63 | 1-5 | -1650 | -1500 | -1375 | -955 | -875 | -800 | -675 | -675 |
| | 6 | -1750 | -1625 | -1475 | -1075 | -1000 | -925 | -800 | -800 |
| 34 | 1 & 2 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 3 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 4 | -1525 | -1400 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 5 | -1625 | -1500 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 44 | 1-3 | -1500 | -1375 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 4 | -1575 | -1475 | -1350 | -900 | -875 | -800 | -725 | -725 |
| | 5 | -1650 | -1550 | -1450 | -1000 | -975 | -900 | -825 | -825 |
| | 6 | -1825 | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54 | 1-4 | -1600 | -1500 | -1425 | -925 | -925 | -850 | -800 | -800 |
| | 5 | -1700 | -1600 | -1500 | -1025 | -1000 | -925 | -875 | -875 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1850 |
| 25-26 | -1850 |
| 27-29 | -1175 |
| 30-32 | -875 |
| 33-34 | -650 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -250 |
| 53 & Above | -375 |

Strength

(Grams per Tex)

| Range | Diff. |
|---|---|
| 19.0 - 19.9 | -325 |
| 20.0 - 20.9 | -325 |
| 21.0 - 21.9 | -300 |
| 22.0 - 22.9 | -275 |
| 23.0 - 23.9 | -250 |
| 24.0 - 24.9 | -250 |
| 25.0 - 25.9 | -175 |
| 26.0 - 26.9 | -125 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & above | 50 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -60 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

WEST TEXAS DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -275 | -190 | 10 | 160 | 375 | 475 | 500 | 525 |
| | 3 | -350 | -240 | -40 | 135 | 300 | 450 | 475 | 500 |
| | 4 | -375 | -275 | -150 | 125 | 275 | 375 | 400 | 400 |
| | 5 | -500 | -300 | -250 | 25 | 175 | 300 | 300 | 300 |
| | 6 | -675 | -500 | -425 | -175 | -150 | -100 | -100 | -100 |
| | 7 | -750 | -550 | -500 | -250 | -225 | -175 | -175 | -175 |
| 31 | 1 & 2 | -425 | -290 | -90 | 85 | 275 | 425 | 475 | 500 |
| | 3 | -475 | -315 | -115 | 85 | 275 | 425 | 450 | 475 |
| | 4 | -525 | -375 | -250 | 75 | 150 | 275 | 300 | 300 |
| | 5 | -600 | -425 | -350 | -75 | 25 | 150 | 150 | 150 |
| | 6 | -775 | -600 | -475 | -250 | -250 | -225 | -225 | -225 |
| | 7 | -875 | -650 | -550 | -300 | -300 | -275 | -275 | -275 |
| 41 | 1 & 2 | -575 | -400 | -200 | 45 | 200 | 250 | 275 | 275 |
| | 3 | -600 | -425 | -225 | 45 | 125 | 225 | 250 | 250 |
| | 4 | -650 | -450 | -375 | 53.37 | 75 | 100 | 125 | 125 |
| | 5 | -725 | -525 | -450 | -150 | -50 | 25 | 25 | 25 |
| | 6 | -875 | -700 | -625 | -400 | -375 | -250 | -250 | -250 |
| | 7 | -1000 | -800 | -725 | -450 | -425 | -350 | -350 | -350 |
| 51 | 1 & 2 | -750 | -550 | -475 | -125 | -25 | 25 | 25 | 25 |
| | 3 | -750 | -550 | -475 | -125 | -25 | 25 | 25 | 25 |
| | 4 | -775 | -550 | -550 | -200 | -100 | -50 | -50 | -50 |
| | 5 | -825 | -650 | -650 | -350 | -275 | -200 | -200 | -200 |
| | 6 | -975 | -750 | -750 | -475 | -425 | -300 | -300 | -300 |
| | 7 | -1075 | -850 | -850 | -575 | -525 | -425 | -425 | -425 |
| 61 | 1-5 | -900 | -725 | -725 | -400 | -300 | -200 | -200 | -200 |
| | 6 | -1025 | -800 | -800 | -600 | -500 | -375 | -375 | -375 |
| | 7 | -1125 | -950 | -925 | -675 | -575 | -475 | -475 | -475 |
| 71 | 1-6 | -1100 | -925 | -875 | -675 | -575 | -500 | -500 | -500 |
| | 7 | -1175 | -950 | -925 | -700 | -650 | -575 | -575 | -575 |
| 12 & 22 | 1 & 2 | -650 | -425 | -250 | 100 | 225 | 325 | 400 | 400 |
| | 3 | -700 | -475 | -275 | 100 | 175 | 275 | 350 | 350 |
| | 4 | -725 | -525 | -450 | -125 | 75 | 200 | 275 | 275 |
| | 5 | -850 | -650 | -625 | -325 | -125 | -75 | -25 | -25 |
| | 6 | -1000 | -775 | -750 | -425 | -350 | -250 | -200 | -200 |
| | 7 | -1075 | -875 | -825 | -500 | -425 | -325 | -275 | -275 |
| 32 | 1 & 2 | -725 | -500 | -325 | -50 | 0 | 25 | 100 | 100 |
| | 3 | -775 | -550 | -350 | -100 | -25 | 25 | 100 | 100 |
| | 4 | -850 | -625 | -525 | -175 | -50 | 0 | 50 | 50 |
| | 5 | -975 | -825 | -750 | -400 | -250 | -225 | -175 | -175 |
| | 6 | -1125 | -900 | -850 | -525 | -450 | -425 | -375 | -375 |
| | 7 | -1225 | -1000 | -900 | -625 | -525 | -500 | -450 | -450 |
| 42 | 1-3 | -900 | -675 | -600 | -250 | -175 | -50 | 0 | 0 |
| | 4 | -950 | -750 | -625 | -275 | -200 | -75 | -25 | -25 |
| | 5 | -1050 | -900 | -800 | -450 | -300 | -275 | -225 | -225 |
| | 6 | -1250 | -950 | -900 | -575 | -500 | -450 | -400 | -400 |
| | 7 | -1325 | -1100 | -1000 | -700 | -575 | -525 | -475 | -475 |
| 52 | 1-4 | -1175 | -925 | -875 | -600 | -475 | -425 | -375 | -375 |
| | 5 | -1250 | -1025 | -950 | -650 | -525 | -475 | -425 | -425 |
| | 6 | -1450 | -1200 | -1125 | -775 | -675 | -625 | -575 | -575 |
| | 7 | -1525 | -1300 | -1225 | -875 | -775 | -725 | -675 | -675 |
| 62 | 1-5 | -1300 | -1100 | -1050 | -750 | -650 | -600 | -550 | -550 |
| | 6 | -1475 | -1250 | -1200 | -900 | -825 | -775 | -725 | -725 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1075 | -850 | -775 | -425 | -350 | -325 | -275 | -275 |
| | 3 | -1125 | -875 | -800 | -450 | -375 | -350 | -300 | -300 |
| | 4 | -1150 | -950 | -875 | -500 | -425 | -400 | -350 | -350 |
| | 5 | -1250 | -1025 | -975 | -625 | -550 | -500 | -450 | -450 |
| | 6 | -1350 | -1100 | -1050 | -700 | -625 | -575 | -525 | -525 |
| | 7 | -1425 | -1200 | -1125 | -750 | -725 | -675 | -625 | -625 |
| 33 | 1 & 2 | -1200 | -925 | -850 | -475 | -425 | -400 | -350 | -350 |
| | 3 | -1200 | -925 | -850 | -475 | -425 | -400 | -350 | -350 |
| | 4 | -1275 | -1000 | -925 | -525 | -475 | -450 | -400 | -400 |
| | 5 | -1400 | -1100 | -1025 | -675 | -600 | -550 | -500 | -500 |
| | 6 | -1450 | -1175 | -1150 | -725 | -700 | -650 | -600 | -600 |
| | 7 | -1525 | -1275 | -1200 | -850 | -800 | -750 | -700 | -700 |
| 43 | 1-3 | -1250 | -1025 | -950 | -550 | -500 | -450 | -400 | -400 |
| | 4 | -1325 | -1100 | -1000 | -575 | -500 | -450 | -400 | -400 |
| | 5 | -1425 | -1175 | -1075 | -700 | -625 | -575 | -525 | -525 |
| | 6 | -1500 | -1250 | -1175 | -800 | -775 | -725 | -675 | -675 |
| | 7 | -1575 | -1350 | -1250 | -875 | -850 | -800 | -750 | -750 |
| 53 | 1-4 | -1425 | -1275 | -1175 | -750 | -700 | -650 | -600 | -600 |
| | 5 | -1500 | -1300 | -1225 | -850 | -800 | -750 | -700 | -700 |
| | 6 | -1625 | -1400 | -1325 | -950 | -925 | -875 | -825 | -825 |
| | 7 | -1700 | -1475 | -1425 | -1075 | -1050 | -1000 | -950 | -950 |
| 63 | 1-5 | -1650 | -1425 | -1325 | -900 | -825 | -775 | -725 | -725 |
| | 6 | -1700 | -1500 | -1375 | -1050 | -1000 | -950 | -900 | -900 |
| 34 | 1 & 2 | -1325 | -1100 | -1025 | -650 | -625 | -575 | -525 | -525 |
| | 3 | -1325 | -1100 | -1025 | -650 | -625 | -575 | -525 | -525 |
| | 4 | -1450 | -1225 | -1125 | -750 | -725 | -675 | -625 | -625 |
| | 5 | -1525 | -1300 | -1225 | -875 | -850 | -800 | -750 | -750 |
| | 6 | -1675 | -1450 | -1375 | -1075 | -1050 | -1000 | -950 | -950 |
| 44 | 1-3 | -1450 | -1225 | -1150 | -775 | -750 | -700 | -650 | -650 |
| | 4 | -1525 | -1325 | -1200 | -825 | -800 | -750 | -700 | -700 |
| | 5 | -1600 | -1375 | -1275 | -925 | -900 | -850 | -800 | -800 |
| | 6 | -1750 | -1525 | -1450 | -1150 | -1125 | -1075 | -1025 | -1025 |
| 54 | 1-4 | -1550 | -1350 | -1275 | -900 | -875 | -825 | -775 | -775 |
| | 5 | -1625 | -1400 | -1300 | -1025 | -1000 | -950 | -900 | -900 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1800 |
| 25-26 | -1800 |
| 27-29 | -1150 |
| 30-32 | -875 |
| 33-34 | -650 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -250 |
| 53 & Above | -375 |

Strength (Grams per Tex)

| Range | Diff. |
|---|---|
| 19.0 - 19.9 | -325 |
| 20.0 - 20.9 | -325 |
| 21.0 - 21.9 | -300 |
| 22.0 - 22.9 | -275 |
| 23.0 - 23.9 | -250 |
| 24.0 - 24.9 | -250 |
| 25.0 - 25.9 | -175 |
| 26.0 - 26.9 | -125 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 25 |
| 31.0 - 32.9 | 50 |
| 33.0 & above | 50 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -125 |
| 78.0 - 78.9 | -95 |
| 79.0 - 79.9 | -80 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

DESERT SOUTHWEST DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | | |
|---|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -125 | 100 | 550 | 870 | 935 | 1020 |
| | 3 | -125 | 75 | 475 | 820 | 835 | 920 |
| | 4 | -325 | 25 | 250 | 360 | 395 | 420 |
| | 5 | -400 | -200 | -25 | 75 | 160 | 160 |
| | 6 | -475 | -375 | -150 | -110 | -55 | -55 |
| | 7 | -675 | -400 | -225 | -165 | -125 | -125 |
| 31 | 1 & 2 | -200 | 50 | 500 | 820 | 855 | 930 |
| | 3 | -200 | 25 | 400 | 770 | 780 | 855 |
| | 4 | -375 | 0 | 150 | 310 | 345 | 395 |
| | 5 | -425 | -225 | -100 | -25 | 45 | 45 |
| | 6 | -500 | -400 | -185 | -145 | -65 | -65 |
| | 7 | -700 | -425 | -275 | -220 | -140 | -140 |
| 41 | 1 & 2 | -600 | 0 | 50 | 135 | 145 | 245 |
| | 3 | -600 | 0 | 10 | 85 | 120 | 220 |
| | 4 | -650 | 51.62 | 0 | 35 | 95 | 145 |
| | 5 | -675 | -525 | -425 | -390 | -330 | -330 |
| | 6 | -825 | -700 | -525 | -490 | -440 | -440 |
| | 7 | -975 | -850 | -700 | -670 | -635 | -635 |
| 51 | 1 & 2 | -725 | -550 | -350 | -315 | -305 | -305 |
| | 3 | -725 | -550 | -350 | -315 | -305 | -305 |
| | 4 | -750 | -625 | -475 | -425 | -365 | -365 |
| | 5 | -850 | -800 | -675 | -650 | -600 | -600 |
| | 6 | -1000 | -900 | -750 | -750 | -700 | -700 |
| | 7 | -1200 | -1100 | -950 | -950 | -925 | -925 |
| 12 & 22 | 1 & 2 | -500 | 25 | 250 | 310 | 370 | 370 |
| | 3 | -500 | 25 | 225 | 285 | 345 | 345 |
| | 4 | -600 | -25 | 200 | 260 | 345 | 345 |
| | 5 | -625 | -450 | -150 | -150 | -75 | -75 |
| | 6 | -775 | -650 | -350 | -350 | -275 | -275 |
| | 7 | -950 | -825 | -600 | -600 | -525 | -525 |
| 32 | 1 & 2 | -600 | -225 | 50 | 135 | 145 | 145 |
| | 3 | -600 | -225 | 50 | 135 | 145 | 145 |
| | 4 | -650 | -450 | -100 | -15 | -5 | -5 |
| | 5 | -700 | -700 | -450 | -450 | -450 | -450 |
| | 6 | -900 | -825 | -575 | -575 | -575 | -575 |
| | 7 | -1050 | -1000 | -825 | -825 | -825 | -825 |
| 42 | 1-3 | -700 | -525 | -250 | -200 | -200 | -200 |
| | 4 | -725 | -600 | -350 | -300 | -300 | -300 |
| | 5 | -800 | -775 | -550 | -550 | -550 | -550 |
| | 6 | -975 | -900 | -675 | -675 | -675 | -675 |
| | 7 | -1175 | -1075 | -925 | -925 | -925 | -925 |
| 52 | 1-4 | -925 | -800 | -600 | -550 | -550 | -550 |
| | 5 | -975 | -875 | -675 | -675 | -675 | -675 |
| | 6 | -1075 | -975 | -775 | -775 | -775 | -775 |
| | 7 | -1325 | -1225 | -1075 | -1050 | -1050 | -1050 |
| 43 | 1-3 | -800 | -725 | -650 | -575 | -575 | -575 |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 |
| 53 | 1-4 | -1050 | -950 | -875 | -875 | -875 | -875 |
| | 5 | -1100 | -1000 | -925 | -925 | -925 | -925 |
| | 6 | -1200 | -1100 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1450 | -1350 | -1350 | -1350 | -1350 | -1350 |

| Mike | |
|---|---|
| Range | Diff. |
| 24 & Below | -1350 |
| 25-26 | -1150 |
| 27-29 | -1050 |
| 30-32 | -650 |
| 33-34 | -450 |
| 35-36 | 0 |
| 37-42 | 25 |
| 43-49 | 0 |
| 50-52 | -300 |
| 53 & Above | -550 |

| **Strength** | |
|---|---|
| (Grams per Tex) | |
| Range | Diff. |
| 21.0 - 21.9 | -600 |
| 22.0 - 22.9 | -450 |
| 23.0 - 23.9 | -300 |
| 24.0 - 24.9 | -225 |
| 25.0 - 25.9 | -200 |
| 26.0 - 26.9 | -125 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 50 |
| 31.0 - 32.9 | 75 |
| 33.0 & above | 100 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -50 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -350 |
| Other - Level 2 | -800 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| **Uniformity** | |
|---|---|
| Unit | Points |
| 77.9 & Below | -100 |
| 78.0 - 78.9 | -90 |
| 79.0 - 79.9 | -80 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 30 |
| 84.0 - 84.9 | 40 |
| 85.0 - 85.9 | 50 |
| 86.0 & Above | 60 |

SAN JOAQUIN VALLEY DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 |
| | 4 | 75 | 350 | 400 | 500 | 500 |
| | 5 | -125 | 75 | 130 | 190 | 190 |
| | 6 | -400 | -200 | -150 | -100 | -100 |
| | 7 | -625 | -525 | -475 | -425 | -425 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 |
| | 4 | 50 | 300 | 330 | 410 | 410 |
| | 5 | -200 | 0 | 55 | 115 | 115 |
| | 6 | -500 | -325 | -275 | -225 | -225 |
| | 7 | -675 | -575 | -525 | -475 | -475 |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 |
| | 3 | 50 | 250 | 330 | 340 | 340 |
| | 4 | 52.12 | 200 | 280 | 290 | 290 |
| | 5 | -425 | -200 | -195 | -185 | -185 |
| | 6 | -625 | -450 | -450 | -450 | -450 |
| | 7 | -825 | -725 | -725 | -725 | -725 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 |
| | 3 | -700 | -250 | -200 | -200 | -200 |
| | 4 | -750 | -300 | -275 | -275 | -275 |
| | 5 | -775 | -375 | -325 | -325 | -325 |
| | 6 | -900 | -800 | -800 | -800 | -800 |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 |
| | 3 | 50 | 500 | 780 | 890 | 1040 |
| | 4 | -75 | 325 | 375 | 440 | 440 |
| | 5 | -250 | -50 | 0 | 50 | 50 |
| | 6 | -525 | -400 | -350 | -300 | -300 |
| | 7 | -775 | -700 | -650 | -600 | -600 |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 |
| | 3 | -50 | 200 | 275 | 325 | 425 |
| | 4 | -200 | 25 | 50 | 100 | 100 |
| | 5 | -525 | -275 | -275 | -275 | -275 |
| | 6 | -675 | -475 | -475 | -475 | -475 |
| | 7 | -850 | -750 | -750 | -750 | -750 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 |
| | 4 | -500 | -175 | -150 | -150 | -150 |
| | 5 | -675 | -350 | -300 | -300 | -300 |
| | 6 | -800 | -775 | -775 | -775 | -775 |
| | 7 | -1000 | -950 | -950 | -950 | -950 |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 |
| | 5 | -875 | -825 | -825 | -825 | -825 |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 |
| | 3 | -500 | -500 | -500 | -500 | -500 |
| | 4 | -600 | -600 | -600 | -600 | -600 |
| | 5 | -800 | -800 | -800 | -800 | -800 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 |
| | 4 | -925 | -925 | -925 | -925 | -925 |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 |

| Mike | |
|---|---|
| Range | Diff. |
| 27-29 | -1600 |
| 30-32 | -1000 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -500 |

| Strength (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 24.0 - 24.9 | -500 |
| 25.0 - 25.9 | -400 |
| 26.0 - 26.9 | -300 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 75 |
| 31.0 - 32.9 | 125 |
| 33.0 & Above | 250 |

| Extraneous Matter | |
|---|---|
| Type - Level | Diff. |
| Prep - Level 1 | -50 |
| Prep - Level 2 | -800 |
| Other - Level 1 | -350 |
| Other - Level 2 | -925 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Uniformity | |
|---|---|
| Unit | Points |
| 77.9 & Below | -60 |
| 78.0 - 78.9 | -50 |
| 79.0 - 79.9 | -40 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 50 |
| 83.0 - 83.9 | 80 |
| 84.0 - 84.9 | 90 |
| 85.0 - 85.9 | 100 |
| 86.0 & Above | 110 |

22-Aug-19

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

# AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple 44 | 46 | 48 | 50 |
|---|---|---|---|---|---|
| 1 | 1 | 111.75 | 120.50 | 121.50 | 121.50 |
| | 2 | 111.50 | 120.25 | 121.25 | 121.25 |
| | 3 | 103.75 | 111.50 | 111.50 | 111.50 |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| 2 | 1 | 111.50 | 120.25 | 121.25 | 121.25 |
| | 2 | 111.25 | 120.00 | 121.00 | 121.00 |
| | 3 | 103.50 | 111.25 | 111.25 | 111.25 |
| | 4 | 93.50 | 101.75 | 101.75 | 101.75 |
| | 5 | | | | |
| | 6 | | | | |
| 3 | 1 | 101.25 | 109.00 | 109.00 | 109.00 |
| | 2 | 98.75 | 106.50 | 106.50 | 106.50 |
| | 3 | 97.50 | 105.25 | 105.25 | 105.25 |
| | 4 | 88.50 | 96.25 | 96.25 | 96.25 |
| | 5 | 72.50 | 79.75 | 79.75 | 79.75 |
| | 6 | | | | |
| 4 | 1 | 82.25 | 90.00 | 90.75 | 90.75 |
| | 2 | 82.00 | 89.75 | 90.00 | 90.00 |
| | 3 | 81.75 | 89.50 | 89.25 | 89.25 |
| | 4 | 76.75 | 84.50 | 84.25 | 84.25 |
| | 5 | 65.50 | 73.25 | 73.00 | 73.00 |
| | 6 | | | | |
| 5 | 1 | | | | |
| | 2 | 61.25 | 71.25 | 71.00 | 71.00 |
| | 3 | 61.25 | 70.75 | 71.00 | 71.00 |
| | 4 | 61.25 | 65.25 | 65.00 | 65.00 |
| | 5 | 61.00 | 65.00 | 64.75 | 64.75 |
| | 6 | | | | |
| 6 | 1 | | | | |
| | 2 | 53.50 | 56.50 | 56.25 | 56.25 |
| | 3 | 53.50 | 56.50 | 56.25 | 56.25 |
| | 4 | 53.50 | 56.50 | 56.25 | 56.25 |
| | 5 | 53.25 | 56.25 | 56.00 | 56.00 |
| | 6 | 52.75 | 55.75 | 55.50 | 55.50 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on August 1, 2019.

**Mike**

| Range | Diff. |
|---|---|
| 26 & Below | -1900 |
| 27-29 | -1400 |
| 30-32 | -900 |
| 33-34 | -400 |
| 35 & Above | 0 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 34.9 & Below | -1350 |
| 35.0 – 35.9 | -1100 |
| 36.0 – 36.9 | -850 |
| 37.0 – 37.9 | 0 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

**Extraneous Matter**

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES 22-Aug-19

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -313 | -233 | -73 | 196 | 452 | 619 | 679 | 730 |
| | 3 | -375 | -253 | -86 | 168 | 399 | 584 | 621 | 669 |
| | 4 | -425 | -280 | -196 | 79 | 200 | 323 | 360 | 364 |
| | 5 | -513 | -415 | -329 | -114 | 21 | 104 | 132 | 132 |
| | 6 | -675 | -525 | -471 | -346 | -257 | -205 | -190 | -190 |
| | 7 | -750 | -620 | -588 | -454 | -382 | -327 | -314 | -314 |
| 31 | 1 & 2 | -413 | -258 | -115 | 132 | 388 | 566 | 621 | 664 |
| | 3 | -450 | -268 | -123 | 121 | 352 | 537 | 581 | 624 |
| | 4 | -525 | -315 | -246 | 61 | 161 | 256 | 286 | 294 |
| | 5 | -588 | -465 | -371 | -157 | -39 | 29 | 55 | 55 |
| | 6 | -738 | -570 | -504 | -375 | -301 | -260 | -241 | -241 |
| | 7 | -825 | -665 | -621 | -471 | -414 | -374 | -356 | -356 |
| 41 | 1 & 2 | -538 | -340 | -258 | 71 | 179 | 263 | 273 | 298 |
| | 3 | -563 | -350 | -267 | 56 | 123 | 209 | 223 | 248 |
| | 4 | -613 | -380 | -350 | 54.19 | 82 | 152 | 176 | 187 |
| | 5 | -713 | -570 | -508 | -311 | -196 | -134 | -120 | -120 |
| | 6 | -863 | -675 | -638 | -514 | -429 | -366 | -363 | -363 |
| | 7 | -975 | -785 | -775 | -646 | -568 | -535 | -537 | -537 |
| 51 | 1 & 2 | -725 | -585 | -483 | -321 | -186 | -145 | -140 | -140 |
| | 3 | -725 | -625 | -488 | -343 | -204 | -159 | -154 | -154 |
| | 4 | -763 | -645 | -517 | -393 | -275 | -236 | -224 | -224 |
| | 5 | -813 | -750 | -704 | -571 | -454 | -411 | -400 | -400 |
| | 6 | -975 | -850 | -825 | -693 | -629 | -589 | -582 | -582 |
| | 7 | -1075 | -935 | -950 | -818 | -754 | -721 | -718 | -718 |
| 61 | 1-5 | -888 | -785 | -720 | -525 | -470 | -425 | -425 | -425 |
| | 6 | -1038 | -895 | -860 | -690 | -650 | -600 | -600 | -600 |
| | 7 | -1138 | -1025 | -980 | -800 | -740 | -695 | -695 | -695 |
| 71 | 1-6 | -1088 | -1085 | -1030 | -865 | -825 | -785 | -785 | -785 |
| | 7 | -1175 | -1125 | -1080 | -900 | -880 | -840 | -840 | -840 |
| 12 & 22 | 1 & 2 | -688 | -350 | -233 | 64 | 229 | 363 | 416 | 444 |
| | 3 | -725 | -370 | -246 | 43 | 182 | 313 | 366 | 391 |
| | 4 | -763 | -395 | -342 | -32 | 111 | 216 | 259 | 262 |
| | 5 | -863 | -625 | -550 | -314 | -143 | -89 | -50 | -50 |
| | 6 | -1025 | -745 | -696 | -514 | -396 | -350 | -318 | -318 |
| | 7 | -1125 | -830 | -808 | -646 | -557 | -511 | -479 | -479 |
| 32 | 1 & 2 | -763 | -465 | -350 | -86 | 43 | 105 | 131 | 146 |
| | 3 | -800 | -480 | -363 | -107 | 11 | 76 | 103 | 117 |
| | 4 | -863 | -530 | -421 | -225 | -86 | -38 | -15 | -15 |
| | 5 | -975 | -740 | -625 | -443 | -329 | -286 | -271 | -271 |
| | 6 | -1138 | -830 | -788 | -611 | -511 | -486 | -471 | -471 |
| | 7 | -1263 | -935 | -896 | -736 | -657 | -639 | -625 | -625 |
| 42 | 1-3 | -888 | -635 | -542 | -329 | -182 | -132 | -118 | -118 |
| | 4 | -938 | -675 | -563 | -368 | -250 | -200 | -186 | -186 |
| | 5 | -1063 | -810 | -708 | -518 | -389 | -350 | -336 | -336 |
| | 6 | -1275 | -900 | -854 | -671 | -600 | -571 | -557 | -557 |
| | 7 | -1375 | -995 | -963 | -811 | -736 | -714 | -700 | -700 |
| 52 | 1-4 | -1150 | -835 | -746 | -621 | -550 | -525 | -511 | -511 |
| | 5 | -1225 | -920 | -854 | -704 | -632 | -614 | -600 | -600 |
| | 6 | -1438 | -1050 | -996 | -846 | -789 | -771 | -757 | -757 |
| | 7 | -1525 | -1150 | -1125 | -986 | -936 | -907 | -893 | -893 |
| 62 | 1-5 | -1275 | -1040 | -965 | -780 | -745 | -720 | -700 | -700 |
| | 6 | -1475 | -1205 | -1130 | -925 | -895 | -865 | -845 | -845 |

| Color | Leaf | Staple | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1138 | -950 | -863 | -463 | -388 | -325 | -250 | -250 |
| | 3 | -1175 | -975 | -888 | -488 | -413 | -350 | -275 | -275 |
| | 4 | -1213 | -1050 | -950 | -538 | -463 | -400 | -325 | -325 |
| | 5 | -1325 | -1138 | -1063 | -663 | -588 | -513 | -438 | -438 |
| | 6 | -1438 | -1213 | -1125 | -750 | -675 | -600 | -525 | -525 |
| | 7 | -1525 | -1313 | -1225 | -838 | -788 | -713 | -638 | -638 |
| 33 | 1 & 2 | -1238 | -1013 | -925 | -502 | -467 | -425 | -375 | -375 |
| | 3 | -1238 | -1013 | -925 | -510 | -475 | -433 | -375 | -375 |
| | 4 | -1313 | -1088 | -988 | -577 | -542 | -500 | -442 | -442 |
| | 5 | -1450 | -1188 | -1100 | -735 | -692 | -642 | -583 | -583 |
| | 6 | -1513 | -1263 | -1200 | -885 | -858 | -808 | -750 | -750 |
| | 7 | -1600 | -1375 | -1275 | -1018 | -983 | -933 | -875 | -875 |
| 43 | 1-3 | -1288 | -980 | -833 | -647 | -607 | -571 | -546 | -546 |
| | 4 | -1363 | -1025 | -883 | -694 | -639 | -607 | -582 | -582 |
| | 5 | -1475 | -1075 | -979 | -834 | -779 | -754 | -729 | -729 |
| | 6 | -1563 | -1155 | -1067 | -933 | -911 | -889 | -864 | -864 |
| | 7 | -1650 | -1280 | -1175 | -1058 | -1036 | -1014 | -989 | -989 |
| 53 | 1-4 | -1438 | -1125 | -1025 | -830 | -792 | -771 | -742 | -742 |
| | 5 | -1525 | -1200 | -1121 | -922 | -892 | -871 | -842 | -842 |
| | 6 | -1638 | -1315 | -1208 | -1018 | -988 | -967 | -938 | -938 |
| | 7 | -1725 | -1380 | -1346 | -1147 | -1125 | -1104 | -1075 | -1075 |
| 63 | 1-5 | -1650 | -1300 | -1225 | -1006 | -965 | -940 | -905 | -905 |
| | 6 | -1725 | -1385 | -1300 | -1085 | -1050 | -1025 | -990 | -990 |
| 34 | 1 & 2 | -1363 | -1188 | -1113 | -700 | -675 | -613 | -550 | -550 |
| | 3 | -1363 | -1188 | -1113 | -700 | -675 | -613 | -550 | -550 |
| | 4 | -1488 | -1313 | -1213 | -800 | -775 | -713 | -650 | -650 |
| | 5 | -1575 | -1400 | -1325 | -925 | -900 | -838 | -775 | -775 |
| | 6 | -1738 | -1563 | -1488 | -1113 | -1088 | -1025 | -963 | -963 |
| 44 | 1-3 | -1475 | -1300 | -1225 | -813 | -788 | -725 | -663 | -663 |
| | 4 | -1550 | -1400 | -1275 | -863 | -838 | -775 | -713 | -713 |
| | 5 | -1625 | -1463 | -1363 | -963 | -938 | -875 | -813 | -813 |
| | 6 | -1788 | -1613 | -1538 | -1163 | -1138 | -1075 | -1013 | -1013 |
| 54 | 1-4 | -1575 | -1425 | -1350 | -913 | -900 | -838 | -788 | -788 |
| | 5 | -1663 | -1500 | -1400 | -1025 | -1000 | -938 | -888 | -888 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -1667 |
| 25-26 | -1329 |
| 27-29 | -1007 |
| 30-32 | -711 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 14 |
| Base 43-49 | 0 |
| 50-52 | -279 |
| 53 & Above | -404 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 19.0 - 19.9 | -325 |
| 20.0 - 20.9 | -325 |
| 21.0 - 21.9 | -567 |
| 22.0 - 22.9 | -508 |
| 23.0 - 23.9 | -458 |
| 24.0 - 24.9 | -443 |
| 25.0 - 25.9 | -393 |
| 26.0 - 26.9 | -132 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 36 |
| 31.0 - 32.9 | 64 |
| 33.0 & Above | 86 |

Uniformity

| Unit | Points |
|---|---|
| 77.9 & Below | -97 |
| 78.0 - 78.9 | -83 |
| 79.0 - 79.9 | -71 |
| 80.0 - 80.9 | -4 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

Extraneous Matter

| Type - Level | Diff. |
|---|---|
| Prep - Level 1 | -157 |
| Prep - Level 2 | -714 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -429 |
| Other - Level 2 | -756 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

# Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News 22-Aug-19
**Volume 102, No. 16**

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

**PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/**

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -73 | 157 | 365 | 514 | 557 |
| | 3 | -88 | 132 | 310 | 479 | 502 |
| | 4 | -195 | 80 | 185 | 322 | 349 |
| | 5 | -330 | -110 | 25 | 125 | 147 |
| 21 | 1 & 2 | -73 | 157 | 365 | 514 | 557 |
| | 3 | -88 | 132 | 310 | 479 | 502 |
| | 4 | -195 | 80 | 185 | 322 | 349 |
| | 5 | -330 | -110 | 25 | 125 | 147 |
| 31 | 1 & 2 | -118 | 97 | 305 | 464 | 511 |
| | 3 | -128 | 92 | 270 | 439 | 471 |
| | 4 | -245 | 60 | 140 | 257 | 279 |
| | 5 | -370 | -145 | -35 | 45 | 64 |
| 41 | 1 & 2 | -260 | 59 | 150 | 232 | 244 |
| | 3 | -270 | 54 | 102 | 182 | 199 |
| | 4 | -365 | 0 | 65 | 122 | 149 |
| | 5 | -510 | -285 | -190 | -113 | -96 |
| 51 | 1 & 2 | -485 | -250 | -170 | -123 | -116 |
| | 3 | -490 | -270 | -185 | -133 | -126 |
| | 4 | -520 | -325 | -260 | -210 | -193 |
| | 5 | -700 | -518 | -445 | -400 | -385 |
| 12 | 1 & 2 | -255 | 55 | 185 | 292 | 334 |
| | 3 | -270 | 45 | 145 | 242 | 284 |
| 22 | 1 & 2 | -255 | 55 | 185 | 292 | 334 |
| | 3 | -270 | 45 | 145 | 242 | 284 |
| 32 | 1 & 2 | -370 | -100 | 10 | 72 | 99 |
| | 3 | -385 | -120 | -20 | 47 | 74 |
| Strength | 25.0 - 25.9 | -410 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
https://www.ams.usda.gov/market-news/cotton
https://mymarketnews.ams.usda.gov

USDA Agricultural Marketing Service

**Cotton and Tobacco Program**

**3275 Appling Road, Memphis, TN 38133**

(901) 384-3016

# Daily Spot Cotton Quotations

**Volume 102, No. 16** **22-Aug-19**

**Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.**

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | SPOT TRANSACTIONS | |
|---|---|---|---|---|---|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | |
| | N.Y. Futures | Staple 34 | Staple 35 | Today | Season |
| | *Points* | *Cents per pound* | | *Bales* | *Bales* |
| Southeast | -175 Oct-19 | 57.12 | 59.37 | 0 | 0 |
| North Delta | -300 Oct-19 | 55.87 | 58.12 | 0 | 5,631 |
| South Delta | -300 Oct-19 | 55.87 | 58.12 | 0 | 0 |
| East TX-OK | -550 Oct-19 | 53.37 | 55.62 | 807 | 6,003 |
| West Texas | -550 Oct-19 | 53.37 | 56.12 | 42 | 7,104 |
| Desert SW | -725 Oct-19 | 51.62 | 55.62 | 0 | 14 |
| SJ Valley | -675 Oct-19 | 52.12 | 61.02 | 0 | 0 |
| | | | | Upland Total | |
| Average | -468 Oct-19 | 54.19 | 57.71 | **849** | **18,752** |
| Previous day | -468 Oct-19 | 55.19 | 58.71 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | |
|---|---|---|---|---|
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total |
| American Pima | 120.00 | 97.50 | 105.25 | **0** **0** |

**ICE FUTURES US - CONTRACT NO. 2 1/**
**COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER**

| Month | Today | Previous | Change |
|---|---|---|---|
| | *Cents per pound* | | |
| Oct-19 | 58.87 | 59.87 | **-1.00** |
| Dec-19 | 58.94 | 59.94 | **-1.00** |
| Mar-20 | 59.86 | 60.66 | **-0.80** |
| May-20 | 60.76 | 61.50 | **-0.74** |
| Jul-20 | 61.80 | 62.46 | **-0.66** |
| Oct-20 | 62.47 | 62.95 | **-0.48** |
| Dec-20 | 62.77 | 63.25 | **-0.48** |
| Mar-21 | 63.82 | 64.25 | **-0.43** |
| May-21 | 65.02 | 65.40 | **-0.38** |
| Jul-21 | 66.17 | 66.60 | **-0.43** |

**7-MARKET BASE QUOTATIONS FOR UPLAND COTTON**

| | | |
|---|---|---|
| **Season high** | | |
| 8/1/2019 | 56.66 | |
| **Season low** | | |
| 8/5/2019 | 52.73 | |

**Aug 16 - Aug 22**
**ADJ. WORLD PRICE**
52.22
**CC ADJUSTMENT**
0.00
**FC ADJUSTMENT**

| 2018 | 2019 |
|---|---|
| 0.17 | 0.02 |

**LOAN DEFICIENCY PMT.**
0.00

**Pima Competitiveness Payment**
0.00

**PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/**

| | Color | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
| Staple 33 | | | | | | | | |
| Leaf 1 & 2 | -73 | -73 | -118 | -260 | -485 | -255 | -255 | -370 |
| 3 | -88 | -88 | -128 | -270 | -490 | -270 | -270 | -385 |
| 4 | -195 | -195 | -245 | -365 | -520 | NOT TENDERABLE | | |
| 5 | -330 | -330 | -370 | -510 | -700 | NOT TENDERABLE | | |
| Staple 34 | | | | | | | | |
| Leaf 1 & 2 | 157 | 157 | 97 | 59 | -250 | 55 | 55 | -100 |
| 3 | 132 | 132 | 92 | 54 | -270 | 45 | 45 | -120 |
| 4 | 80 | 80 | 60 | 0 | -325 | NOT TENDERABLE | | |
| 5 | -110 | -110 | -145 | -285 | -517.5 | NOT TENDERABLE | | |
| Staple 35 | | | | | | | | |
| Leaf 1 & 2 | 365 | 365 | 305 | 150 | -170 | 185 | 185 | 10 |
| 3 | 310 | 310 | 270 | 102 | -185 | 145 | 145 | -20 |
| 4 | 185 | 185 | 140 | 65 | -260 | NOT TENDERABLE | | |
| 5 | 25 | 25 | -35 | -190 | -445 | NOT TENDERABLE | | |
| Staple 36 | | | | | | | | |
| Leaf 1 & 2 | 514 | 514 | 464 | 232 | -123 | 292 | 292 | 72 |
| 3 | 479 | 479 | 439 | 182 | -133 | 242 | 242 | 47 |
| 4 | 322 | 322 | 257 | 122 | -210 | NOT TENDERABLE | | |
| 5 | 125 | 125 | 45 | -113 | -400 | NOT TENDERABLE | | |
| Staple 37 | | | | | | | | |
| Leaf 1 & 2 | 557 | 557 | 511 | 244 | -116 | 334 | 334 | 99 |
| 3 | 502 | 502 | 471 | 199 | -126 | 284 | 284 | 74 |
| 4 | 349 | 349 | 279 | 149 | -193 | NOT TENDERABLE | | |
| 5 | 147 | 147 | 64 | -96 | -385 | NOT TENDERABLE | | |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:http://www.ams.usda.gov/mnreports/cnddsq.pdf