

Cotton Varieties Planted 2007 Crop



***U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee***

****August 2007***

****revised narrative and Pima tables***

mp_cn833

Cotton Varieties Planted, United States 2007 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2007-2008 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Stoneville, Phytogen, Americot, All-Tex, and Dyna-Grow.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 92.7 percent of the Upland cotton planted in the United States in 2007. Usage of transgenic varieties in 2007 varied from a high of 100 percent in Arkansas, Mississippi, and Tennessee to a low of 71.1 percent in California. Other states planted from 93-99 percent transgenic except for Texas (86.5 percent).

Deltapine brand varieties were the most popular planted in 2007, accounting for about 42.9 percent of the United States acreage. This brand accounted for 81.7 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 64.9 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 13.2 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 35.4 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 445 BG/RR, and DP 143 B2RF, accounting respectively for 18.1, 6.7, 5.1, and 2.2 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2007, accounting for about 29.3 percent of the United States acreage. These varieties accounted for 2.3 percent of the acreage planted in the southeastern states, about 1 percent in the south central states, 59.4 percent in the southwestern states, and 7.7 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 9063 B2F, FM 960 B2R, FM 9058 F, and FM 958, accounting respectively for about 5.8, 5.1, 3.7, and 3.6 percent of the United States acreage planted to Upland cotton.

Stoneville brand varieties were the third most popular planted in 2007. These varieties accounted for about 15.4 percent of the acreage planted. They accounted for 11.2 percent of the acreage planted in the southeastern states, 29.8 percent of the acreage in the south central states, 9.7 percent in the southwestern states, and 8.9 percent in the western states. The most popular Stoneville varieties were ST 4554 B2RF, ST 5599 BR, and ST 4664 RF accounting respectively for about 8.1, 1.4, and 1 percent of the United States acreage planted to Upland cotton.

Phytogen brand varieties were the fourth most popular planted in 2007, accounting for about 3.3 percent of the United States acreage. They accounted for 3.1 percent of the acreage planted in the southeastern states, 2.3 percent of the acreage in the south central states, and 37.2 percent in the western states. The most popular Phytogen brand varieties were PHY 725RF and PHY 485 WRF, accounting respectively for about 0.8 and 0.7 percent of the United States acreage planted to Upland cotton.

Americot brand varieties were the next most popular and accounted for about 2.2 percent of the U.S. acreage planted in 2007. All-Tex brand varieties were the next most popular and accounted for about 1.7 percent of the U.S. acreage planted in 2007. Dyna-Gro varieties were the seventh most popular and accounted for about 1.4 percent of the 2007 cotton acreage.

Phytogen was the most popular brand of American Pima varieties planted in 2007. Phytogen variety PHY 800 Pima accounted for 62.4 percent of the United States Pima acreage and was the most popular variety planted in California (68 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 22.8 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 7.6 percent of the U.S. Pima acreage. The most popular American Pima variety planted in Texas, New Mexico, and Arizona was Deltapine DP 340, accounting respectively for 34.7, 55.7, and 54.0 percent Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2007 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginner, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of Upland cotton planted to leading specified varieties, by growth area,
2007 crop**

Southeast	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 4554 B2RF	Stoneville ST 5242 BR	Deltapine DP 445 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 515 BG/RR
	58.45	8.14	4.13	2.87	2.55	2.07	2.01
South Central	Stoneville ST 4554 B2RF	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 117 B2RF	Stoneville ST 5599 BR	Deltapine DP 164 B2RF
	18.92	16.16	16.05	15.31	5.00	3.57	3.25
Southwest	Bayer Crop Science - Fibermax FM 9063 B2F	Bayer Crop Science - Fibermax FM 960 B2R	Bayer Crop Science - Fibermax FM 9058 F	Bayer Crop Science - Fibermax FM 958	Stoneville ST 4554 B2RF	Deltapine DP 143 B2RF	Bayer Crop Science - Fibermax FM 989 B2R
	11.85	10.62	7.72	7.52	4.40	3.37	2.73
West	Phytogen PHY 725 RF	Phytogen PHY 72	Deltapine DP 455 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 448 B	Phytogen PHY 78
	21.10	10.39	9.94	8.75	6.32	3.16	2.50
US	Deltapine DP 555 BG/RR	Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Bayer Crop Science - Fibermax FM 9063 B2F	Deltapine DP 445 BG/RR	Bayer Crop Science - Fibermax FM 960 B2R	Bayer Crop Science - Fibermax FM 9058 F
	18.10	8.14	6.65	5.80	5.14	5.11	3.68

**Estimated percentage of Upland cotton planted to leading specified brands by growth area,
2007 crop**

Southeast	Deltapine	Stoneville	Phytogen	Bayer CropScience- Fibermax	Misc	Dyna-Gro	AFD Seed
	81.71	11.16	3.14	2.34	1.19	0.46	0.00
South Central	Deltapine	Stoneville	Phytogen	Cropland Genetics	Bayer CropScience- Fibermax	Dyna-Gro	Americot
	64.88	29.77	2.27	1.40	0.98	0.55	0.13
Southwest	Bayer CropScience- Fibermax	Deltapine	Stoneville	Americot	All-Tex	Paymaster	AFD Seed
	59.35	13.24	9.74	4.56	3.52	2.68	2.28
West	Phytogen	Deltapine	Stoneville	Bayer CropScience- Fibermax	CPCSD	Dyna-Gro	Misc
	37.22	35.42	8.93	7.69	4.54	3.21	2.42
US	Deltapine	Bayer CropScience- Fibermax	Stoneville	Phytogen	Americot	All-Tex	Dyna-Gro
	42.87	29.27	15.37	3.30	2.22	1.67	1.38

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2006

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES	
AFD Seed	AFD 3070 F	-	-	-	-	-	-	-	-	-	-	-	-	0.54	-	-	0.17	-	0.09	
AFD Seed	AFD 3074 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	*	
AFD Seed	AFD 3511 RR	-	-	-	-	-	-	-	-	-	-	-	-	0.44	-	-	0.83	-	0.38	
AFD Seed	AFD 3602 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.66	-	0.30	
AFD Seed	AFD 5062 LL	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
AFD Seed	AFD 5064 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.28	-	0.13	
AFD Seed	AFD 5065 B2F	-	-	-	-	-	-	-	-	-	-	-	-	0.72	-	-	0.29	-	0.15	
AFD Seed	Total	-	-	-	-	-	-	-	-	-	-	-	-	1.73	-	-	2.33	-	1.08	
All-Tex	Apex B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.43	-	0.19	
All-Tex	Arid B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.28	-	-	0.94	-	0.43	
All-Tex	Atlas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.30	-	0.14	
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	0.25	-	-	0.22	-	0.10	
All-Tex	Excess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
All-Tex	Magnum RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*	
All-Tex	Marathon B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
All-Tex	Patriot RR	-	-	-	-	-	-	1.27	-	-	-	-	-	*	-	-	0.89	-	0.41	
All-Tex	Summit B2RF	-	-	-	-	-	-	0.84	-	-	-	-	-	-	-	-	0.10	-	*	
All-Tex	Titan B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	-	0.68	-	0.31	
All-Tex	Xpress	-	-	-	-	-	-	-	-	-	-	-	-	0.37	-	-	-	-	*	
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
All-Tex	Total	-	-	-	-	-	-	2.11	-	-	-	-	-	0.99	-	-	3.64	-	1.67	
Americot	AM 262 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*	
Americot	AM 821 R	-	0.07	-	-	-	-	-	-	-	-	-	-	-	-	-	2.28	-	1.03	
Americot	AM 1504 B2RF	-	0.57	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.07	
Americot	AM 1521 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	*	-	*	
Americot	AM 1532 B2RF	-	0.37	0.09	-	-	-	-	0.06	-	0.47	-	-	-	-	-	2.11	-	0.99	
Americot	AM 1622 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	-	*	
Americot	AM 1664 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.06	
Americot	AM 2220 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Americot	AM 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Americot	Total	-	1.01	0.09	-	-	-	-	0.06	-	0.47	-	-	-	-	-	0.10	4.79	-	2.22
Bayer Crop Science - Fibermax	FM 800 BR	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.45	-	0.21	
Bayer Crop Science - Fibermax	FM 800 RR	-	-	-	-	-	-	-	-	0.99	-	-	-	-	-	-	0.20	-	0.15	
Bayer Crop Science - Fibermax	FM 832	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.49	-	1.13	
Bayer Crop Science - Fibermax	FM 832 LL	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	1.99	-	0.90	
Bayer Crop Science - Fibermax	FM 835 LLB2	-	-	-	-	-	-	-	0.06	-	-	-	-	-	-	-	0.10	-	*	
Bayer Crop Science - Fibermax	FM 955 LLB2	-	1.32	-	0.46	-	-	-	-	-	-	-	-	-	-	-	0.50	-	0.26	
Bayer Crop Science - Fibermax	FM 958	0.98	-	-	-	-	*	-	-	-	-	-	0.11	-	-	-	7.90	-	3.62	
Bayer Crop Science - Fibermax	FM 958 LL	-	-	-	-	-	-	-	0.08	-	-	-	0.30	-	-	-	1.99	2.95	0.93	
Bayer Crop Science - Fibermax	FM 960 B2	-	-	0.25	-	-	-	-	0.10	0.13	0.09	-	-	*	-	-	0.36	-	0.20	
Bayer Crop Science - Fibermax	FM 960 B2R	-	-	-	-	-	-	-	0.50	-	-	10.00	0.08	10.62	0.09	-	10.74	-	5.11	
Bayer Crop Science - Fibermax	FM 960 BR	0.18	-	-	-	-	0.49	-	-	-	-	-	0.16	-	-	0.32	1.85	-	0.91	
Bayer Crop Science - Fibermax	FM 960 RR	0.12	-	*	-	0.60	0.41	-	-	-	-	-	0.28	-	0.13	-	2.70	-	1.29	
Bayer Crop Science - Fibermax	FM 966	1.59	-	-	-	-	0.10	-	-	-	-	-	-	-	-	-	0.21	-	0.16	
Bayer Crop Science - Fibermax	FM 966 LL	-	-	-	-	-	0.07	-	-	-	-	-	-	-	-	-	0.27	-	0.13	
Bayer Crop Science - Fibermax	FM 981 LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	-	0.07	
Bayer Crop Science - Fibermax	FM 988 LLB2	-	0.15	-	-	-	0.10	-	-	-	-	-	*	-	-	-	0.23	-	0.12	
Bayer Crop Science - Fibermax	FM 989 B2R	-	1.00	-	-	-	-	-	-	-	-	12.83	-	-	*	-	2.87	1.32	1.38	
Bayer Crop Science - Fibermax	FM 989 BR	-	0.60	-	-	-	0.23	-	-	-	-	-	0.14	-	-	-	0.68	1.81	0.36	

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Bayer Crop Science - Fibermax	FM 989 RR	-	0.09	-	-	-	0.20	-	-	-	-	-	0.07	-	-	-	2.54	-	1.17
Bayer Crop Science - Fibermax	FM 991 B2R	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.17	-	0.08
Bayer Crop Science - Fibermax	FM 991 BR	-	0.47	-	-	-	0.29	-	-	-	-	-	-	-	-	-	*	-	*
Bayer Crop Science - Fibermax	FM 991 RR	1.49	-	-	-	-	0.25	-	-	-	-	-	-	-	0.45	-	*	-	0.10
Bayer Crop Science - Fibermax	FM 1735 LLB2	-	0.12	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.06
Bayer Crop Science - Fibermax	FM 1740 B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer Crop Science - Fibermax	FM 1800 LL	-	-	-	-	-	-	-	-	-	-	-	*	1.36	-	-	-	-	*
Bayer Crop Science - Fibermax	FM 1880 B2F	-	*	-	-	-	-	-	*	-	-	7.11	0.06	-	0.58	-	0.47	-	0.26
Bayer Crop Science - Fibermax	FM 5035 LL	-	-	-	-	-	-	-	-	-	-	-	-	1.56	-	-	-	-	*
Bayer Crop Science - Fibermax	FM 9058 F	-	-	-	0.65	-	-	-	-	-	-	-	-	-	-	-	8.11	-	3.68
Bayer Crop Science - Fibermax	FM 9060 F	-	-	0.36	-	-	-	0.42	-	-	-	-	-	1.61	-	*	1.73	-	0.84
Bayer Crop Science - Fibermax	FM 9063 B2F	-	2.18	1.22	-	-	-	-	-	-	-	7.15	0.12	9.12	-	-	12.09	-	5.80
Bayer Crop Science - Fibermax	FM 9068 F	-	0.78	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	-	0.15
Bayer Crop Science - Fibermax	FM 9150 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Bayer Crop Science - Fibermax	FM 9180 B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Bayer Crop Science - Fibermax	Total	4.36	6.72	1.84	1.11	0.60	2.19	0.42	0.80	1.12	0.09	37.09	1.35	24.30	1.42	0.33	61.40	6.08	29.27
CPCSD	Acala Daytona RF	-	-	-	4.80	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
CPCSD	Acala Fiesta RR	-	-	-	2.85	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05
CPCSD	Acala Ultima RF	-	-	-	2.43	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Total	-	-	-	10.09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18
Cropland Genetics	CG 3020 B2RF	-	-	0.85	-	-	-	-	0.15	-	3.30	-	-	-	-	*	0.06	-	0.25
Cropland Genetics	CG 3520 B2RF	-	-	0.09	-	-	-	-	*	-	0.47	-	-	-	-	*	0.17	-	0.11
Cropland Genetics	CG 4020 B2RF	-	-	0.71	-	-	-	-	0.77	-	0.57	-	-	-	-	0.30	0.10	-	0.16
Cropland Genetics	Total	-	-	1.65	-	-	-	-	0.95	-	4.34	-	-	-	-	0.36	0.32	-	0.52
Deltapine	DP 110 RF	0.12	-	0.24	-	-	-	-	-	-	0.53	-	*	-	-	0.36	*	1.32	0.08
Deltapine	DP 113 B2RF	-	-	-	-	-	-	5.78	0.05	-	-	-	0.18	-	-	-	-	-	*
Deltapine	DP 117 B2RF	-	-	3.22	0.65	-	0.15	6.20	0.92	-	20.10	-	1.72	1.53	0.35	2.98	0.06	-	1.54
Deltapine	DP 121 RF	-	0.87	0.27	-	-	-	0.84	-	-	0.67	-	*	-	-	*	0.06	-	0.10
Deltapine	DP 141 B2RF	-	0.41	-	-	-	-	-	-	-	-	-	0.18	-	-	-	-	-	*
Deltapine	DP 143 B2RF	0.31	0.18	0.27	-	-	-	-	0.65	0.19	-	5.74	3.25	8.75	2.93	5.32	3.19	1.32	2.17
Deltapine	DP 147 RF	0.87	0.19	-	-	-	0.11	-	0.96	0.14	0.10	0.56	0.21	0.24	0.56	0.12	0.69	-	0.43
Deltapine	DP 161 B2RF	-	-	-	-	-	-	-	0.36	-	-	-	-	0.34	-	-	0.11	-	0.07
Deltapine	DP 164 B2RF	-	10.65	0.52	3.75	-	-	-	18.85	2.99	0.54	-	0.46	1.70	0.69	*	0.50	-	1.41
Deltapine	DP 167 RF	-	0.36	-	-	-	-	-	1.06	0.39	-	-	0.19	0.15	0.68	-	*	-	0.09
Deltapine	DP 174 RF	-	0.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 388	-	0.77	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine	DP 393	-	0.65	-	-	-	-	-	-	-	-	-	0.32	-	-	-	-	0.49	*
Deltapine	DP 424 BG/II/RR	-	-	0.25	-	-	-	-	-	-	-	-	0.06	-	-	-	0.37	-	0.19
Deltapine	DP 432 RR	1.20	1.29	1.29	-	-	0.45	-	0.56	3.54	0.44	-	1.71	-	0.56	3.68	-	2.95	0.76
Deltapine	DP 434 RR	0.33	0.78	2.22	-	-	0.49	4.22	0.52	1.66	-	-	1.58	0.34	0.75	*	0.33	6.07	0.68
Deltapine	DP 444 BG/RR	8.38	0.84	10.59	0.52	0.30	1.11	-	1.99	15.82	1.19	-	20.08	0.82	2.71	46.21	1.63	44.52	6.65
Deltapine	DP 445 BG/RR	0.93	1.00	27.31	0.65	-	0.79	0.42	5.22	14.85	10.42	-	7.46	0.40	0.60	11.56	0.57	8.60	5.14
Deltapine	DP 447 BG	-	-	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 448 B	-	6.67	-	-	-	0.07	-	-	-	-	2.24	-	-	-	-	*	-	0.14
Deltapine	DP 449 BG/RR	0.55	18.67	-	1.40	0.30	0.30	-	0.10	0.14	-	-	7.22	-	0.66	*	0.24	2.79	0.92
Deltapine	DP 454 BG/RR	1.04	0.06	0.92	-	-	1.16	-	0.30	3.39	-	-	3.13	-	4.95	-	*	1.96	0.73
Deltapine	DP 455 BG/RR	0.16	20.97	0.72	-	-	0.44	-	0.65	1.33	-	7.11	2.30	0.23	2.64	-	0.74	1.47	1.11
Deltapine	DP 488 BG/RR	-	-	-	-	-	0.60	-	-	0.61	-	-	-	-	0.09	-	0.61	-	0.37

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Deltapine	DP 491	0.89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	0.08
Deltapine	DP 493	0.93	-	-	-	-	0.39	-	-	-	-	-	-	-	-	-	-	-	0.07
Deltapine	DP 494 RR	0.64	-	-	-	-	0.45	-	0.77	-	-	-	0.10	-	1.18	-	0.05	-	0.14
Deltapine	DP 515 BG/RR	0.99	-	2.79	-	1.75	2.86	-	3.12	2.30	-	-	0.66	-	4.19	-	-	0.49	0.91
Deltapine	DP 543 BGII/RR	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 555 BG/RR	60.42	4.33	8.25	0.74	95.75	83.59	-	54.08	29.65	-	-	8.45	-	62.48	-	2.05	-	18.10
Deltapine	DP 565	-	0.39	-	-	-	0.13	-	0.34	-	-	-	-	-	-	-	*	-	*
Deltapine	DP 655 B/RR	-	*	-	-	-	-	-	-	-	-	-	-	1.02	-	-	-	-	*
Deltapine	DP 5415 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*
Deltapine	DP 5690 RR	0.37	-	-	-	0.30	0.11	-	0.53	-	-	-	-	-	*	-	1.58	-	0.76
Deltapine	Total	78.13	69.29	58.88	7.71	98.40	93.22	17.46	91.08	77.00	33.99	15.65	59.29	15.52	86.06	70.37	13.10	71.98	42.87
Dyna-Gro	DG 2100 B2RF	-	-	0.31	-	-	-	-	-	-	0.08	0.71	0.30	7.59	0.25	-	0.33	-	0.34
Dyna-Gro	DG 2215 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Dyna-Gro	DG 2242 B2RF	-	-	-	-	-	-	-	-	-	*	10.67	-	-	-	-	0.27	-	0.17
Dyna-Gro	DG 2520 B2RF	-	-	0.68	-	-	-	-	0.07	*	1.29	12.13	1.47	0.95	0.36	-	1.23	-	0.83
Dyna-Gro	DG OA 265 BR	-	-	-	-	-	-	-	-	-	-	4.42	-	-	-	-	-	-	*
Dyna-Gro	Total	-	-	0.99	-	-	-	-	0.07	*	1.41	27.93	1.77	8.54	0.61	-	1.87	-	1.38
Paymaster	PM 2140 B2RF	-	-	-	-	-	-	26.07	-	-	-	-	-	3.37	-	-	0.39	-	0.36
Paymaster	PM 2141 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.06
Paymaster	PM 2145 RR	-	-	-	-	-	-	17.33	-	-	-	-	-	-	-	-	*	-	0.09
Paymaster	PM 2150 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.06
Paymaster	PM 2167 RR	-	-	-	-	-	-	0.42	-	-	-	-	-	0.38	-	-	-	-	*
Paymaster	PM 2266 RR	-	-	-	-	-	-	-	-	-	-	-	-	0.73	-	-	0.32	-	0.16
Paymaster	PM 2280 BG/RR	-	-	-	-	-	-	1.69	-	-	-	-	-	4.22	-	-	0.28	-	0.21
Paymaster	PM 2326 RR	-	-	-	-	-	-	0.42	-	-	-	-	-	-	-	-	0.22	-	0.10
Paymaster	PM 2379 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	0.12
Paymaster	PM 3225 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	0.68	-	-	0.17	-	0.09
Paymaster	PM 3535 BG/RR	-	-	-	-	-	-	0.42	-	-	-	-	-	0.06	-	-	*	-	*
Paymaster	Total	-	-	-	-	-	-	46.35	-	-	-	-	-	9.44	-	-	1.94	-	1.27
Phytogen	NM 1517-99 W	-	-	-	-	-	-	-	-	-	-	6.76	-	-	-	-	-	-	*
Phytogen	PHY 72	-	-	-	23.09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.41
Phytogen	PHY 78	-	-	-	5.56	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10
Phytogen	PHY 125 RF	-	-	-	-	-	-	1.27	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 310 R	-	0.06	-	-	-	*	-	*	0.32	-	-	0.85	-	-	-	-	2.21	0.08
Phytogen	PHY 370 WR	0.09	*	1.29	-	-	0.07	-	0.39	3.17	0.22	-	2.74	-	0.09	0.44	-	8.35	0.55
Phytogen	PHY 425 RF	-	-	*	-	-	*	-	0.12	0.06	-	-	0.08	-	0.32	0.08	-	-	*
Phytogen	PHY 440 W	-	-	-	-	-	-	-	-	-	-	0.36	*	-	-	-	0.58	-	0.27
Phytogen	PHY 470 WR	-	-	-	-	-	0.57	-	-	-	-	-	-	-	-	-	-	-	0.05
Phytogen	PHY 480 WR	-	-	-	-	-	1.66	-	0.05	0.05	-	-	0.07	-	-	-	*	-	0.17
Phytogen	PHY 485 WRF	0.08	-	0.57	-	-	*	-	0.77	0.59	1.88	0.58	2.12	1.53	3.71	0.48	0.55	1.96	0.68
Phytogen	PHY 710 R	-	-	-	3.96	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
Phytogen	PHY 725 RF	-	-	-	46.90	-	-	-	-	-	-	-	-	-	-	-	-	-	0.83
Phytogen	PHY 745 WRF	-	0.09	-	-	-	-	-	-	-	-	4.15	-	-	-	-	-	-	*
Phytogen	Total	0.17	0.18	1.89	79.52	-	2.36	1.27	1.36	4.19	2.10	11.85	5.91	1.53	4.12	1.00	1.13	12.52	3.30
Stoneville	NG 1553 R	-	-	-	-	-	-	14.36	-	-	-	-	-	0.60	-	-	*	-	0.09
Stoneville	NG 1572 RF	-	-	-	-	-	-	8.44	-	-	-	-	-	-	-	-	*	-	*
Stoneville	NG 2448 R	-	-	-	-	-	-	7.89	-	-	-	-	-	0.99	-	-	1.27	-	0.63
Stoneville	NG 3273 B2RF	-	-	-	-	-	-	1.27	-	-	-	-	-	1.43	-	-	0.13	-	0.09
Stoneville	NG 3550 RF	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	-	1.13	-	0.51
Stoneville	NG 3969 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Stoneville	ST 4357 B2RF	-	3.38	1.45	-	-	-	-	0.29	0.06	0.52	-	0.47	0.49	0.13	1.55	0.77	-	0.66

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Stoneville	ST 4427 B2RF	0.24	0.45	0.71	0.65	-	-	-	-	-	1.36	-	5.87	-	0.76	4.81	0.14	-	0.75
Stoneville	ST 4554 B2RF	1.72	4.57	19.70	-	-	-	-	3.74	6.90	45.96	2.84	14.66	26.87	4.03	18.41	3.54	2.46	8.14
Stoneville	ST 4575 BR	-	0.51	0.35	-	-	-	-	-	0.43	-	-	1.40	-	-	1.83	*	0.49	0.24
Stoneville	ST 4664 RF	0.33	3.19	2.73	-	-	-	-	0.29	3.26	6.35	-	0.43	1.25	-	0.73	0.25	-	0.99
Stoneville	ST 4700 B2RF	-	-	2.58	-	-	-	-	-	-	*	-	0.13	3.67	-	0.12	0.08	-	0.32
Stoneville	ST 5242 BR	11.36	0.10	0.59	-	-	0.28	-	0.06	1.97	1.49	-	2.87	-	0.23	0.18	-	3.44	0.88
Stoneville	ST 5283 RF	0.48	0.23	-	-	-	-	-	-	0.06	-	-	-	0.06	-	-	-	-	*
Stoneville	ST 5327 B2RF	-	3.54	*	0.65	-	-	-	-	-	0.30	-	2.35	1.46	0.28	-	0.36	-	0.40
Stoneville	ST 5599 BR	1.37	0.18	6.53	-	0.30	0.15	-	1.17	4.97	1.53	-	1.81	0.34	0.27	0.22	0.59	2.79	1.42
Stoneville	ST 6611 B2RF	-	2.14	-	-	-	*	-	0.11	-	-	-	1.41	-	1.56	-	*	-	0.15
Stoneville	ST 6622 RF	-	0.13	-	-	-	0.10	-	-	-	-	-	*	-	0.21	-	-	-	*
Stoneville	Total	15.50	18.43	34.66	1.30	0.30	0.54	31.96	5.66	17.65	57.56	2.84	31.40	37.28	7.47	27.84	8.39	9.18	15.37
Sure-Grow	Sure-Grow 96	-	0.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	Sure-Grow 821	-	0.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	Total	-	0.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Tamcot	Sphnix	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Misc.	Misc.	1.84	4.05	-	0.28	0.70	1.69	0.42	*	-	*	4.64	0.28	0.67	0.32	-	1.08	0.25	0.86
	TOTAL	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	Total Transgenics	93.77	93.82	100.00	71.06	99.30	97.67	99.58	99.64	100.00	99.96	95.36	99.29	98.68	99.68	100.00	86.51	99.26	92.71

* Less than .05 percent Note: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer Crop Science - Fibermax FM 960 B2R	Stoneville ST 4554 B2RF	Deltapine DP 143 B2RF	Bayer Crop Science - Fibermax FM 9063 B2F	Deltapine DP 444 BG/RR	Bayer Crop Science - Fibermax FM 958	Deltapine DP 5690 RR	Deltapine DP 488 BG/RR	Americot AM 821 R	Dyna-Gro DG 2100 B2RF	Paymaster PM 2280 BG/RR	Paymaster PM 2140 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69	26.07	72.24	100.00
Oklahoma	10.62	26.87	8.75	9.12	0.82	0.00	0.00	0.00	0.00	7.59	4.22	3.37	28.64	100.00
Texas	26.10	7.26	8.18	4.12	4.47	3.32	3.09	2.89	2.71	0.79	1.24	0.11	35.72	100.00
OFFICE TOTAL	22.51	10.11	7.92	4.75	3.69	2.64	2.46	2.30	2.16	1.85	1.74	1.74	36.12	100.00

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Stoneville ST 5242 BR	Deltapine DP 444 BG/RR	Misc. Misc.	Stoneville ST 4554 B2RF	Bayer Crop Science - Fibermax FM 966	Bayer Crop Science - Fibermax FM 991 RR	Deltapine DP 515 BG/RR	Stoneville ST 5599 BR	Deltapine DP 432 RR	Deltapine DP 454 BG/RR	Bayer Crop Science - Fibermax FM 958	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	60.42	11.36	8.38	1.84	1.72	1.59	1.49	0.99	1.37	1.20	1.04	0.98	7.62	100.00
Florida	96.50	0.00	0.00	1.00	0.00	0.00	0.00	2.50	0.00	0.00	0.00	0.00	0.00	100.00
OFFICE TOTAL	66.10	9.57	7.06	1.71	1.45	1.34	1.26	1.23	1.15	1.01	0.88	0.83	6.42	100.00

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer Crop Science - Fibermax FM 832	Bayer Crop Science - Fibermax FM 832 LL	Deltapine DP 555 BG/RR	Deltapine DP 143 B2RF	Bayer Crop Science - Fibermax FM 958 LL	Deltapine DP 455 BG/RR	Phytogen PHY 440 W	Bayer Crop Science - Fibermax FM 955 LLB2	Bayer Crop Science - Fibermax FM 960 B2R	Bayer Crop Science - Fibermax FM 800 BR	Bayer Crop Science Fibermax FM 9063 B2F	Stoneville ST 4554 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	17.81	12.94	9.57	7.25	5.47	4.14	3.88	3.51	3.25	3.01	2.83	2.71	23.63	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 4554 B2RF	Stoneville ST 5599 BR	Deltapine DP 515 BG/RR	Deltapine DP 454 BG/RR	Phytogen PHY 370 WR	Deltapine DP 432 RR	Stoneville ST 4664 RF	Deltapine DP 434 RR	Deltapine DP 164 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	20.81	21.50	11.81	13.56	12.59	7.93	2.64	2.60	0.00	0.00	2.40	0.22	3.95	100.00
Mississippi	30.61	15.22	15.46	7.03	5.33	2.61	3.85	2.78	3.61	3.56	1.86	2.91	5.17	100.00
OFFICE TOTAL	27.42	17.27	14.27	9.16	7.70	4.34	3.46	2.72	2.43	2.40	2.04	2.03	4.77	100.00

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 4554 B2RF	Deltapine DP 445 BG/RR	Deltapine DP 449 BG/RR	Stoneville ST 4427 B2RF	Deltapine DP 454 BG/RR	Deltapine DP 143 B2RF	Phytogen PHY 370 WR	Phytogen PHY 485 WRF	Stoneville ST 5242 BR	Deltapine DP 455 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	8.45	20.08	14.66	7.46	7.22	5.87	3.13	3.25	2.74	2.12	2.87	2.30	19.86	100.00
South Carolina	62.48	2.71	4.03	0.60	0.66	0.76	4.95	2.93	0.09	3.71	0.23	2.64	14.21	100.00
Virginia	0.00	44.52	2.46	8.60	2.79	0.00	1.96	1.32	8.35	1.96	3.44	1.47	23.14	100.00
OFFICE TOTAL	20.13	18.12	11.22	5.98	5.35	4.22	3.45	3.02	2.60	2.47	2.31	2.31	18.82	100.00

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer Crop Science - Fibermex FM 958	Bayer Crop Science - Fibermex FM 9063 B2F	Bayer Crop Science - Fibermex FM 960 B2R	Bayer Crop Science - Fibermex FM 960 RR	Americot AM 1532 B2RF	Bayer Crop Science - Fibermex FM 989 B2R	Deltapine DP 5690 RR	Bayer Crop Science - Fibermex FM 9058 F	Bayer Crop Science - Fibermex FM 989 RR	Bayer Crop Science - Fibermex FM 9060 F	Bayer Crop Science Fibermex FM 960 BR	Americot AM 821 R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	20.80	9.26	8.87	5.63	5.57	4.98	4.84	4.78	4.68	4.09	3.73	3.35	19.42	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer Crop Science - Fibermex FM 9063 B2F	Bayer Crop Science - Fibermex FM 9058 F	Bayer Crop Science - Fibermex FM 960 B2R	Bayer Crop Science - Fibermex FM 958	Bayer Crop Science - Fibermex FM 989 RR	Stoneville ST 4554 B2RF	Bayer Crop Science - Fibermex FM 960 RR	Bayer Crop Science - Fibermex FM 989 B2R	Bayer Crop Science - Fibermex FM 958 LL	Americot AM 821 R	Stoneville NG 3550 RF	Stoneville NG 2448 R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	19.61	15.43	7.16	6.64	3.38	2.68	2.63	2.57	2.53	2.33	2.10	1.97	30.97	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 515 BG/RR	Misc. Misc.	Phytogen PHY 480 WR	Deltapine DP 454 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 488 BG/RR	Phytogen PHY 470 WR	Bayer Crop Science - Fibermex FM 960 BR	Deltapine DP 434 RR	Bayer Crop Science - Fibermex FM 960 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida \1														
Georgia	83.59	2.86	1.69	1.66	1.16	1.11	0.79	0.60	0.57	0.49	0.49	0.41	4.58	100.00
OFFICE TOTAL	83.88	2.77	1.64	1.61	1.12	1.11	0.77	0.58	0.55	0.48	0.48	0.46	4.56	100.00

NOTE: Totals may not add due to rounding.

\1 Individual state data withheld

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Stoneville ST 4554 B2RF	Deltapine DP 444 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 117 B2RF	Stoneville ST 4664 RF	Stoneville ST 4427 B2RF	Deltapine DP 432 RR	Deltapine DP 143 B2RF	Stoneville ST 5599 BR	Cropland Genetics CG 3020 B2RF	Stoneville ST 4357 B2RF	Stoneville ST 4700 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	23.17	10.05	30.50	4.93	4.25	0.90	2.00	0.38	3.30	1.33	2.25	4.02	12.91	100.00
Mississippi	4.79	24.66	8.05	0.00	1.37	0.00	4.03	2.11	3.15	0.00	0.68	0.00	51.15	100.00
Missouri	45.96	1.19	10.42	20.10	6.35	1.36	0.44	0.00	1.53	3.30	0.52	0.04	8.78	100.00
Tennessee	18.41	46.21	11.56	2.98	0.73	4.81	3.68	5.32	0.22	0.01	1.55	0.12	4.41	100.00
OFFICE TOTAL	28.00	19.08	17.56	8.81	3.70	2.21	2.12	1.86	1.80	1.48	1.44	1.43	10.53	100.00

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 455 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 448 B	Bayer Crop Science - Fibermax FM 989 B2R	Misc. Misc.	Stoneville ST 4554 B2RF	Deltapine DP 555 BG/RR	Bayer Crop Science - Fibermax FM 9063 B2F	Stoneville ST 5327 B2RF	Stoneville ST 4357 B2RF	Dyna-Gro DG 2520 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	20.97	18.67	10.65	6.67	1.00	4.05	4.57	4.33	2.18	3.54	3.38	0.00	19.99	100.00
California	0.00	23.41	62.55	0.00	0.00	4.68	0.00	9.36	0.00	0.00	0.00	0.00	0.00	100.00
New Mexico	7.11	0.00	0.00	2.24	12.83	4.64	2.84	0.00	7.15	0.00	0.00	12.13	51.06	100.00
Texas \1														
OFFICE TOTAL	17.34	14.93	10.78	5.39	4.28	4.21	3.95	3.65	3.02	2.63	2.51	2.38	24.94	100.00

NOTE: Totals may not add due to rounding.

\1 Individual state data withheld

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 445 BG/RR	Stoneville ST 4554 B2RF	Deltapine DP 515 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Deltapine DP 167 RF	Deltapine DP 147 RF	Deltapine DP 117 B2RF	Cropland Genetics CG 4020 B2RF	Deltapine DP 494 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas \1														
Louisiana	54.08	18.85	5.22	3.74	3.12	1.99	1.17	1.06	0.96	0.92	0.77	0.77	7.35	100.00
Mississippi	49.39	12.13	24.48	9.29	0.00	0.00	0.00	0.77	0.00	0.00	0.00	0.00	3.94	100.00
OFFICE TOTAL	53.77	18.22	6.65	4.14	2.93	1.84	1.08	1.03	0.89	0.85	0.71	0.71	7.16	100.00

NOTE: Totals may not add due to rounding.

\1 Individual state data withheld

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Phytogen PHY 725 RF	Phytogen PHY 72	Phytogen PHY 78	CPCSD Acala Daytona RF	Phytogen PHY 710 R	CPCSD Acala Fiesta RR	CPCSD Acala Ultima RF	Bayer Crop Science - Fibermax FM 9058 F	Deltapine DP 117 B2RF	Deltapine DP 445 BG/RR	Stoneville ST 4427 B2RF	Stoneville ST 5327 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
California	49.90	24.57	5.92	5.11	4.21	3.03	2.59	0.69	0.69	0.69	0.69	0.69	1.22	100.00

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2007

State	Phytogen PHY 800	Deltapine DP 340	Deltapine DP 744	Deltapine DP 353	Deltapine DP 357	Deltapine DP HTO	Deltapine Pima S-7	CPCSD Cobalt Pima	Hazera HA195	Hazera HA175	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona	13.33%	54.00%	13.23%	0.00%	0.00%	2.19%	12.38%	0.00%	2.59%	2.28%	100.00%
California	68.03%	19.50%	4.55%	5.87%	1.13%	0.80%	0.00%	0.11%	0.00%	0.00%	100.00%
New Mexico	22.17%	55.66%	22.17%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	100.00%
Texas	32.64%	34.73%	32.64%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	100.00%
United States	62.38%	22.80%	7.59%	5.07%	0.98%	0.74%	0.26%	0.09%	0.05%	0.05%	100.00%

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2007

Classing Office	Phytogen PHY 800	Deltapine DP 340	Deltapine DP 744	Deltapine DP 353	Deltapine DP 357	Deltapine DP HTO	Deltapine Pima S-7	CPCSD Cobalt Pima	Hazera HA195	Hazera HA175	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
PHOENIX	13.33%	54.00%	13.23%	0.00%	0.00%	2.19%	12.38%	0.00%	2.59%	2.28%	100.00%
VISALIA											
CA	68.03%	19.50%	4.55%	5.87%	1.13%	0.80%	0.00%	0.11%	0.00%	0.00%	100.00%
MN	22.17%	55.66%	22.17%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
TX	32.64%	34.73%	32.64%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
Office total	63.42%	22.14%	7.47%	5.18%	1.00%	0.71%	0.00%	0.10%	0.00%	0.00%	100.00%
United States	62.38%	22.80%	7.59%	5.07%	0.98%	0.74%	0.26%	0.09%	0.05%	0.05%	100.00%